PERGAMON

www.elsevier.nl/locate/poly

Polyhedron 19 (2000) 2719–2738

POLYHEDRON

Author Index to Volume 19

Abe, I., see Hiroi, K., 525
Abram, U., Voigt, A. and Kirmse, R., The reaction of rhenium nitrido complexes with $^{+}CPh_3$. Synthesis, structures and EPR spectra of rhenium imido compounds, 1741
Abu-Reziq, R., see Blum, J., 509
Abu-Surrah, A.S., Lappalainen, K., Repo, T., Klinga, M., Leskelä, M. and Hodali, H.A., Palladium(II) complexes bearing ethylene-bridged S∩As and S∩P donor ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene, 1601
Adams, R.D. and Perrin, J.L., The catalytic transformation of thiiranes to cyclic disulfides by tungsten carbonyl complexes, 521
Agarossi, A., see Remelli, M., 2409
Ágoston, C.G., Várnagy, K., Bényei, A., Sanna, D., Micera, G. and Sóvágó, I., Solution equilibria and structural characterisation of the transition metal complexes of glycyl-L-cysteine disulfide, 1849
Aguado, R., see Arnáiz, F.J., 2141
Aguirre, M.J., see Trollund, E., 2303
Ahmed, S.I., Burgess, J., Fawcett, J., Parsons, S.A., Russell, D.R. and Laurie, S.H., The structures of bis-maltolato-zinc(II) and of bix-3-hydroxy-1,2-dimethyl-4-pyridinonato–zinc(II) and –lead(II), 129
Ainscough, E.W., Brodie, A.M., Burrell, A.K., Fan, X., Halstead, M.J.R., Kennedy, S.M.F. and Waters, J.M., The reactivity of the 'P_2N' ligand 2-(diphenylphosphino)-*N*-[2-(diphenylphosphino)-benzylidene]-benzeneamine towards sulfur and acid, 2585
Ainscough, E.W., see Depree, C.V., 2101
Airoldi, C., see Arakaki, L.N.H., 367
Akilan, P., see Amudha, P., 1769
Allegretti, Y., Ferrer, E.G., González Baró, A.C. and Williams, P.A.M., Oxovanadium(IV) complexes of quinic acid. Synthesis, characterization and potentiometric study, 2613
Almond, M.J., Drew, M.G.B., Redman, H. and Rice, D.A., A new simple synthetic route to M_3Se_7 (M = Mo or W) core containing complexes: crystal structure and characterisation of $[M_3(\mu_3\text{-}Se)(\mu\text{-}Se_2)_3(dtc)_3]_2Se$, 2127
Al-Salem, N.A., see Goher, M.A.S., 1465
Alshehri, S., Burgess, J., Fawcett, J., Parsons, S.A. and Russell, D.R., Structures of bis-ethylmaltolatodichloro-tin(IV) and -titanium(IV) and of trichloro(1-methyl-2-ethyl-3-hydroxy-4*H*-pyridin-4-onato)-aquatin(IV), 399
Al Shihadeh, Y., Benito, A., Lloris, J.M., Martínez-Máñez, R., Pardo, T., Soto, J. and Marcos Martínez, M., Aza–oxa macrocyclic ligands functionalised with naphthylmethyl fluorescent groups, 1867
Alvarado, E., Torres-Martinez, L.M., Fuentes, A.F. and Quintana, P., Preparation and characterization of MgO powders obtained from different magnesium salts and the mineral dolomite, 2345
Alvarez, J., see Longo, C., 487
Alvarez-Larena, A., see Chadghan, A., 855
Alyea, E.C., Ferguson, G. and Kannan, S., X-ray structural determination of a bulky phosphine complex: chloro{tris(2,4,6-trimethoxyphenyl)phosphine}gold(I), $\{AuCl[P(C_9H_{11}O_3)_3]\}$, 2211
Alzuet, G., Ferrer-Llusar, S., Borrás, J. and Martínez-Mánez, R., New Cu(II) and Zn(II) complexes of benzolamide with dithylenetriamine: synthesis, spectroscopy and X-ray structures, 725
Alzuet, G., see Borrás, E., 1859
Alzuet, G., see García-Raso, Á., 991
Amirkhanov, V.M., see Gubina, K.E., 2203
Amudha, P., Akilan, P. and Kandaswamy, M., Synthesis, spectral, electrochemical and magnetic properties of new phenoxo-bridged dicopper(II) complexes derived from unsymmetrical binucleating ligands with imino and amino side arms, 1769
Anderson, G.K., see Moser, J.A., 1329
Anderson, K.M., see Rice, C.R., 495
Andrade, C., see Crivelli, I.G., 2289
Andruh, M., see Tanase, S., 1967
Anson, C.E., Hartmann, S., Kelsey, R.D. and Stephenson, G.R., X-ray crystallographic proof of regioselectivity in a nitrosobenzene cycloaddition, and development of a novel in situ heterocycloaddition trap for use during decomplexation of tricarbonyliron diene complexes in hippeastrine synthesis, 569
Antonia Mendiola, M., see Cañadas, M., 2059
Arai, K., see Yanagihara, N., 1311
Arakaki, L.N.H. and Airoldi, C., Ethylenimine in the synthetic routes of a new silylating agent: chelating ability of nitrogen and sulfur donor atoms after anchoring onto the surface of silica gel, 367
Arancibia, A., see Díaz, C., 2679
Arancibia, A., see Diaz, C., 137
Ardiles, P., see Trollund, E., 2303
Arissawa, M., see Téllez-Sara, C.A., 2353
Arnáiz, F.J., Aguado, R., Pedrosa, M.R., De Cian, A. and Fischer, J., Synthesis, characterization and catalytic activity of addition compounds of dioxomolybdenum(VI) pyridine-2,6-dicarboxylate. Crystal structure of MoO_2(dipic)(L) (L = DMF, DMSO, $OPPh_3$), 2141
Arnold, D.P., see Jiang, J., 1381
Asada, H., Fujiwara, M. and Matsushita, T., Structures of dichloromanganese(IV) complexes with bidentate and tetradentate Schiff base ligands, 2039
A. Savel'eva, Z., V. Romanenko, G., A. Sheludyakova, L. and V. Larionov, S., Synthesis and structure of a complex with the coordinated triaminoguanidinium(2+) ion, $[Cu(TAGH_2)Cl_3]Cl{\cdot}H_2O$, 1737
Asfari, Z., see Thuéry, P., 1749
A. Sheludyakova, L., see A. Savel'eva, Z., 1737
Aslanidis, P., see Cox, P.J., 1615
Atwood, J.L. and Junk, P.C., Formation and crystal structures of novel seven-coordinate 15-crown-5 complexes of manganese(II), iron(II) and cobalt(II), 85
Aubol, S.L., see Parker, O.J., 623
Aucott, S.A., Slawin, A.M.Z. and Woollins, J.D., The preparation and characterisation of platinum and palladium phosphine thiocarbonate complexes $M(PR_3)_2(CS_3)$ and $Pt(PR_3)_2(CseS_2)$, 499
Aury, S., see Giroux, S., 1567

PII: S0277-5387(00)00652-5

Averbuj, C., see Kaftanov, J., 563
Avnir, D., see Blum, J., 509
Azam, K.A., Dilshad, R., Kabir, S.E., Mottalib, M.A., Hursthouse, M.B. and Malik, K.M.A., Metallation of 2-methyl-2-thiazoline at a triosmium cluster: X-ray structure of $[(\mu\text{-H})Os_3(CO)_{10}(\mu\text{-}\eta^2\text{-}CH_2\overline{C{=}NCH_2CH_2S}\overline{)}]$, 1081

Babonneau, F. and Maquet, J., Nuclear magnetic resonance techniques for the structural characterization of siloxane–oxide hybrid materials, 315
Bachmann, C., see Oberhauser, W., 913
Baidina, I.A., see Isakova, V.G., 1097
Baker, P.K. and Meehan, M.M., Synthesis and spectral properties of some new cobalt/tungsten chain triphos $\{PhP(CH_2CH_2PPh_2)_2\}$ bridged multimetallic complexes, 1585
Baker, P.K., Jenkins, A.E. and Meehan, M.M., Alkyne complexes of tungsten(II) containing carboxylate and sulfonate substituted pyridine ligands. Water-soluble alkyne complexes of tungsten(II), 2171
Baker, P.K., Samson, E., Veale, P.L. and Drew, M.G.B., Monodentately coordinated *o*-phenylenediacetonitrile seven-coordinate complexes of molybdenum(II) and tungsten(II): X-ray crystal structure of $[WI_2(CO)_3\{1,2\text{-}C_6H_4(CH_2CN)_2\text{-}N\}_2]$, 147
Bandini, M., Cozzi, P.G. and Umani-Ronchi, A., The first catalytic enantioselective Nozaki–Hirama–Kishi reaction, 537
Banerjee, R., see Mondal, B., 1213
Baran, P., see Boča, R., 835
Baran, P., see Vrbová, M., 2195
Barba-Behrens, N., see Ceniceros-Gómez, A.E., 1821
Barba-Behrens, N., see Quiroz-Castro, E., 1479
Barbier, J.-P., see Jubert, C., 1447
Bardají, M., see Romeo, I., 1837
Baricelli, P., see Longo, C., 487
Barik, A.K., Paul, S., Butcher, R.J. and Kar, S.K., Synthesis and characterization of two tris-chelate complexes of cobalt(III) with 3,5-dimethyl-1-(*N*-methyl/ethyl)thiocarbamylpyrazole (HL_1, HL_2) — biologically important bidentate ligands with one ambidentate donor site, 2651
Barton, A.J., Connolly, J., Levason, W., Mendia-Jalon, A., Orchard, S.D. and Reid, G., Synthesis and spectroscopic characterisation of tritelluroether, triselenoether, and trithioether complexes of Cr(0), Mo(0) and W(0), 1373
Barton, A.J., Levason, W., Reid, G. and Tolhurst, V.-A., Synthesis and properties of ditelluroether complexes of osmium, *trans*-$[OsCl_2(L\text{-}L)_2]$ and *trans*-$[OsCl(PPh_3)(L\text{-}L)_2]PF_6$ (L-L = *o*-$C_6H_4(TeMe)_2$, $RTe(CH_2)_3TeR$ (R = Ph or Me)), 235
Basuli, F., Kumar Das, A., Mostafa, G., Peng, S.-M. and Bhattacharya, S., Chemistry of ruthenium with some phenolic ligands: synthesis, structure and redox properties, 1663
Battistuzzi, G., Cannio, M. and Battistuzzi, R., Synthesis, magnetic, spectroscopic and electrochemical studies of mixed pyrimidine-2-thiolate/triphenylphosphine rhenium(V) and rhenium(III) complexes, 2163
Battistuzzi, R., see Battistuzzi, G., 2163
Becher, J., Hazell, A., McKenzie, C.J. and Vestergaard, C., Divalent transition metal complexes of alkylpyridyl derivatized dmit ligands, 665
Bednarek, E., see Sztyk, E., 965
Bekaroğlu, Ö., see Kandaz, M., 115
Beletskaya, I.P. and Kazankova, M.A., Catalyzed and non-catalyzed addition reactions to the triple bond, 597
Belicchi Ferrari, M., Gasparri Fava, G., Pelosi, G. and Tarasconi, P., Versatile chelating behavior of aliphatic thiosemicarbazones in zinc and cobalt complexes, 1895
Bell, N.A., Coles, S.J., Hursthouse, M.B., Light, M.E., Malik, K.A. and Mansor, R., Mercury halide complexes of tertiary phosphines. Part XVI. Dimer–monomer trend in the 1:1 complexes of mercury(II) halides with bulky tris(2,6-dimethoxyphenyl)phosphine (DMPP), 1719
Bell, N.A., Gelbrich, T., Hursthouse, M.B., Light, M.E. and Wilson, A., Reactions of trichlorovinylmercurials with potential non-chelating bidentate ligands. Crystal structures of $[(C_2Cl_3)_2Hg$ (4,4′-bipyridyl)] (**1**), $[C_2Cl_3Hg$(2-pyridyl thiolate)] (**12**) and polymeric $HgBr_2$(2,2′-dipyridyl disulfide) (**10**), 2539
Bell, V., see Veinot, J.G.C., 331
Belokon', A.I., see Turevskaya, E.P., 705
Bencini, A., Bianchi, A., Giorgi, C., Paoletti, P., Valtancoli, B., Ceccanti, N. and Pardini, R., Cobalt(II) dioxygen carriers based on dinucleating ligands. Part 1. Thermodynamics of dioxygen binding in aqueous solution, 2441
Bencini, A., see Secco, F., 2507
Benito, A., see Al Shihadeh, Y., 1867
Bényei, A., see Ágoston, C.G., 1849
Benzo, F., Beyer, L., Bozoglián, F., Hallmeier, K.-H. and Sienra, B., Inductive effect of methyl groups on acidopentaaminecobalt(III) complexes, 971
Bermejo, E., see Castiñeiras, A., 1873
Bermejo, M.R., see Maneiro, M., 47
Bermejo, M.R., see Sanmartín, J., 185
Bernardinelli, G., see Fromm, K.M., 1783
Bernasek, S.L., see Schwartz, J., 505
Bernès, S., see Ceniceros-Gómez, A.E., 1821
Bernès, S., see Gasque, L., 649
Bernès, S., see Quiroz-Castro, E., 1479
Beyer, L., see Benzo, F., 971
Bhattacharya, A.K., see Mondal, B., 1213
Bhattacharya, S., see Basuli, F., 1663
Bhattacharya, S., see Das, A., 1227
Bhattacharya, S., see Sinha, P.K., 1673
Bhattacharyya, P., Slawin, A.M.Z. and Woollins, J.D., Synthesis and characterisation of platinum(II) complexes containing heterobidentate *S,N*-chelating ligands: X-ray crystal structure of *cis*-[Pt{SPPh$_2$N=C(Me)NH-*S,N*})PMe$_2$Ph)$_2$]Cl, 809
Bhrahma, G.S., see Mondal, B., 1213
Biaggio, S.R., see Trollund, E., 2303
Bianchi, A., see Bencini, A., 2441
Bianchi, A., see Ceccanti, N., 2447
Bilakhiya, A.K., Tyagi, B. and Paul, P., Dinuclear ruthenium(II) and/or osmium(II) complexes of bipyridyl ligands bridged by rigid spacers: synthesis, characterization, electrochemical behavior and luminescence properties, 1233
Blanco, L.M., see Uraev, A.I., 2361
Blum, J., Gelman, F., Abu-Reziq, R., Miloslavski, I., Schumann, H. and Avnir, D., Sol–gel entrapped heteronuclear transition metal catalysts, 509
Boča, R., Nemečková, M., Vrbová, M., Baran, P., Svoboda, I. and Fuess, H., Tetrahydropoxen: 2,2′-(1,2-ethanediylbis(iminomethylene))bis(pyridine N-oxide) and its complexes. X-ray structure of $[Cu(H_4\text{-poxen})H_2O](ClO_4)_2\cdot H_2O$ and $[Co(poxen)H_2O(ClO_4)_2$, 835
Boča, R., see Vrbová, M., 2195
Bocarsly, A.B., see Schwartz, J., 505
Bocelli, G., see Thirumaran, S., 1279
Bogdanović, G., see Rogan, J., 1415
Boggess, R.K., see Mink, L.M., 1057
Boillot, M.-L., see Tuna, F., 1643
Bokhimi, X., Morales, A., Novaro, O., López, T. and Gómez, R., The effect of hydrolysis initiator on the phase formation in sulfated sol–gel zirconia, 2283
Bombicz, P., see Madarász, J., 457
Bond, E.M., Duesler, E.N., Paine, R.T. and Nöth, H., Isolation and structure of a europium(III) chloride complex of 2,6-bis[-(diphenylphosphino)methyl]pyridine *N,P,P′*-trioxide, 2135
Bonini, B.F., Comes-Franchini, M., Fochi, M., Mazzanti, G., Ricci, A. and Varchi, G., Silylcupration of acylimidazolides: a new synthesis of α-aminoacylsilanes and their synthetic applications, 529

Bontchev, P.R., Ivanova, B.B., Bontchev, R.P., Mehandjiev, D.R. and Ivanov, D.S., Complexes of Cu(II) with α-[(ethylamino)methyl]-3-hydroxy, benzenemethanol (Effortil). Crystal structure of the mononuclear Cu(II) complex with Effortil, 1843
Bontchev, R.P., see Bontchev, P.R., 1843
Borrás, E., Alzuet, G., Borrás, J., Server-Carrió, J., Castiñeiras, A., Liu-González, M. and Sanz-Ruiz, F., Coordination chemistry of sulfamethizole: crystal structures of $[Cu(sulfamethizolate)_2(py)_2(OH_2)]\cdot H_2O$, $[M(sulfamethizolate)_2(py)_2(OH_2)_2]$ [M = Co and Ni] and $\{Cu(sulfamethizolate)_2(dmf)_2\}_\infty$, 1859
Borrás, E., see García-Raso, Á., 991
Borrás, J., see Alzuet, G., 725
Borrás, J., see Borrás, E., 1859
Borrás, J., see García-Raso, Á., 991
Bortoluzzi, A.J., see de Sousa, G.F., 841
Bortoluzzi, A.J., see Ursini, C.V., 2261
Borzov, M.V., see Qian, C.-T., 1955
Boskovic, C., Folting, K. and Christou, G., Tetranuclear manganese carboxylate clusters with imidazole-carboxylate chelating ligands. X-ray crystal structure of the 4-imidazoleacetate complex, 2111
Böttcher, H.-C., Graf, M., Merzweiler, K. and Wagner, C., Electron-rich and electron-poor heterobimetallic butterfly clusters: synthesis and structure of $[Ru_3Ir(CO)_8(\mu_3\text{-}H)(\mu\text{-}Cl)_2(\mu\text{-}P^tBu_2)_2(^tBu_2PH)]$ and $[Ru_3Au(CO)_{10}(\mu\text{-}Cl)(^tBu_2PH)]$, 2593
Boyle, T.J., see Zechmann, C.A., 2557
Boys, D., see Crivelli, I.G., 2289
Bozoglián, F., see Benzo, F., 971
Braibanti, A., Fisicaro, E. and Compari, C., Solubility of oxygen and inert substances in water, 2457
Brasuń, J., see Kowalik-Jankowska, T., 241
Bravo-Vasquez, J.P. and Hill, R.H., Photolithographic deposition of conducting gold films from thin amorphous films of $AuPR_3X$ ($X = NO_3$, RCO_2) on silicon surfaces, 343
Brechbiel, M.W., see Park, G., 1155
Bregadze, V.I., see Sivaev, I.B., 627
Breit, B. and Zahn, S.K., Stereoselective hydroformylation, cuprate addition and domino reactions with the aid of a catalyst directing group, 513
Breitzer, J.G. and Rauchfuss, T.B., Studies on $\alpha\text{-}C_3S_5^{2-}$ ($dmit^{2-}$) and its dinuclear Ni(II) complex: spectroscopic and structural characterization, 1283
Brellochs, B., see Sivaev, I.B., 627
Brenčič, J.V., see Modec, B., 1407
Brenčič, J.V., see Modec, B., 1219
Breneman, G.L., see Parker, O.J., 623
Breza, M., The electronic structure of planar phosphazene rings, 389
Bricklebank, N., Hargreaves, S. and Spey, S.E., Modification of the solid state structures of dithiadiazolyl radicals: crystal structure of *p*-iodophenyl-1,2,3,5-dithiadiazolyl, 1163
Bridgewater, B.M., see Hascall, T., 1063
Brodie, A.M., see Ainscough, E.W., 2585
Brodie, A.M., see Depree, C.V., 2101
Brooker, S., Croucher, P.D., Davidson, T.C. and Smith, P.D., Dimetallic thiolate-bridged complexes: synthesis and rich electrochemistry of dinickel(II) and dizinc(II) monothiolate complexes, 1887
Brown, C.A., see de Sousa, G.F., 841
Bruce, D.W., see Guillevic, M.-A., 249
Brüggeller, P., see Oberhauser, W., 913
Brunner, H., Köllnberger, A., Burgemeister, T. and Zabel, M., Optically active transition metal complexes: Part 125. Preparation and epimerization of chiral-at-metal pentamethylcyclopentadienylrhodium(III) and iridium(III) half-sandwich complexes, 1519
Bucci, R., Magrì, A.D., Magrì, A.L. and Napoli, A., On the reaction of iron(III) with chromium(III)–DTPA chelating agent, 2421
Bucci, R., Magrì, A.D., Magrì, A.L. and Napoli, A., Spectroscopic characteristics and thermal properties of divalent metal complexes of diclofenac, 2515
Bugella-Altamirano, E., González-Pérez, J.M., Sicilia-Zafra, A.G., Niclós-Gutiérrez, J. and Castiñeiras-Campos, A., Metal chelates of *N*-carbamoylmethyl-iminodiacetate(2 −) ion. Part III. Synthesis, XRD structures and properties of *N*-carbamoylmethyl-iminodiacetic acid (H_2ADA) and *cis*-diaqua(*N*-carbamoylmethyl-iminodiacetato)nickel(II), $[Ni(ADA)(H_2O)_2]$, 2463
Bugella-Altamirano, E., González-Pérez, J.M., Sicilia Zafra, A.G., Niclós-Gutiérrez, J. and Castiñeiras-Campos, A., Metal chelates of *N*-carbamoylmethyl-iminodiacetate(2 −) ion: Part IV. Isostructural ternary mixed-ligand cobalt(II) and nickel(II) chelates with *N*-carbamoylmethyl-iminodiacetate(2 −) ion, imidazole and aqua ligands. Synthesis, molecular and crystal structures and properties of $[M(ADA)(Him)(H_2O)]\cdot 1.5H_2O$ (M = Co, Ni), 2473
Burgemeister, T., see Brunner, H., 1519
Burgess, J., see Ahmed, S.I., 129
Burgess, J., see Alshehri, S., 399
Burgess, J., see Matoga, D., 1503
Burrell, A.K., see Ainscough, E.W., 2585
Burrell, A.K., see Depree, C.V., 2101
Butcher, R.J., see Barik, A.K., 2651
Butcher, R.J., see Paul, S., 2661
Bu, W.-M., see Zhang, L., 1105
Bu, W.-M., see Zhang, Z.-H., 1559
Bu, W., see Zhang, F., 1941
Bu, X.-H., Chen, W., Mu, L.-J., Zhang, Z.-H., Zhang, R.-H. and Clifford, T., Syntheses, crystal structures and properties of new manganese(II) complexes with macrocyclic polyamine ligands bearing pyridyl donor pendants, 2095
Bu, X.-H., Lu, S.-L., Zhang, R.-H., Liu, H., Zhu, H.-P. and Liu, Q.-T., Synthesis, characterization and crystal structure of the cobalt(II) and iron(II) complexes with an octadentate ligand, 1,4,7,10-tetrakis(2-pyridylmethyl)-1,4,7,10-tetraazacyclododecane (**L**), $[ML]^{2+}$, 431
Bu, X.-H., see Zhang, Z.-H., 1559
Byrne, R.H., see Klungness, G.D., 99
Byrom, C., Malik, M.A., O'Brien, P., White, A.J.P. and Williams, D.J., Synthesis and X-ray single crystal structures of bis(diisobutyldithiophosphinato)cadmium(II) or zinc(II): potential single-source precursors for II/VI materials, 211

Cabaleiro, S., Castro, J., García-Vázquez, J.A., Romero, J. and Sousa, A., Direct electrochemical synthesis of cobalt(II) complexes of tosylamides: crystal structures of $[CoL_2py_2]$, $[CoL_2DMF_2]$, $[CoL_2bipy]$ and $[CoL_2phen]$, L = [(4-methylphenyl)sulfonyl]-2-pyridylamide, 1607
Caldeira, M.M., Ramos, M.L., Pereira, G.G. and Gil, V.M.S., A multinuclear NMR study of the complexation of W(VI) with meso-2,3-dimercaptosuccinic acid (DMSA), 193
Campero, A., see Garcia-Sanchez, M.A., 2383
Cañadas, M., López-Torres, E., Martínez-Arias, A., Mendiola, M.A. and Sevilla, M.T., Spectroscopic and electrochemical properties of nickel(II), iron(III) and cobalt(II) complexes with benzilbisthiosemicarbazone — importance of working conditions and the metal salt used in the final complex, 2059
Canales, J., Ramirez, J., Estiu, G. and Costamagna, J., Bis-bipyridine hexa-aza-macrocycle complexes of zinc(II) and nickel(II) and the catalytic reduction of carbon dioxide, 2373
Cannio, M., see Battistuzzi, G., 2163
Cantoni, A., see Thirumaran, S., 1279
Cárdenas, G., Segura, R., Morales, J., Soto, H. and Lima, C.A., Preparation and properties of Zn–Cd films from non-aqueous colloids, 2337
Cárdenas-Jirón, G., see Zagal, J.H., 2255
Carmalt, C.J. and Steed, J.W., Homoleptic silyl complexes of arsenic and antimony, 1639
Carmalt, C.J., Morrison, D.E. and Parkin, I.P., Liquid-mediated metathetical synthesis of binary and ternary transition-metal pnictides, 829

Carvalho, A., Domingos, Â., Isolani, P.C., Marques, N., Pires de Matos, A. and Vicentini, G., Synthesis, luminescence studies and crystal structures of two europium(II) hydrotris(pyrazol-1-yl)borate complexes: $Eu(HBpz_3)_2 \cdot 2DPSO$ and $Eu(HBpz_3)_2 \cdot 2BPMU$, 1707
Carvalho, A., García-Montalvo, V., Domingos, Â., Cea-Olivares, R., Marques, N. and Pires de Matos, A., Synthesis and characterization of thorium and uranium tetraphenylimidophosphinate complexes. Crystal and molecular structures of $Th(tpip)_4$, $U(tpip)_4$ and $UCl(tpip)_3$, 1699
Casabó, J., see Chadghan, A., 855
Casabó, J., see Ruiz, J., 1627
Casas, J.S., Castiñeiras, A., Condori, F., Couce, M.D., Russo, U., Sánchez, A., Sordo, J. and Varela, J.M., Reaction of the diethyltin(IV) cation with pyridoxine (PN, vitamin B_6) in the presence of various anionic species: the crystal structure of $\{SnEt_2(PN-H)]Cl$, 813
Casey, M., Lawless, J. and Shirran, C., The Heck reaction: mechanistic insights and novel ligands, 517
Castillo-Blum, S.E., see Ceniceros-Gómez, A.E., 1821
Castiñeiras, A., Garcia, I., Bermejo, E. and West, D.X., Structures of 2-pyridineformamide thiosemicarbazone and its complexes with cadmium halides, 1873
Castiñeiras, A., see Borrás, E., 1859
Castiñeiras, A., see Casas, J.S., 813
Castiñeiras, A., see García-Raso, Á., 991
Castiñeiras, A., see Labisbal, E., 1255
Castineiras, A., see Lobana, T.S., 899
Castiñeiras-Campos, A., see Bugella-Altamirano, E., 2473
Castiñeiras-Campos, A., see Bugella-Altamirano, E., 2463
Castro, J., see Cabaleiro, S., 1607
Catalano, V.J. and Craig, T.J., Synthesis and X-ray crystal structures of several dinuclear ruthenium cymene complexes based on the tetradentate ligand, 2,2′-(1*H*-pyrazole-3,5-diyl)bis(6-methylpyridine) (Me_2DppzH), 475
Catalano, V.J., Heck, R.A., Öhman, A. and Hill, M.G., Synthesis, characterization, and electrocatalytic oxidation of benzyl alcohol by a pair of geometric isomers of $[Ru(trpy)(4,4'\text{-}Me_2dppi)(OH_2)]^{2+}$ where 4,4′-dppi is 3,6-di-(4-methylpyrid-2-yl)pyridazine, 1049
Cataldo, F., ^{13}C NMR and FT-IR spectra of thiocyanogen, $S_2(CN)_2$, selenocyanogen, $Se_2(CN)_2$, and related compounds, 681
Caubet, A., see Chadghan, A., 855
Cea-Olivares, R., see Carvalho, A., 1699
Cea-Olivares, R., see López-Cardoso, M., 1539
Ceccanti, N., Pardini, R., Secco, F., Tinè, M.R., Venturini, M., Bianchi, A. and Paoletti, P., Cobalt(II) dioxygen carriers based on dinucleating ligands: Part 2. Kinetics of dioxygen binding, 2447
Ceccanti, N., see Bencini, A., 2441
Ceniceros-Gómez, A.E., Barba-Behrens, N., Quiroz-Castro, M.E., Bernès, S., Nöth, H. and Castillo-Blum, S.E., Synthesis, X-ray and spectroscopic characterisation of chromium(III) coordination compounds with benzimidazolic ligands, 1821
Černáková, M., see Moncol, J., 2573
Cervantes-Lee, F., see Pannell, K.H., 291
Cerveau, G., Corriu, R.J.P. and Framery, E., Influence of the nature of the catalyst on the textural properties of organosilsequioxane materials, 307
Chadghan, A., Pons, J., Caubet, A., Casabó, J., Ros, J., Alvarez-Larena, A. and Piniella, J.F., Cobalt(II) complexes with pyrazole-derived ligands: crystal structure of {bis[3-phenyl-5-(2-pyridyl) pyrazole]aquachlorocobalt(II)}chloride monohydrate, 855
Chai, J.-F., see Tang, L.-F., 1949
Chan, A.S.-C., see Liu, Q., 453
Chang, C.-S., see Li, Y.-I., 413
Chao, H., Ye, B.-H., Li, H., Li, R.-H., Zhou, J.-Y. and Ji, L.-N., Synthesis, electrochemical and spectroscopic properties of ruthenium(II) complexes containing 1,3-bis([1,10]phenanthroline-[5,6-*d*]imidazol-2-yl)benzene, 1975
Chapman, J., see Nel, A., 1621
Charistos, D., see Tsiamis, C., 2003
Chatterjee, D., see Ward, M.S., 1339
Chattopadhyay, P., see Pal, S., 1263
Chaudhuri, S., see Rahaman Laskar, I., 1803
Chen, A.-J., see Yeh, A.-C., 545
Chen, C.-B., see Tsai, C.-H., 633
Cheng, T.-H., Wang, Y.-M., Lee, W.-T. and Liu, G.-C., Synthesis of two *N*′-2-pyridylmethyl and *N*′-2-hydroxypropyl derivatives of diethylenetriaminepentaacetic acid and the stabilities of their complexes with Ln^{3+}, Ca^{2+}, Cu^{2+} and Zn^{2+}, 2027
Chen, H.-Y., see Lin, X., 925
Chen, J.-H., see Li, J.-M., 1117
Chen, J.-H., see Li, Y.-I., 413
Chen, J.-H., see Tsai, C.-H., 633
Chen, J.-T., see Yeh, A.-C., 545
Chen, L., see Lin, P., 2189
Chen, S.-I., see Yeh, A.-C., 545
Chen, W., see Bu, X.-H., 2095
Chen, X.-M., see Tong, M.-L., 1809
Chen, X.-M., see Yang, S.-P., 2237
Chia, L.M.L., Wheatley, A.E.H., Feeder, N., Davies, J.E. and Halcrow, M.A., Syntheses, structures and electrochemistry of $[Zn(L^1)_2](BF_4)_2 \cdot 2H_2O$ and $[Zn(L^1)(Tp^R)]BF_4$ (L^1 = 1-{pyrid-2-yl}-3-{2′,5′-dimethoxyphenyl}pyrazole; $[Tp^R]-$ = tris-{3-arylpyrazolyl}borate), 109
Chi, L.-S., see Lin, X., 925
Chinea, E., see Hernández-Padilla, M., 1175
Chisholm, M.H., Folting, K., Huffman, J.C., Li, H., Macintosh, A.M. and Wu, D.-D., d^3–d^3 Diolates of dimolybdenum and ditungsten. Part 4. Molybdenum derivatives of *S*(−)-1,1-diphenyl-1,2-propanediol, *S*(−)-1,1,2-triphenyl-1,2-ethanediol and (1*R*,2*R*)-(−)-1,2-dicyclohexyl-1,2-ethanediol, 375
Choi, J.-C., see Sakakura, T., 573
Choi, S.K., see Kim, C., 1031
Choi, S.-N., see Kim, Y.-J., 2155
Chou, J.-L., Chyn, J.-P., Urbach, F.L. and Gervasio, D.F., Dinuclear copper(II) complexes incorporating a novel pyrazolo-based ligand with S- and N-rich coordination spheres, 2215
Christou, G., see Boskovic, C., 2111
Chyn, J.-P., see Chou, J.-L., 2215
Ciavatta, L. and Iuliano, M., Formation equilibria of tin(II) orthophosphate complexes, 2403
Ciavatta, L., Iuliano, M., Porto, R., Innocenti, P. and Vacca, A., Phosphato complexes of beryllium(II): a ^{31}P and ^{9}Be nuclear magnetic resonance study, 1043
Cindrić, M., Pavlović, G., Vrdoljak, V. and Kamenar, B., Hexanuclear complexes of molybdenum(V) containing $[Mo_6O_{12}(OCH_3)_4(acac)_3]^-$ anion, 1471
Cini, R., see Pifferi, C., 69
Cisneros-Fajardo, E.J., see Navarro, M., 2319
Ciunik, Z., see Łukasiewicz, M., 2119
Clegg, W., see Sen, S., 1881
Clifford, T., see Bu, X.-H., 2095
Clifford, T., see Hay, R.W., 1485
Coe, B.J., McDonald, C.I., Couchman, S.M., Jeffery, J.C., Rees, L.H., Coles, S.J., Gelbrich, T. and Hursthouse, M.B., Axial ligand substitution and photoisomerization reactions in ruthenium(II) *trans* mixed-chelate complexes containing the ligands 1,2-phenylenebis(dimethylarsine) and 2,2′-bipyridine or 1,10-phenanthroline, 1193
Coles, S.J., Faulds, P., Hursthouse, M.B., Kelly, D.G. and Toner, A.J., Synthesis and reactivity of copper(I) phosphine–alkene complexes: X-ray crystal structure of $CuCl(Ph_2PCPh{=}CH_2)_2$, 1271
Coles, S.J., Hursthouse, M.B., Kelly, D.G. and Toner, A.J., Titanium(IV) complexes of the crystallographically characterised fluorene-Schiff base *N*-2-fluorenyl(salicylideneimine) and related bi- and tetradentate ligands, 177

Coles, S.J., see Bell, N.A., 1719
Coles, S.J., see Coe, B.J., 1193
Collinson, S.R., see Guillevic, M.-A., 249
Collison, D., see Zhang, Y.-J., 1757
Collman, J.P., see Rose, E., 581
Comerlato, N.M., see Harrison, W.T.A., 821
Comes-Franchini, M., see Bonini, B.F., 529
Compari, C., see Braibanti, A., 2457
Comuzzi, C., Di Bernardo, P., Polese, P., Portanova, R., Tolazzi, M. and Zanonato, P.L., Lanthanide(III) complex formation with diethylenetriamine in anhydrous *N*,*N*-dimethylformamide, 2427
Conato, C., see Remelli, M., 2409
Concepción Gimeno, M., see Romeo, I., 1837
Concepción, J., Loeb, B., Simón-Manso, Y. and Zuloaga, F., Influence of L-type ligands on the relative stability and interconversion of *cis*–*trans*-$[Ru(phen)_2L_2]^{n+}$ type complexes. A theoretical study, 2297
Condori, F., see Casas, J.S., 813
Connolly, J., see Barton, A.J., 1373
Constable, E.C., Hannon, M.J., Harverson, P., Neuburger, M., Smith, D.R., Wanner, V.F., Whall, L.A. and Zehnder, M., Synthesis and coordination chemistry of 4′,4″-disubstituted 2,2′:6′,2″:6″,2‴-quaterpyridines and crystal and molecular structures of nickel(II) and cobalt(II) complexes, 23
Contreras, R., see Quiroz-Castro, E., 1479
Corbella, M., see Rodríguez, M., 2483
Corriu, R.J.P., see Cerveau, G., 307
Costa-Filho, A.J., see Sanmartín, J., 185
Costamagna, J., see Canales, J., 2373
Cotton, F.A., Dikarev, E.V., Petrukhina, M.A. and Stiriba, S.-E., Studies of dirhodium(II) tetrakis(trifluoroacetate). Part 8. One-dimensional polymers of $Rh_2(O_2CCF_3)_4$ with aromatic ligands: benzene, *p*-xylene and naphthalene, 1829
Couce, M.D., see Casas, J.S., 813
Couchman, S.M., see Coe, B.J., 1193
Coulais, Y., see Loiseau, F., 1111
Cox, P.J., Aslanidis, P. and Karagiannidis, P., Binuclear copper(I) complexes containing bis(diphenylphosphino)ethane bridges: the crystal structure of bis[{μ-bis(diphenylphosphino)ethane}(pyridine-2-thione)copper(I)bromide], 1615
Cozar, O., see David, L., 1917
Cozzi, P.G., see Bandini, M., 537
Crăciun, C., see David, L., 1917
Craig, T.J., see Catalano, V.J., 475
Crisponi, G., Cristiani, F., Nurchi, V.M., Pinna, R., Pivetta, T. and José Tapia Estévez, M., Spectrophotometric and potentiometric study on platinum(II) chelates of mercapto carboxylic acids, 2435
Cristiani, F., see Crisponi, G., 2435
Crivelli, I.G., Andrade, C., Francois, M.A., Boys, D., Haberland, A., Segura, R., María Leiva, A. and Loeb, B., Experimental evidence of the disproportionation equilibrium in copper mixed-valence complexes, 2289
Crosbie, M.J., see Jones, A.C., 351
Croucher, P.D., see Brooker, S., 1887
Cruywagen, J.J. and Heyns, J.B.B., Molybdenum(VI) equilibria at high perchloric acid concentration, 907
Cui, C., Hao, H., Noltemeyer, M., Schmidt, H.-G. and Roesky, H.W., Synthesis and characterization of 1-aza-allyl complexes of aluminum, gallium and bismuth, 471
Ćurić, M., see Tušek-Božić, L., 937
Czugler, M., see Madarász, J., 457

Daier, V., see Rizzotto, M., 417
Dalgaard, P., Hazell, A., McKenzie, C.J., Moubaraki, B. and Murray, K.S., Dicopper(II) complexes of a phenolate-hinged ditopic ligand with solvent-derived ancillary ligands bound at the potentially dimetallic exogenous site, 1909
D'Alpaos, M., see Tušek-Božić, L., 937
Daniels, L.M., see Modec, B., 1407
Danis, J.A., Hawkins, H.T., Scott, B.L., Runde, W.H., Scheetz, B.E. and Eichhorn, B.W., X-ray structure determination of two related uranyl phosphate crown ether compounds, 1551
Danks, M.J., see Guillevic, M.-A., 249
Dartiguenave, M., see Loiseau, F., 1111
Das, A., Peng, S.-M. and Bhattacharya, S., Chemistry of 2-(phenylazo)pyridine complexes of osmium: synthesis, characterization and reactivities, 1227
Das, A., see Shukla, A.D., 2605
Das, B.K. and Kanatzidis, M.G., Solvothermal synthesis and structure of iron tellurido carbonyl clusters, 1995
Das, D., see Laskar, I.R., 1015
Das, D., see Pal, S., 1263
Dash, A.C., see Mondal, B., 1213
Dastych, D., see Pastorek, R., 1713
Datt, M.S., see Sacht, C., 1347
David, L., Crăciun, C., Rusu, M., Cozar, O., Ilea, P. and Rusu, D., Spectroscopic and electrochemical investigations of the $K_8[P_2VMoW_{16}O_{62}]\cdot 31H_2O$ heteropolyoxometalate, 1917
Davidson, T.C., see Brooker, S., 1887
Davies, H.O., see Jones, A.C., 351
Davies, J.E., see Chia, L.M.L., 109
Díaz, C. and Arancibia, A., Intervalence electron transfer through a thiolate bridge ligand: a Fe^{III}–S–R–Fe^{II} mixed valence complex, 2679
Díaz, J.G., see Hvastijová, M., 1021
de Barbarín, C.R., see Gasque, L., 649
de Castro, B., see Santos, I.C., 655
De Cian, A., see Arnáiz, F.J., 2141
De Jesús Gutiérrez, M., see Gasque, L., 649
DeKock, C.W., see Kim, G.-S., 1363
Demšar, A., see Petriček, S., 199
de Oliveira, A.I., see Harrison, W.T.A., 821
Depree, C.V., Ainscough, E.W., Brodie, A.M., Burrell, A.K., Lensink, C. and Nicholson, B.K., Reactivity, structure and electrospray mass spectrometry of pentafluoro- and pentachloro-phenoxy-substituted cyclotriphosphazenes, 2101
de Sousa, G.F., West, D.X., Brown, C.A., Swearingen, J.K., Valdés-Martínez, J., Toscano, R.A., Hernández-Ortega, S., Hörner, M. and Bortoluzzi, A.J., Structural and spectral studies of aheterocyclic N(4)-substituted bis(thiosemicarbazone), $H_2$2,6Achexim·H_2O, its heptacoordinated tin(IV) complex $[Bu_2Sn(2,6Achexim)]$, and its binuclear zinc(II) complex $[Zn(2,6Achexim)]_2$, 841
de Souza, A.R., see Nothenberg, M.S., 1305
Devereux, M., McCann, M., Leon, V., Geraghty, M., McKee, V. and Wikaira, J., Synthesis and fungitoxic activity of manganese(II) complexes of fumaric acid: X-ray crystal structures of $[Mn(fum)(bipy)(H_2O)]$ and $[Mn(Phen)_2(H_2O)_2](fum)\cdot 4H_2O$ ($fumH_2$ = fumaric acid; bipy = 2,2′-bipyridine; phen = 1,10-phenanthroline), 1205
Dey, D.K., see Mondal, N., 2707
Dias, G.H.M., see Ursini, C.V., 2261
Diaz, C. and Arancibia, A., TCNE and TCNQ ligands as efficient bridges in mixed-valence complexes containing iron–cyclopentadienyl and other organometallic systems, 137
Di Bernardo, P., see Comuzzi, C., 2427
Dikarev, E.V., see Cotton, F.A., 1829
Dilshad, R., see Azam, K.A., 1081
Ding, J., see Kong, D.-Y., 217
Di Vaira, M., see Lewtas, M.R., 751
Djuran, M.I. and Milinković, S.U., Selective hydrolysis of the unactivated peptide bond in *N*-acetylated L-histidylglycine catalyzed by various palladium(II) complexes: dependence of the hydrolysis rate on the steric bulk of the catalyst, 959

Djurdjević, P., Stankov, M.J. and Odović, J., Study of solution equilibria between iron(III) ion and ciprofloxacin in pure nitrate ionic medium and micellar medium, 1085
do Carmo, D.R., Rodrigues-Filho, U.P., Gushikem, Y. and Franco, D.W., Spectroscopic and electrochemical study of $[Ru(NH_3)_5OH_2]^{3+}$, $[Ru(NH_3)_5Cl]^{2+}$, and $[Os(NH_3)_5OH_2]^{3+}$ immobilized on thin film of Ti(IV) oxide dispersed on the silica gel surface, 2277
Domingos, Â., see Carvalho, A., 1707
Domingos, Â., see Carvalho, A., 1699
Domínguez, S., see Hernández-Padilla, M., 1175
Domínguez, S., see Rivero, M., 2249
Dopke, N.C., see McGaff, R.W., 1245
Douthwaite, R.E., Synthesis, crystal structure and reactivity of the dihydroborate $[Li(Et_2O)][B(C_6F_5)_2(H)_2]$, 1579
Doxsee, K.M. and Juliette, J.J.J., Regioselectivity of metallacycle formation via intramolecular CH activation, 879
Doyle, A., Felcman, J., Gambardella, M.T.P., Verani, C.N. and Tristão, M.L.B., Anhydrous copper(II) hexanoate from cuprous and cupric oxides. The crystal and molecular structure of $Cu_2(O_2CC_5H_{11})_4$, 2621
Do, Y., see Rhee, S.W., 1961
Dozol, J.-F., see Thuéry, P., 1749
Drake, J.E., Khasrou, L.N., Mislankar, A.G. and Ratnani, R., The X-ray crystal structures of (*O*,*O*-2,3-dimethylbutylene and *O*,*O*-2-dimethylpropylene dithiophosphato)diphenyltellurium(IV) derivatives, $Ph_2Te[S_2\overline{POCMe_2CMe_2O}]_2$ and $2Ph_2Te[S_2\text{-}\overline{POCH_2CMe_2CH_2O}]_2{\cdot}2Ph_2TeCl_2{\cdot}CS_2$ and those of (*O*,*O*-2,3-dimethylbutylene and *O*,*O*-2-dimethylpropylene dithiophosphoric acids, $HS_2\overline{POCMe_2CMe_2O}$ and $HS_2\overline{POCH_2CMe_2CH_2O}$, 407
Drew, M.G.B., see Almond, M.J., 2127
Drew, M.G.B., see Baker, P.K., 147
Drillon, M., see Hornick, C., 259
Duan, C.-Y., see Song, Y., 1461
Duarte, M.T., see Santos, I.C., 655
Dudová, B., see Palicová, M., 2689
Duesler, E.N., see Bond, E.M., 2135
Dürichen, P., see Ruwisch, L.M., 323
Du, W.-X., see Lin, P., 2189

Eccles, H., see Zhang, Y.-J., 1757
Edwards, A.J., see Sen, S., 1881
Edwards, D.A., Mahon, M.F. and Paget, T.J., Diphenylphosphinoacetate, nicotinate and thiophenoxyacetate as bridging ligands in heterometallic complexes involving bis(η-cyclopentadienyl)titanium(IV) and group 10 or 11 metal chlorides. Crystal structures of $[(\eta\text{-}C_5H_5)_2Ti\{OC(O)CH_2PPh_2\}_2]$ and $[(\eta\text{-}C_5H_5)_2Ti\{\mu\text{-}OC(O)CH_2PPh_2\}_2PdCl_2]$, 757
Eichhorn, B.W., see Danis, J.A., 1551
Einaga, H., see Kobayashi, T., 2639
El Fallah, M.S., see Mondal, N., 1935
Elizondo, N.V., see Uraev, A.I., 2361
El-Safty, S.A., see Zaki, A.B., 1317
Elsegood, M.R.J., see Redshaw, C., 2657
El-Sheikh, M.Y., see Zaki, A.B., 1317
Enyedy, É.A., see Farkas, E., 1727
Errington, W., see Willey, G.R., 1799
Espinosa, E., see García-Raso, A., 673
Espinosa, E., see García-Raso, Á., 991
Estiu, G., see Canales, J., 2373
Evans, J., see Zaki, A.B., 1317
Evans, J.S.O., see O'Hare, D., 297
Exarchos, G. and Robinson, S.D., Observations concerning the constitution of some 'rhodium(II) dithiocarbamato complexes', 123
Exarchos, G., Robinson, S.D. and Steed, J.W., The synthesis and characterisation of $[Pd(S_2CNEt_2)\{Ph_2P(CH_2)_nPPh_2\}]^+$ salts of some chlorometallate anions ($n = 1$, 3, 4): X-ray crystal structures of the salts $[Pd(S_2CNEt_2)\{Ph_2P(CH_2)_nPPh_2\}]_2[MCl_4]$ ($n = 1$, 4; M = Cd; $n = 3$; M = Hg), 1511

Fallis, A.G., Forgione, P., Woo, S., Legoupy, S., Py, S., Harwig, C. and Rietveld, T., Organometallic reagents and protocols for synthesis, 533
Falvello, L.R., see Sinha, P.K., 1673
Fan, H.-J., see Peng, Y., 733
Fan, L., Liu, W., Gan, X., Tang, N., Tan, M., Jiang, W. and Yu, K., Synthesis, crystal structure and fluorescence emission of complexes of lanthanide picrates with 2,2′ = [1,2-phenylenebis(oxy)]bix(*N*,*N*-diphenylacetamide)(PBD), 779
Fanwick, P.E., see Mulford, D.R., 35
Fan, X., see Ainscough, E.W., 2585
Farah, A.A., see Veinot, J.G.C., 331
Farkas, E., Enyedy, É.A., Micera, G. and Garribba, E., Coordination modes of hydroxamic acids in copper(II), nickel(II) and zinc(II) mixed-ligand complexes in aqueous solution, 1727
Farouq, J.A., see Richburg, L.M., 1815
Faulds, P., see Coles, S.J., 1271
Faure, R., see Hueso-Ureña, F., 689
Fawcett, J., see Ahmed, S.I., 129
Fawcett, J., see Alshehri, S., 399
Fawcett, J., see Matoga, D., 1503
Feeder, N., see Chia, L.M.L., 109
Felcman, J., see Doyle, A., 2621
Feng, S., see Zhang, F., 1941
Ferbinteanu, M., see Tanase, S., 1967
Ferguson, G., see Alyea, E.C., 2211
Fernandes, L.C., Matos, J.R., Zinner, L.B., Vicentini, G. and Zukerman-Schpector, J., Crystal structures, spectroscopic, TG and DSC studies of lanthanide picrate complexes with 4-methylmorpholine *N*-oxide (MMNO), 2313
Fernández, M., see Longo, C., 487
Ferrari, R., see Gasque, L., 649
Ferrer, E.G., see Allegretti, Y., 2613
Ferrer-Llusar, S., see Alzuet, G., 725
Filgueiras, C.A.L., see Teles, W.M., 739
Fiol, J.J., see García-Raso, A., 673
Fiol, J.J., see García-Raso, Á., 991
Fischer, J., see Arnáiz, F.J., 2141
Fisicaro, E., see Braibanti, A., 2457
Fleeting, K.A., see Jones, A.C., 351
Fochi, M., see Bonini, B.F., 529
Fogg, A., see O'Hare, D., 297
Folting, K., see Boskovic, C., 2111
Folting, K., see Chisholm, M.H., 375
Fondo, M., see Maneiro, M., 47
Font-Bardia, M., see Resino, I., 225
Forgione, P., see Fallis, A.G., 533
Formica, M., Fusi, V., Micheloni, M., Pontellini, R. and Romani, P., Synthesis and ligational properties of a new tetra-azamacrocycle containing an anisolic function, 2501
Framery, E., see Cerveau, G., 307
Franco, D.W., see do Carmo, D.R., 2277
Franco, E., López-Torres, E., Mendiola, M.A. and Sevilla, M.T., Synthesis, spectroscopic and cyclic voltammetry studies of copper(II) complexes with open chain, cyclic and a new macrocyclic thiosemicarbazones, 441
Francois, M.A., see Crivelli, I.G., 2289
Freire, C., see Santos, I.C., 655
Fromm, K.M., Goesmann, H. and Bernardinelli, G., H-bonded polymer structures of different dimensionality: syntheses and crystal structures of $[Ca(DME)_n(H_2O)_m]I_2{\cdot}(DME)_x$ (**1**: $n = 3$, $m = 3$, $x = 1$; **2**: $n = 2$, $m = 4$, $x = 0$) and $[Ca\{CH_3(OCH_2)_3OCH_3\}(H_2O)_4]I_2$, 1783
Fronczek, F.R., see Isovitsch, R.A., 1437

Fuentes, A.F., see Alvarado, E., 2345
Fuentes, A., see Navarro, M., 2319
Fuess, H., see Boča, R., 835
Fuess, H., see Iskander, M.F., 949
Fuess, H., see Iskander, M.F., 1181
Fuess, H., see Vrbová, M., 2195
Fujiwara, M., see Asada, H., 2039
Fujiwara, T., see Takeda, T., 593
Fun, H.K., see Manonmani, J., 2011
Fun, H.-K., see Zhu, D.-R., 2019
Furlani, A., see Tušek-Božić, L., 937
Fusi, V., see Formica, M., 2501

Galloro, J., see Veinot, J.G.C., 331
Gambardella, M.T.P., see Doyle, A., 2621
Gancheff, J., see Rivero, M., 2249
Gan, X., see Fan, L., 779
Gao, Y.-C., see Wang, Y.-Y., 891
Garía-Deibe, A.M., see Sanmartín, J., 185
García, A.M., see Manzur, J., 2367
García-Montalvo, V., see Carvalho, A., 1699
García-Raso, A., Fiol, J.J., López-Zafra, A., Mata, I., Espinosa, E. and Molins, E., Synthesis of Zn*N*-salicylidene-L-aminoacidatos: X-ray structure of [(*N*-salicylidene-L-alaninato)(aqua)zinc-(II)]·0.25H_2O and [(*N*-salicylidene-L-valinato)(aqua)zinc(II)], 673
García-Raso, Á., Fiol, J.J., Rigo, S., López-López, A., Molins, E., Espinosa, E., Borrás, E., Alzuet, G., Borrás, J. and Castiñeiras, A., Coordination behaviour of sulfanilamide derivatives. Crystal structures of [Hg(sulfamethoxypyridazinato)$_2$], [Cd(sulfadimidinato)$_2$-(H_2O)]·2H_2O and [Zn(sulfamethoxazolato)$_2$-(pyridine)$_2$(H_2O)$_2$], 991
García-Vázquez, J.A., see Cabaleiro, S., 1607
García-Vázquez, J.A., see Labisbal, E., 1255
García y García, P., see López-Cardoso, M., 1539
Garcia, I., see Castiñeiras, A., 1873
Garcia-Sanchez, M.A. and Campero, A., Aggregation properties of metallic tetrasulfophthalocyanines embedded in sol–gel silica, 2383
Garnovskii, A.D., see Uraev, A.I., 2361
Garribba, E., see Farkas, E., 1727
Garribba, E., see Kiss, E., 55
Gasowska, A., see Lomozik, L., 1145
Gasparri Fava, G., see Belicchi Ferrari, M., 1895
Gasque, L., Bernès, S., Ferrari, R., de Barbarín, C.R., De Jesús Gutiérrez, M. and Mendoza-Díaz, G., Complexation of lead(II) by L-aspartate: crystal structure of polymeric Pb(aspH(NO_3), 649
Gavrish, S.P., see Lampeka, Y.D., 2533
Gawalt, E.S., see Schwartz, J., 505
Gdaniec, M., see Paschalidis, D.G., 2629
Geiger, W.E., see MacLachlan, M.J., 275
Gelbrich, T., see Bell, N.A., 2539
Gelbrich, T., see Coe, B.J., 1193
Gelman, F., see Blum, J., 509
Georgiev, I.O., see Karasik, A.A., 1455
Geraghty, M., see Devereux, M., 1205
Gervasio, D.F., see Chou, J.-L., 2215
Ghosh, A., see Laskar, I.R., 1015
Ghosh, A., see Rahaman Laskar, I., 1803
Giacomelli, A., see Malatesta, F., 2493
Gil, V.M.S., see Caldeira, M.M., 193
Giner, J., see Ruiz, J., 1627
Giorgi, C., see Bencini, A., 2441
Giorgi, C., see Secco, F., 2507
Giroux, S., Rubini, P., Henry, B. and Aury, S., Complexes of praseodymium(III) with D-gluconic acid, 1567
Głowiak, T., Rybak, W.K. and Skarżyńska, A., Synthesis and structural characterisation of the oxo-rhenium(V) complexes with spirophosphorane derived bidentate ligand (P ~ O^-). Crystal structure of *trans*-$ReOCl_2$[$OMe_2CMe_2OP(OMe_2CMe_2O)$]-($PPh_3$), 2667
Głowiak, T., see Kurdziel, K., 2183
Glowiak, T., see Moncol, J., 2573
Glowiak, T., see Palicová, M., 2689
Goesmann, H., see Fromm, K.M., 1783
Goher, M.A.S., Al-Salem, N.A. and Mak, T.C.W., Synthesis, spectral and crystal structures of two new copper(I) complexes of di-2-pyridyl ketone (DPK) containing uncoordinated N-protonated ligand; [(DPK)H][CuX_2] (X = I and NCS), 1465
Goher, M.A.S. and Mautner, F.A., Spectral and structural characterization of copper(I) halide, nitrate and perchlorate complexes of pyrazine carboxamide (pyza) and X-ray crystal structure of polymeric [Cu(pyza)$_2$I]$_n$ complex, 601
Goher, M.A.S., Yang, Q.-C. and Mak, T.C.W., Synthesis, structural and spectroscopic study of polymeric copper(I) thiocyanato complexes [Cu(NCS)L]$_n$ (L = methyl nicotinate and ethyl nicotinate) and [HL][Cu(NCS)$_2$] (HL = H-ethyl isonicotinate), 615
Golič, L., see Modec, B., 1407
Golič, L., see Modec, B., 1219
Golič, L., see Petriček, S., 199
Gómez, B., see Manzur, J., 2367
Gómez-Lara, J., see Téllez-Sara, C.A., 2353
Gómez, R., see Bokhimi, X., 2283
González, A.M., see Maneiro, M., 47
González Baró, A.C., see Allegretti, Y., 2613
González Garmendia, M.J., see Seco, J.M., 1005
González-Pérez, J.M., see Bugella-Altamirano, E., 2473
González-Pérez, J.M., see Bugella-Altamirano, E., 2463
Graf, M., see Böttcher, H.-C., 2593
Gramlich, V., see Mondal, N., 1935
Grodzicki, A., see Szłyk, E., 965
Grove, D.I., see Mink, L.M., 1057
Gubina, K.E., Shatrava, J.A., Ovchynnikov, V.A. and Amirkhanov, V.M., Spectroscopic characterization of lanthanide complexes with *N*,*N*′-tetraethyl-*N*″-benzoylphosphoryltriamide. Crystal structure of tris(*N*,*N*′-tetraethyl-*N*″-benzoylphosphoryltriamide) cerium(III) trinitrate complex, 2203
Guillevic, M.-A., Danks, M.J., Harries, S.K., Collinson, S.R., Pidwell, A.D. and Bruce, D.W., Structure–property relationships in ortho-metallated imine complexes of Re(I), 249
Guillon, E., see Jubert, C., 1447
Guiry, P.J., see McCarthy, M., 541
Gulppi, M.A., see Zagal, J.H., 2255
Gupta, R. and Mukherjee, R., Synthesis and properties of [$CuLCl_2$] and [$CuL(N_3)(OClO_3)$]·H_2O (L = α,α′-bis(pyrazolyl)-*m*-xylene): X-ray structure of [$CuLCl_2$]$_2$, 719
Gupta, R., Hotchandani, R. and Mukherjee, R., Magnetic interactions in dicopper(II) complexes of a new endogenous alkoxo bridging ligand with exogenous pyrazolate, azide and acetate bridges. X-ray structure of [$Cu_2L(\mu$-$C_3H_3N_2)(OClO_3)(H_2O)](ClO_4)$·$H_2O$ (HL = 1,3-bis[*N*-methyl-*N*-(2-pyridylethyl)amino]propan-2-ol), 1429
Gushikem, Y., see do Carmo, D.R., 2277
Guzman-Jimenez, I., see Khan, S.R.A., 975
Guzman-Jimenez, I., see Khan, S.R.A., 983

Haase, W., see Iskander, M.F., 949
Haase, W., see Iskander, M.F., 1181
Haberland, A., see Crivelli, I.G., 2289
Hadjikakou, S.K. and Kubicki, M., Synthesis, characterisation and study of mercury(II) chloride complexes with triphenylphosphine and heterocyclic thiones. The crystal structures of [(benzothiazole-2-thionato)(benzothiazole-2-thione)(bis-triphenylphosphine) chloro mercury(II)] and [(μ_2-dichloro){(bis-pyrimidine-2-thionato)mercury(II)}{(bis-triphenylphosphine)mercury(II)}] at 100 K, 2231

Haid, R., see Oberhauser, W., 913
Halcrow, M.A., see Chia, L.M.L., 109
Hallmeier, K.-H., see Benzo, F., 971
Halstead, M.J.R., see Ainscough, E.W., 2585
Hanif, K.M., Kabir, S.E., Mottalib, M.A., Hursthouse, M.B., Malik, K.M.A. and Rosenberg, E., Dithiolate complexes of ruthenium and osmium: X-ray structures of $[Ru_2(CO)_6(\mu\text{-}SCH_2CH_2S)]$ and $[\{(\mu\text{-}H)M_3(CO)_{10}\}_2(\mu\text{-}SCH_2CH_2CH_2S)]$ (M = Ru, Os), 1073
Hannon, M.J., see Constable, E.C., 23
Hao, H., see Cui, C., 471
Harding, M.M., see Long, G.V., 1067
Hargreaves, S., see Bricklebank, N., 1163
Harries, S.K., see Guillevic, M.-A., 249
Harris, K.D.M., see Hix, G.B., 765
Harrison, W.T.A., Howie, R.A., Wardell, J.L., Wardell, S.M.S.V., Comerlato, N.M., Sodre Costa, L.A., Silvino, A.C., de Oliveira, A.I. and Mendonca Silva, R., Crystal structures of three [bis(1,3-dithiole-2-thione-4,5-dithiolato)zincate^{2-} salts: $[Q]_2[Zn(dmit)_2]$ (Q = 1,4-Me_2-pyridinium or NEt_4) and $[PPh_4]^{2-}$ $[Zn(dmit)_2]\cdot$DMSO. Comparison of the dianion packing arrangements in $[Q]_2[Zn(dmit)_2]$, 821
Hartman, J.S. and Shoemaker, J.A.W., Chelated fluoroboron cations. II. Synthesis and NMR studies involving aromatic chelating ligands, 165
Hartmann, S., see Anson, C.E., 569
Harverson, P., see Constable, E.C., 23
Harwig, C., see Fallis, A.G., 533
Hascall, T., Bridgewater, B.M. and Parkin, G., Reactivity of $Mo(PMe_3)_5H_2$ towards catecholborane: synthesis and structure of $Mo(PMe_3)_4(\eta^2\text{-}H_2BCat)H$, 1063
Hasebe, H., see Ohta, K., 267
Hawkins, H.T., see Danis, J.A., 1551
Hayashi, R.K., see McGaff, R.W., 1245
Hay, R.W., Clifford, T., Richens, D.T. and Lightfoot, P., Binuclear copper(II), nickel(II), cobalt(II) and zinc(II) complexes of the macrocycle 1,4,7,16,19,22-hexaaza[9.9]metacyclophane (L). Crystal structure of $[Cu_2LCl_4]_{0.5}\cdot[Cu_2LCl_3]ClO_4\cdot$dmf and the copper complex catalysed hydrolysis of the phosphotriester 2,4-dinitrophenyldiethylphosphate, 1485
Hazell, A., McKenzie, C.J. and Nielsen, L.P., Synthesis, structural characterisation and electronic behaviour of iron(II) and nickel(II) complexes of *N*,*N*-bis(2-pyridylmethyl)aniline, 1333
Hazell, A., see Becher, J., 665
Hazell, A., see Dalgaard, P., 1909
Heck, R.A., see Catalano, V.J., 1049
Henry, B., see Giroux, S., 1567
Herbst-Irmer, R., see Muthiah, C., 63
Hernández-Ortega, S., see de Sousa, G.F., 841
Hernández-Padilla, M., Chinea, E., Domínguez, S., Mederos, A., Muñoz, M.C. and Lloret, F., Synthesis, crystal structure, thermal and magnetic properties of $[Mn(H_2O)_6][Cu(pdta)]\cdot 2H_2O$ (pdta = 1,3-propylenediamine-*N*,*N*,*N*′*N*′-tetraacetate), 1175
Heuer, B., Pope, S.J.A. and Reid, G., Synthesis, spectroscopic and structural characterisation of copper, silver and gold complexes of the mixed P/O-donor ligand $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$, 743
Hey-Hawkins, E., see Karasik, A.A., 1455
Heyns, J.B.B., see Cruywagen, J.J., 907
Hill, M.G., see Catalano, V.J., 1049
Hill, R.H., see Bravo-Vasquez, J.P., 343
Hiroi, K., Suzuki, Y., Kaneko, Y., Kato, F., Abe, I. and Kawagishi, R., Palladium-catalyzed asymmetric reactions enantiocontrolled by chiral organosulfur functionality, 525
Hix, G.B., Maddocks, V.C. and Harris, K.D.M., Polymerization of aniline on copper phosphonate materials, 765
Hiyama, T., see Mori, A., 567
Hodali, H.A., see Abu-Surrah, A.S., 1601
Hodson, A.G.W. and Thind, R.K., Stereochemistry of chiral, substituted η^3-butadienyl molybdenum(II) complexes, 791
Hörner, M., see de Sousa, G.F., 841
Hörner, M., see Ursini, C.V., 2261
Hornick, C., Rabu, P. and Drillon, M., Hybrid organic–inorganic multilayer materials: influence of π electrons as magnetic media in a series of bridged-layer compounds $M_2(OH)_{4-x}A_{x/2}$ (M = Cu(II) or Co(II), A = dicarboxylate anion), 259
Hor, T.S.A., see Yan, Y.-K., 641
Hotchandani, R., see Gupta, R., 1429
Hou, X., see Wang, Y.-Y., 891
Howie, R.A., see Harrison, W.T.A., 821
Huang, J.-Q., see Peng, Y., 733
Huang, J., see Liu, Q., 453
Huang, X.-Y., see Kong, D.-Y., 217
Hubert-Pfalzgraf, L.G., see Verdenelli, M., 2069
Hudecová, D., see Palicová, M., 2689
Hueso-Ureña, F., Illán-Cabeza, N.A., Moreno-Carretero, M.N., Peñas-Chamorro, A.L. and Faure, R., Ni(II) and Cu(II) complexes with the dianionic N,N,O-tridentate Schiff base 6-amino-5-formyl-1,3-dimethyluracil-benzoylhydrazone. Crystal structure of the monodimensionally hydrogen-bonded aqua-(6-amino-1,3-dimethyl-uracilato-benzoyl-hydrazone(2-)-N_6,N_{51},O_{52}]copper(II) hydrate, 689
Huffman, J.C., see Chisholm, M.H., 375
Huffman, J.C., see Santos, E.C., 1777
Hundal, G., see Lobana, T.S., 899
Huo, S., see Negishi, E.-i., 591
Hurlburt, P.K., see Santos, E.C., 1777
Hursthouse, M.B., see Azam, K.A., 1081
Hursthouse, M.B., see Bell, N.A., 2539
Hursthouse, M.B., see Bell, N.A., 1719
Hursthouse, M.B., see Coe, B.J., 1193
Hursthouse, M.B., see Coles, S.J., 177
Hursthouse, M.B., see Coles, S.J., 1271
Hursthouse, M.B., see Hanif, K.M., 1073
Hussain Reddy, K., see Sambasiva Reddy, P., 1687
Hu, S., see Zhang, F., 1941
Hvastijová, M., Kohout, J., Kožíšek, J., Jäger, L. and Díaz, J.G., Cyanamidonitrate–nickel(II) and –cobalt(II) complexes of imidazole ligands: X-ray crystallography and spectroscopic investigation, 1021
Hwang, L.-P., see Tsai, C.-H., 633

Ichikawa, N., see Nakashima, S., 205
Igumenov, I.K., see Isakova, V.G., 1097
Ilea, P., see David, L., 1917
Illán-Cabeza, N.A., see Hueso-Ureña, F., 689
Inagaki-Oka, Y., see Ohta, K., 267
Incarvito, C.D., see Richburg, L.M., 1815
Ingersoll, J.E., see Mink, L.M., 1057
Innocenti, P., see Ciavatta, L., 1043
Isakova, V.G., Baidina, I.A., Morozova, N.B. and Igumenov, I.K., γ-Halogenated iridium(III) acetylacetonates, 1097
Iskander, M.F., Khalil, T.E., Werner, R., Haase, W., Svoboda, I. and Fuess, H., Synthesis, characterization and magnetochemical studies of some imidazole and imidazolate copper(II) ternary complexes derived from *N*-salicylidenearoylhydrazines. X-ray crystal and molecular structures of [(*N*-salicylidene-*p*-chlorobenzoylhydrazine)*ONO*(−2)imidazole]copper(II) monohydrate and dimeric [(*N*-salicylidene-*p*-methylbenzoylhydrazine)*ONO*(−2)imidazole]-copper(II) hemihydrate, 1181
Iskander, M.F., Khalil, T.E., Werner, R., Haase, W., Svoboda, I. and Fuess, H., Synthesis, reactivity and magnetochemical studies on copper(II) complexes derived from *N*-salicylidenearoylhydrazines. X-ray structure of [mononitrato*OO*(−1)(*N*-salicylidenatobenzoylhydrazine)*ONO*(−1)]copper(II) monohydrate, 949

Isolani, P.C., see Carvalho, A., 1707
Isovitsch, R.A., May, J.G., Fronczek, F.R. and Maverick, A.W., Photoredox reactions of oxomolybdenum(V) with phosphines, 1437
Iuliano, M., see Ciavatta, L., 2403
Iuliano, M., see Ciavatta, L., 1043
Ivanova, B.B., see Bontchev, P.R., 1843
Ivanov, D.S., see Bontchev, P.R., 1843

Jäger, L., see Hvastijová, M., 1021
Jain, P.U., Munshi, P., Walawalkar, M.G., Rath, S.P., Rajak, K.K. and Lahiri, G.K., Ruthenium dithiophosphates: synthesis, X-ray crystal structure, spectroscopic and electrochemical properties, 801
Jakusch, T., see Kiss, T., 2389
James, A.J., see Kannan, S., 155
Jasper, S.A., see Santos, E.C., 1777
Jastrzab, R., see Lomozik, L., 1145
Jastrzebski, J.T.B.H., see Kronenburg, C.M.P., 553
Jeffery, J.C., see Coe, B.J., 1193
Jeliazkova, B., see Yordanov, N.D., 2177
Jenkins, A.E., see Baker, P.K., 2171
Jevtović, V.S., see Rychlewska, U., 1
Jezierska, J., see Kurzak, B., 2083
Jiang, C., see Yan, Y.-K., 641
Jiang, J., Rintoul, L. and Arnold, D.P., Raman spectroscopic characteristics of phthalocyanine and naphthalocyanine in sandwich-type (na)phthalocyaninato and porphyrinato rare earth complexes, 1381
Jiang, W., see Fan, L., 779
Jiang, Z.-H., see Zhang, L., 1105
Jiang, Z., see Li, L., 2529
Jiang, Z., see Li, L., 1575
Jia, W.-L., see Tang, L.-F., 1949
Jia, W.-L., see Tang, L.-F., 381
Ji, L.-N., see Chao, H., 1975
Ji, L.-N., see Yang, S.-P., 2237
Jin, G., see Tan, W., 1545
Jin, Q., see Tan, W., 1545
Jin, W., see Yang, L., 93
Ji, W., see Tan, W., 1545
Johansson, A. and Kessler, V.G., Synthesis and X-ray single crystal study of the bi- and trimetallic alkoxides of molybdenum(VI) and tantalum, $Mo_2Ta_4O_8(OMe)_{16}$, $Mo_4Ta_4O_{16}(O^iPr)_{12}$ and $LiMo_4Ta_3O_{14}(O^iPr)_9(OC_2H_4OMe)_3$, 1791
Jones, A.C., Leedham, T.J., Davies, H.O., Fleeting, K.A., O'Brien, P., Crosbie, M.J., Wright, P.J., Williams, D.J. and Lane, P.A., Metal–organic chemical vapour deposition of lead candium tantalate: chemical issues and precursor selection, 351
José Tapia Estévez, M., see Crisponi, G., 2435
Jubert, C., Mohamadou, A., Guillon, E. and Barbier, J.-P., Molecular structure and spectroscopic characterization of cobalt and copper complexes with a hexadentate nitrogen ligand, 1,10-bis(2-pyridylmethyl)-1,4,7,10-tetraazadecane, 1447
Juliette, J.J.J., see Doxsee, K.M., 879
Junk, P.C., see Atwood, J.L., 85

Kabir, S.E., see Azam, K.A., 1081
Kabir, S.E., see Hanif, K.M., 1073
Kafarski, P., see Kurzak, B., 2083
Kaftanov, J., Averbuj, C., Vais-Morlender, N., Liard, A. and Marek, I., Synthesis and reactivity of polymetallated olefins and functionalized metalloalkynes, 563
Kajiro, H., see Mori, A., 567
Kamecka, A., see Kurzak, B., 2083
Kamenar, B., see Cindrić, M., 1471
Kamieński, B., see Szłyk, E., 965
Kanatzidis, M.G., see Das, B.K., 1995
Kandaswamy, M., see Amudha, P., 1769
Kandaswamy, M., see Manonmani, J., 2011
Kandaz, M., Yılmaz, İ. and Bekaroğlu, Ö., Synthesis and characterization of novel symmetrical phthalocyanines substituted with mono- or bimacrocycles, 115
Kaneko, Y., see Hiroi, K., 525
Kang, B.-S., see Xiao, W., 1295
Kang, S.B., see Yoo, J., 549
Kania, R. and Sieklucka, B., Kinetic evidence of ring closure step in the substitution of *cis*-$[Cr(bpy)_2(OH_2)_2]^{3+}$ with $[M(CN)_8]^{4-}$ (M = Mo, W), 2225
Kannan, S., James, A.J. and Sharp, P.R., Dinuclear diimine palladium(II) and platinum(II) hydroxo and amido complexes: synthesis and X-ray crystal structures, 155
Kannan, S., see Alyea, E.C., 2211
Karagiannidis, P., see Cox, P.J., 1615
Karanović, L., see Rogan, J., 1415
Karasik, A.A., Georgiev, I.O., Sinyashin, O.G. and Hey-Hawkins, E., Synthesis of novel water-soluble heterocyclic phosphino amino acids with bulky aromatic substituents on phosphorus, 1455
Kar, S.K., see Barik, A.K., 2651
Kato, F., see Hiroi, K., 525
Kavounis, C.A., see Tsiamis, C., 2003
Kawabe, K., see Yanagihara, N., 1311
Kawagishi, R., see Hiroi, K., 525
Kazankova, M.A., see Beletskaya, I.P., 597
Keller, A., see Szterenberg, L., 2565
Keller, H.J., see Riveros, P.C., 2327
Kelly, D.G., see Coles, S.J., 177
Kelly, D.G., see Coles, S.J., 1271
Kelly, P.F., Macklin, A.C., Slawin, A.M.Z. and Waring., K.W., The preparation of the first examples of sulfimide complexes of platinum; the X-ray crystal structure of $[Pt(Ph_2SNH)_4]Cl_2$, 2077
Kelsey, R.D., see Anson, C.E., 569
Kemp, R.A., see Zechmann, C.A., 2557
Kennedy, S.M.F., see Ainscough, E.W., 2585
Kessler, V.G., see Johansson, A., 1791
Keum, G., see Yoo, J., 549
Keypour, H., Salehzadeh, S., Pritchard, R.G. and Parish, R.V., Cadmium(II) complexes of fully condensed Schiff-base ligands derived from two different symmetrical and asymmetrical tripodal tetraamines and 2-acetylpyridine; the novel observations for heptadentate mono-capped trigonal antiprismatic Schiff-base complexes, 1633
Khalil, T.E., see Iskander, M.F., 949
Khalil, T.E., see Iskander, M.F., 1181
Khandar, A.A. and Nejati, K., Synthesis and characterization of a series of copper(II) complexes with azo-linked salicylaldimine Schiff base ligands. Crystal structure of Cu_5PHAZOSALTN·$CHCl_3$, 607
Khan, S.R.A., Guzman-Jimenez, I., Whitmire, K.H. and Khokhar, A.R., Synthesis and characterization of piperidine platinum(II) complexes with dicarboxylates: crystal and molecular structure of *cis*-$[Pt(piperidine)_2Cl_2]\cdot H_2O$, 975
Khan, S.R.A., Guzman-Jimenez, I., Whitmire, K.H. and Khokhar, A.R., Synthesis and characterization of platinum(II) complexes with 3-methylpiperidine: crystal and molecular structure of [Pt(3-methylpiperidine)$_2$(malonato)]·H_2O, 983
Kharisov, B.I., see Uraev, A.I., 2361
Khasrou, L.N., see Drake, J.E., 407
Khokhar, A.R., see Khan, S.R.A., 975
Khokhar, A.R., see Khan, S.R.A., 983
Kilyén, M., see Kiss, T., 2389
Kim, B., see Kim, C., 1031
Kim, C., Choi, S.K. and Kim, B., Synthesis of layered dendritic carbosilanes, 1031
Kim, C.G., see Woo Park, J., 2547
Kim, G.-S. and DeKock, C.W., Syntheses, molecular structures, and dynamic solution behavior of nitrido (oxo) molybdenum(VI) siloxides, 1363

Kim, J., see Rhee, S.W., 1961
Kim, J.T., Park, J.W. and Koo, S.M., The synthesis and structural characterization of $[Et_4N]_2[Ti(SPh)_6]$ and trimeric $[Ti_3O(SPh)_3Cl_4(CH_3CN)_5]\cdot CH_3CN\cdot(C_2H_5)_2O$ complexes, 1139
Kim, Y.-I., see Kim, Y.-J., 2155
Kim, Y.-J., Kim, Y.-I. and Choi, S.-N., Magnetic properties and coordination environments of oxovanadium(IV) within $VO(IV)N_2S_2$ and $VO(IV)S_4$ chromophores, 2155
Kim, Y., see Yoo, J., 549
Kim, Y.S., see Woo Park, J., 2547
Kinkead, S.A., see Santos, E.C., 1777
Kirmse, R., see Abram, U., 1741
Kiruschenkov, E.N., see Turevskaya, E.P., 705
Kiss, E., Petrohán, K., Sanna, D., Garribba, E., Micera, G. and Kiss, T., Solution speciation and spectral studies on oxovanadium(IV) complexes of pyridinecarboxylic acids, 55
Kiss, E., see Kiss, T., 2389
Kiss, T., Jakusch, T., Kilyén, M., Kiss, E. and Lakatos, A., Solution speciation of bioactive Al(III) and VO(IV) complexes, 2389
Kiss, T., see Kiss, E., 55
Klinga, M., see Abu-Surrah, A.S., 1601
Klungness, G.D. and Byrne, R.H., Comparative hydrolysis behavior of the rare earths and yttrium: the influence of temperature and ionic strength, 99
Kobayashi, T., Kunita, M., Nishino, S., Matsushima, H., Tokii, T., Masuda, H., Einaga, H. and Nishida, Y., Release of free nucleobases from oligomers by copper(II)–peroxide adduct, 2639
Kohout, J., see Hvastijová, M., 1021
Koh, W., see Yan, Y.-K., 641
Kojima, T., see Ma, T., 1167
Kojima, Y., see Yanagihara, N., 1311
Kolawole, G., see Nel, A., 1621
Köllnberger, A., see Brunner, H., 1519
Komac, M., see Tušek-Božić, L., 937
Koman, M., see Moncol, J., 2573
Komatsu, H., see Nakashima, S., 205
Kong, D.-Y. and Xie, Y.-Y., Synthesis, structural characterization and potentiometric studies of divalent metal complexes with an octadentate tetraazamacrocyclic ligand and their DNA cleavage ability, 1527
Kong, D.-Y., Meng, L.-H., Ding, J., Xie, Y.-Y. and Huang, X.-Y., New tetraazamacrocyclic ligand with neutral pendent groups 1,4,7,10-tetrakis(2-cyanoethyl)1,4,7,10-tetraazacyclododecane (L) and its cobalt(II), nickel(II) and copper(II) complexes: synthesis, structural characterization and antitumor activity, 217
Koo, S.M., see Kim, J.T., 1139
Koo, S.M., see Park, S.K., 1037
Kopacka, H., see Oberhauser, W., 913
Kopacka, H., see Scheffter, B., 871
Kopcová, M., see Palicová, M., 2689
Korecz, L., see Szabó-Plánka, T., 2049
Korecz, L., see Szabó-Plánka, T., 1123
Košmrlj, J., see Petriček, S., 199
Kowalik-Jankowska, T., Leśniak, W., Brasuń, J., Stasiak, M. and Leplawy, M.T., Copper(II) complexes of deltakephalin and its analogues containing α-hydroxymethylserine, 241
Kozłowski, H., see Remelli, M., 2409
Kožíšek, J., see Hvastijová, M., 1021
Kremer, C., see Rivero, M., 2249
Kremer, E., see Rivero, M., 2249
Kress, J., see Lorber, C.Y., 1693
Kronenburg, C.M.P., Jastrzebski, J.T.B.H. and van Koten, G., Structure and reactivity of cyanocuprates containing the monoanionic C,N-chelating aminoaryl ligands $[C_6H_4CH_2NMe_{2-}2]^-$, 553
Kubicki, M., see Hadjikakou, S.K., 2231
Kumara Swamy, K.C., see Muthiah, C., 63
Kumar Barik, A., see Paul, S., 2661
Kumar Das, A., see Basuli, F., 1663
Kumar Kar, S., see Paul, S., 2661
Kumar Maji, T., see Rahaman Laskar, I., 1803
Kumar Saha, M., see Sen, S., 1881
Kunita, M., see Kobayashi, T., 2639
Kuppayee, M., see Manonmani, J., 2011
Kurdziel, K. and Głowiak, T., X-ray and spectroscopic characterisation of octahedral cobalt(II) and nickel(II) complexes with 1-allylimidazole in the solid state and electron-donor properties of the latter in aqueous solution, 2183
Kurzak, B., Kamecka, A., Kurzak, K., Jezierska, J. and Kafarski, P., Potentiometric and spectroscopic studies of the cobalt(II), nickel(II) and manganese(II) complexes with some aminodiphosphonic acids in aqueous solution, 2083
Kurzak, K., see Kurzak, B., 2083
Kwak, B., Rhee, H. and Lah, M.S., Hexanuclear manganese metallamacrocycles with tripled hydrophobic tails, 1985

Labisbal, E., Sousa, A., Castiñeiras, A., García-Vázquez, J.A., Romero, J. and West, D.X., Spectral and structural studies of metal complexes of isatin 3-hexamethyleneiminylthiosemicarbazone prepared electrochemically, 1255
Lage, C., see Sanmartín, J., 185
Laguna, M., see Romeo, I., 1837
Lahiri, G.K., see Jain, P.U., 801
Lah, M.S., see Kwak, B., 1985
Lakatos, A., see Kiss, T., 2389
Lam, K.-C., see Yim, H.W., 849
Lampeka, Y.D. and Gavrish, S.P., Spectral characteristics of the copper(III) and nickel(III) coordination compounds with open-chain and macrocyclic dioxotetraamines, 2533
Lane, P.A., see Jones, A.C., 351
Langes, C., see Oberhauser, W., 913
Lappalainen, K., see Abu-Surrah, A.S., 1601
Laskar, I.R., Ghosh, A., Mostafa, G., Das, D., Mondal, A. and Ray Chaudhuri, N., *Cis–trans* isomerism in nickel(II)–diamine nitrite: synthesis and single crystal structure of an unusual *cis*-dinitronickel(II) complex, $[NiL_2(NO_2)_2]$ (L = 1,2-diamino-2-methylpropane), 1015
Laurie, S.H., see Ahmed, S.I., 129
Lawless, J., see Casey, M., 517
Lecas-Nawrocka, A., see Rose, E., 581
Lecocq, S., see Verdenelli, M., 2069
Leedham, T.J., see Jones, A.C., 351
Lee, G.-H., see Yeh, A.-C., 545
Lee, H.-J. and Noh, D.-Y., Electrochemistry and strong near-IR absorption of the $[Ni(dphdt)_2]^n$ complexes ($n = -1, 0$; dphdt = 5,6-diphenyl-1,4-dithin-2,3-dithiolate); X-ray crystal structure of $(Ph_4P)[Ni(dphdt)_2](CH_2Cl_2)$, 425
Lee, W.-T., see Cheng, T.-H., 2027
Lee, Y.E., see Park, S.K., 1037
Legoupy, S., see Fallis, A.G., 533
Lehmann, T., see Navarro, M., 2319
Lehtonen, A. and Sillanpää, R., Binaphtholato complexes of tungsten(VI) from tris(1,2-ethanediolato)tungsten(VI). Synthesis and X-ray structures of $[W(bino)(diolato)_2]$ complexes, 2579
Lehtonen, A., see Liimatainen, J., 1133
Lemenovskii, D.A., see Qian, C.-T., 1955
Lensink, C., see Depree, C.V., 2101
Leong, W.K., see Yan, Y.-K., 641
Leon, V., see Devereux, M., 1205
Leplawy, M.T., see Kowalik-Jankowska, T., 241
Leskelä, M., see Abu-Surrah, A.S., 1601
Leśniak, W., see Kowalik-Jankowska, T., 241
LeSuer, R., see MacLachlan, M.J., 275
Levason, W., Newman, E.H. and Webster, M., Tetrakis(triphenylphosphine oxide) complexes of the lanthanide nitrates; synthesis, characterisation and crystal structures of $[La(Ph_3PO)_4(NO_3)_3]\cdot Me_2CO$ and $[Lu(Ph_3PO)_4(NO_3)_2]NO_3$, 2697

Levason, W., see Barton, A.J., 1373
Levason, W., see Barton, A.J., 235
Lewtas, M.R., Morley, C.P. and Di Vaira, M., The reactions of $[M(dppe)_2]$ (M = Pd, Pt) with elemental selenium or tellurium: preparation and structure of the platinum polyselenide $[PtSe_4(dppe)]$, 751
Liable-Sands, L.M., see MacLachlan, M.J., 275
Liao, D., see Li, L., 2529
Liao, D., see Li, L., 1575
Liao, D.-Z., see Zhang, L., 1105
Liao, F.-L., see Li, Y.-I., 413
Liao, F.-L., see Tsai, C.-H., 633
Liard, A., see Kaftanov, J., 563
Li, F.-S., see Yang, Z.-Y., 2599
Lightfoot, P., see Hay, R.W., 1485
Light, M.E., see Bell, N.A., 2539
Light, M.E., see Bell, N.A., 1719
Li, H., see Chao, H., 1975
Li, H., see Chisholm, M.H., 375
Liimatainen, J., Lehtonen, A. and Sillanpää, R., *cis*-Dioxomolybdenum(VI) complexes with tridentate and tetradentate Schiff base ligands. Preparation, structures and inhibition of aerial oxidation of aldehydes, 1133
Li, J.-M., Zhang, Y.-G., Chen, J.-H., Rui, L., Wang, Q.-M. and Wu, X.-T., Microporous networks co-assembled by both rigid and flexible building blocks, 1117
Li, L., Liao, D., Jiang, Z. and Yan, S., A new one-dimensional $[Ni(phen)(N_3)_2]_n$ compound with alternating end-on and end-to-end bridging azido ligands, 1575
Li, L., Liao, D., Jiang, Z. and Yan, S., Synthesis, structure and magnetic properties of di-carboxylato-bridged complex $[Cu_2(phen)_2(Hpht)_2(NO_3)(H_2O)]NO_3{\cdot}2H_2O$, 2529
Lima, C.A., see Cárdenas, G., 2337
Lin, B.-Z. and Liu, S.-X., Hydrothermal syntheses, structures and magnetic properties of coordination cation metavanadates, $Cu(tn)_2(VO_3)_2$ and $Ni(NH_3)_2(VO_3)_2$, 2521
Linert, W., see Vrbová, M., 2195
Lin, J., see Yang, L., 93
Lin, P., Wu, X.-T., Chen, L., Wu, L.-M. and Du, W.-X., Syntheses and characterization of two dodecanuclear heterobimetallic Mo–Cu–S cage clusters: $[NEt_4]_2[(Mo_2Cu_2S_2O_2edt_2)_3(\mu_6\text{-}Se_2)]{\cdot}CH_2Cl_2$ and $[NEt_4]_2[(Mo_2Cu_2S_2O_2edt_2)_3(\mu_6\text{-}S)]{\cdot}3H_2O$ (edt = $^-SC_2H_4S^-$)., 2189
Lin, X., Chen, H.-Y., Chi, L.-S., Lu, C.-Z. and Zhuang, H.-H., Syntheses and structures of two complexes with incomplete cuboidal $Mo_3Te_4^{4+}$ and $Mo_3(\mu_3\text{-}S)Te_3^{4+}$ cluster cores, 925
Liou, S.-Y., see Negishi, E.-i., 591
Li, R.-H., see Chao, H., 1975
Lisowski, J. and Starynowicz, P., Chiral macrocyclic Nd(III) and Tm(III) complexes, 465
Liu, G.-C., see Cheng, T.-H., 2027
Liu-González, M., see Borrás, E., 1859
Liu, H.-Q., see Xiao, W., 1295
Liu, H., see Bu, X.-H., 431
Liu, J.-F., see Sun, Z.-G., 125
Liu, Q., see Sun, Z.-G., 125
Liu, Q., Shen, X., Huang, J., Qian, Y., Chan, A.S.-C. and Wong, W.-T., Synthesis and crystal structure of lanthanide sandwich complexes with mixed cyclooctatetraenyl and chelating ether side chain-cyclopentadienyl ligands: crystal structures of $(\eta^5\text{-}MeOCH_2CH_2Cp)Nd(\eta^8\text{-}C_8H_8)(THF)$ and $(\eta^5\text{-}C_4H_7OCH_2\text{-}C_5H_4)La(\eta^8\text{-}C_8H_8(THF)$, 453
Liu, Q.-T., see Bu, X.-H., 431
Liu, S.-X., see Lin, B.-Z., 2521
Liu, W., see Fan, L., 779
Liu, X.-X. and Wong, W.-T., Synthesis, characterization and crystal structure of a series of ruthenium nitrosonaphthol complexes, 7
Livens, F.R., see Zhang, Y.-J., 1757
Li, Y.-I., Chang, C.-S., Tung, J.-Y., Tsai, C.-H., Chen, J.-H., Liao, F.-L. and Wang, S.-L., Molecular structure of *N*-tosylimido-*meso*-tetraphenylprophyrinatozinc(II), Zn(N-NTs-tpp), 413
Llobet, A., see Rodríguez, M., 2483
Lloret, F., see Hernández-Padilla, M., 1175
Lloris, J.M., see Al Shihadeh, Y., 1867
Lobana, T.S., Verma, R., Hundal, G. and Castineiras, A., Metal–heterocyclic thione interactions. 12. Heterocyclic 2-thiolates of platinum(II) and palladium(II): the crystal structures of first examples of *cis*-$[M(\eta^1\text{-}S\text{-}$pyridine-2-thiolato$)_2(L\text{-}L)]$ {M = Pt, Pd, L-L = 1,2-bis(diphenylphosphino)ethane; M = Pt, L-L = 1,2-bis(diphenylphosphino)ethene} complexes, 899
Loeb, B., see Concepción, J., 2297
Loeb, B., see Crivelli, I.G., 2289
Loiseau, F., Lucchese, Y., Dartiguenave, M. and Coulais, Y., Bidentate phosphinophenol ligand: synthesis and characterization of oxo and phenylimido rhenium(V) complexes of 2-diisopropylphosphinophenol, 1111
Lomozik, L., Jastrzab, R. and Gasowska, A., Interactions in binary and ternary systems including Cu(II), uridine, uridine 5′-monophosphate or diamine, 1145
Long, D., see Tan, W., 1545
Long, G.V., Harding, M.M. and Turner, P., X-ray structure of the zinc complex of the central metal chelation site of the antitumour drug streptonigrin, 1067
Long, N., see Nel, A., 1621
Longo, C., Alvarez, J., Fernández, M., Pardey, A.J., Moya, S.A., Baricelli, P. and Mdleleni, M.M., Water as hydride source in the reduction of nitrobenzene to aniline catalyzed by cis-$[Rh(CO)_2(2\text{-}picoline)_2](PF_6)$ in aqueous 2-picoline under CO atmosphere: kinetics study, 487
López-Cardoso, M., García y García, P., Rogers-Sakuma, A. and Cea-Olivares, R., Organometallic tin(IV) derivatives of the ambidentate *O*-cholesteryl-*O*-phenyl phosphorothioate ligand, 1539
López, G., see Ruiz, J., 1627
López, G., see Sánchez, G., 1395
López-López, A., see García-Raso, Á., 991
López-Torres, E., see Cañadas, M., 2059
López-Torres, E., see Franco, E., 441
López, T., see Bokhimi, X., 2283
López-Zafra, A., see García-Raso, A., 673
Lorber, C.Y., Youinou, M.-T., Kress, J. and Osborn, J.A., Isomerization of 2-methyl-3-butyn-2-ol into prenal: mechanistic observations on tricomponent catalyst systems of the type $Ti(OR)_4$–CuCl–$R'CO_2H$. Crystal structure of $[CuCl(Me_2C(OH)C{\equiv}CH)]_4$, 1693
Lough, A.J., see MacLachlan, M.J., 275
Lucchese, Y., see Loiseau, F., 1111
Lu, C.-Z., see Lin, X., 925
Lu, G., see Schwartz, J., 505
Lu, J., see Matteson, D.S., 587
Łukasiewicz, M., Ciunik, Z. and Wołowiec, S., Complexes of heteroscorpionate trispyrazolylborate anionic ligands: Part I. The crystal structure and reactivity of thiocyanato[hydrobis(3-phenylpyrazolyl)(3-*tert*-butylpyrazolyl)borato]cobalt(II) complex, 2119
Luo, Y.-J., see Zhang, L.-L., 2243
Lu, S.-L., see Bu, X.-H., 431
Lu, T.-H., see Pal, S., 1263
Lu, X. and Wang, Z., Role of halide ions in palladium(II) catalyzed nucleophile alkyne-α,β-unsaturated carbonyl coupling reactions, 577
Lu, X.-F., see Peng, Y., 733
Lu, Z.-L., see Xiao, W., 1295
Lyčka, A., see Tušek-Božić, L., 937

Macintosh, A.M., see Chisholm, M.H., 375
Macklin, A.C., see Kelly, P.F., 2077

MacLachlan, M.J., Zheng, J., Thieme, K., Lough, A.J., Manners, I., Mordas, C., LeSuer, R., Geiger, W.E., Liable-Sands, L.M. and Rheingold, A.L., Synthesis, characterization, and ring-opening polymerization of a novel [1]silaferrocenophane with two ferrocenyl substituents at silicon, 275
Madarász, J., Bombicz, P., Czugler, M. and Pokol, G., Comparison of theophyllinato Cu(II) complexes of ethanolamine and diethanolamine. Part 2: Structure and thermal study of the dimeric complex with diethanolamine, 457
Maddocks, V.C., see Hix, G.B., 765
Madrakian, T., see Shamsipur, M., 1681
Magrì, A.D., see Bucci, R., 2421
Magrì, A.D., see Bucci, R., 2515
Magrì, A.L., see Bucci, R., 2421
Magrì, A.L., see Bucci, R., 2515
Mahon, M.F., see Edwards, D.A., 757
Maji, T.K., Mostafa, G., Mukherjee, P.S., Mondal, A., Welch, A.J., Okamoto, K.-i. and Ray Chaudhuri, N., Synthesis, characterization of triamine complexes of nickel(II)selenocyanate and their thermally induced dimerization: X-ray single crystal structures of $[Ni(dpt)(SeCN)_2(H_2O)]$ and $[Ni(aepn)(SeCN)_2(H_2O)]$ (dpt = bis(3-aminopropyl)amine and aepn = (2-aminoethyl)(3-aminopropyl)amine), 1903
Mak, C.S.K., see Tanner, P.A., 863
Mak, T.C.W., see Goher, M.A.S., 1465
Mak, T.C.W., see Goher, M.A.S., 615
Mak, T.C.W., see Tanner, P.A., 863
Malatesta, F., Trombella, S., Giacomelli, A. and Onor, M., Activity coefficients of 3:3 electrolytes in aqueous solutions, 2493
Malik, K.A., see Bell, N.A., 1719
Malik, K.M.A., see Azam, K.A., 1081
Malik, K.M.A., see Hanif, K.M., 1073
Malik, K.M.A., see Mondal, N., 2707
Malik, K.Z., Robinson, S.D. and Steed, J.W., Ruthenium carboxylate complexes $[Ru(O_2CR)_2(H_2O)(Me_2SO)_3]$ (R = Me, CF_3)-synthesis and X-ray crystal structures., 1589
Malik, M.A., see Byrom, C., 211
Malik, M.A., see Yordanov, N.D., 2177
Malleier, R., see Scheffter, B., 871
Maneiro, M., Bermejo, M.R., Sousa, A., Fondo, M., González, A.M., Sousa-Pedrares, A. and McAuliffe, C.A., Synthesis and structural characterisation of new manganese(II) and (III) complexes. Study of their photolytic and catalase activity and X-ray crystal structure of $[Mn(3\text{-Ome, 5-Br-}salpn)(EtOH)H_2O)]ClO_4$, 47
Maneiro, M., see Sanmartín, J., 185
Man Koo, S., see Woo Park, J., 2547
Manners, I., see MacLachlan, M.J., 275
Manonmani, J., Thirumurugan, R., Kandaswamy, M., Kuppayee, M., Sundara Raj, S.S., Ponnuswamy, M.N., Shanmugam, G. and Fun, H.K., Synthesis of mononuclear nickel(II) and copper(II) complexes using compartmental ligands: X-ray and electrochemical studies, 2011
Mansor, R., see Bell, N.A., 1719
Manzur, J., García, A.M., Gómez, B. and Spodine, E., Catalytic properties of dinuclear copper complexes with an N_6 pyridazine-derived ligand, 2367
Maquet, J., see Babonneau, F., 315
María Leiva, A., see Crivelli, I.G., 2289
Marcos Martínez, M., see Al Shihadeh, Y., 1867
Marek, I., see Kaftanov, J., 563
Marek, J., see Pastorek, R., 1713
Mariezcurrena, R., see Rivero, M., 2249
Marques, N., see Carvalho, A., 1707
Marques, N., see Carvalho, A., 1699
Martínez-Arias, A., see Cañadas, M., 2059
Martínez-Máñez, R., see Al Shihadeh, Y., 1867
Martínez-Mánez, R., see Alzuet, G., 725
Masuda, H., see Kobayashi, T., 2639
Mata, I., see García-Raso, A., 673
Mathonière, C., see Tanase, S., 1967
Ma, T., Kojima, T. and Matsuda, Y., Synthesis and characterization of a novel macrocyclic ligand containing catechol donor groups and its oxovanadium(IV) complex, 1167
Matoga, D., Szklarzewicz, J., Samotus, A., Burgess, J., Fawcett, J. and Russell, D.R., Preparation and characterisation of $[M(CN)_4O(pz)]^{2-}$ complexes (M = Mo or W) and their reactivity towards molecular oxygen, 1503
Matos, J.R., see Fernandes, L.C., 2313
Matos, J.R., see Nothenberg, M.S., 1305
Matsuda, Y., see Ma, T., 1167
Matsushima, H., see Kobayashi, T., 2639
Matsushita, T., see Asada, H., 2039
Matteson, D.S., Singh, R.P., Lu, J., Yang, J. and Pharazyn, P.S., Asymmetric synthesis of trisubstituted pyrrolidines via boronic esters, 587
Matusiak, R., see Szterenberg, L., 2565
Mautner, F.A., see Goher, M.A.S., 601
Maverick, A.W., see Isovitsch, R.A., 1437
May, J.G., see Isovitsch, R.A., 1437
Ma, Z.-H., see Zhang, Z.-H., 1559
Mazzanti, G., see Bonini, B.F., 529
McAuliffe, C.A., see Maneiro, M., 47
McCann, M., see Devereux, M., 1205
McCarthy, M. and Guiry, P.J., A new quinazoline-containing axially chiral ligand for asymmetric catalysis, 541
McDonald, C.I., see Coe, B.J., 1193
McGaff, R.W., Dopke, N.C., Hayashi, R.K., Powell, D.R. and Treichel, P.M., Synthesis and crystal structures of five new rhenium acetamidate complexes, 1245
McKee, V., see Devereux, M., 1205
McKenzie, C.J., see Becher, J., 665
McKenzie, C.J., see Dalgaard, P., 1909
McKenzie, C.J., see Hazell, A., 1333
Mdleleni, M.M., see Longo, C., 487
Mederos, A., see Hernández-Padilla, M., 1175
Mederos, A., see Rivero, M., 2249
Meehan, M.M., see Baker, P.K., 2171
Meehan, M.M., see Baker, P.K., 1585
Mehandjiev, D.R., see Bontchev, P.R., 1843
Mehrotra, R.C., see Sharma, M., 77
Melník, M., see Moncol, J., 2573
Melník, M., see Palicová, M., 2689
Mendia-Jalon, A., see Barton, A.J., 1373
Mendiola, M.A., see Franco, E., 441
Mendonca Silva, R., see Harrison, W.T.A., 821
Mendoza-Díaz, G., Ruiz-Ramírez, L. and Moreno-Esparza, R., Template reaction of $[Ni(ben)_3](ClO_4)_2$ with acetone. Crystal structure of 1,11-bis-benzyl-5,7,7-trimethyl-1,4,8,11-tetra-aza-undeca-4-ene nickel(II) perchlorate, 2149
Mendoza-Díaz, G., see Gasque, L., 649
Meng, L.-H., see Kong, D.-Y., 217
Merzweiler, K., see Böttcher, H.-C., 2593
Messersmith, P.B., see Murphy, W.L., 357
Miao, S.-B., see Zheng, H.-B., 713
Micera, G., see Ágoston, C.G., 1849
Micera, G., see Farkas, E., 1727
Micera, G., see Kiss, E., 55
Micheloni, M., see Formica, M., 2501
Midollini, S., see Rivero, M., 2249
Mikloš, D., see Palicová, M., 2689
Milinković, S.U., see Djuran, M.I., 959
Milliron, D.J., see Schwartz, J., 505
Miloslavski, I., see Blum, J., 509

Mink, L.M., Voce, J.W., Ingersoll, J.E., Nguyen, V.T., Boggess, R.K., Washburn, H. and Grove, D.I., Platinum(IV) tetraphenylporphyrin dibromide complexes: synthesis, characterization, and electrochemistry, 1057
Miravitlles, C., see Ruiz, J., 1627
Mironov, Y.V., Tetrahedral chalcogeno thiocyanate cluster complexes $[Re_4Q_4(SCN)_{12}]^{4-}$ (Q = S, Se, Te): synthesis and crystal structures, 437
Mislankar, A.G., see Drake, J.E., 407
Misra, T.K., see Pal, S., 1925
Mitra, S., see Mondal, N., 2707
Mitra, S., see Mondal, N., 1935
Mitra, S., see Sen, S., 1881
Młynarz, P., see Remelli, M., 2409
Modec, B., Brenčič, J.V. and Golič, L., Octanuclear oxomolybdenum(V) clusters with pyridine or alkyl-substituted pyridines: crystal structures of $[Mo_8O_{16}(OCH_3)_8L_4]$ (L = 3-methylpyridine, 3,5-lutidine), 1219
Modec, B., Brenčič, J.V., Golič, L. and Daniels, L.M., Oxomolybdenum coordination compounds with alkyl-substituted pyridines. Solvothermal syntheses and structural characterization of $[Mo_{10}O_{26}(3,5\text{-Lut})_8]\cdot 2(3,5\text{-Lut})$, $[Mo_{10}O_{26}(3\text{-MePy})_8]\cdot(3\text{-MePy})$, $[Mo_{10}O_{26}(3\text{-MePy})_8]$ and $[Mo_{12}O_{28}(OCH_3)_2Cl_2(3\text{-MePy})_8]$, 1407
Mohamadou, A., see Jubert, C., 1447
Molins, E., see García-Raso, A., 673
Molins, E., see García-Raso, Á., 991
Molins, E., see Ruiz, J., 1627
Mombrú, A., see Rivero, M., 2249
Moncol, J., Koman, M., Melník, M., Černáková, M. and Glowiak, T., Study of copper(II) chloro- and dichloropropionates, crystal and molecular structure of *trans*-bis(methyl-3-pyridylcarbamate)bis(α,α-dichloropropionato)copper(II), 2573
Mondal, A., see Laskar, I.R., 1015
Mondal, A., see Maji, T.K., 1903
Mondal, B., Bhattacharya, A.K., Banerjee, R., Bhrahma, G.S. and Dash, A.C., Kinetics of oxidation of ascorbic acid by the $[Mn^{IV}_3(\mu\text{-}O)_4(bipy)_4(H_2O)_2]^{4+}$ ion (bipy = 2,2′-bipyridine), 1213
Mondal, N., Dey, D.K., Mitra, S. and Malik, K.M.A., Synthesis and structural characterization of mixed ligand η^1-2-hydroxyacetophenone complexes of cobalt(III), 2707
Mondal, N., Saha, M.K., Mitra, S., Gramlich, V. and El Fallah, M.S., Synthesis, characterization and crystal structure of cyano-bridged dinuclear copper–iron complexes, 1935
Mondal, S., see Rajak, K.K., 931
Mondragón, M.A., see Téllez-Sara, C.A., 2353
Mondry, A. and Starynowicz, P., Optical spectroscopy of neodymium(III) complexes with diethylenetriaminepentaacetic acid in solution and in $[C(NH_2)_3]_2[Nd(dtpa)(H_2O)]\cdot 7H_2O$ single crystal, 771
Monfort, M., see Resino, I., 225
Morales, A., see Bokhimi, X., 2283
Morales, J., see Cárdenas, G., 2337
Mordas, C., see MacLachlan, M.J., 275
Moreno-Carretero, M.N., see Hueso-Ureña, F., 689
Moreno-Esparza, R., see Mendoza-Díaz, G., 2149
Moreno, V., see Rizzotto, M., 417
Mori, A., Takahisa, E., Kajiro, H., Nishihara, Y. and Hiyama, T., Stereodivergent hydrosilylation of 1-alkynes catalyzed by $RhI(PPh_3)_3$ leading to (*E*)- and (*Z*)-alkenylsilanes and the application to polymer synthesis, 567
Morigaki, M.K., see Ursini, C.V., 2261
Moriguchi, T., Uchiyama, K., Yasutake, M., Shinmyozu, T., Sakata, K. and Tsuge, A., Syntheses, spectroscopic properties and X-ray crystal structures of tris(tfacacmetacyclophane)(bpy)-europium(III) and piperidinium tetrakis(*p*-tolutfacac)europate(III) complexes, 785
Morley, C.P., see Lewtas, M.R., 751
Morozova, N.B., see Isakova, V.G., 1097
Morrison, D.E., see Carmalt, C.J., 829
Moser, J.A., Stockland, R.A., Jr. and Anderson, G.K., Preparation and solution behavior of diphosphinepalladium nitrite complexes, 1329
Mostafa, G., see Basuli, F., 1663
Mostafa, G., see Laskar, I.R., 1015
Mostafa, G., see Maji, T.K., 1903
Motevalli, M., see Nel, A., 1621
Mottalib, M.A., see Azam, K.A., 1081
Mottalib, M.A., see Hanif, K.M., 1073
Moubaraki, B., see Dalgaard, P., 1909
Moya, S.A., see Longo, C., 487
Mukherjee, P.S., see Maji, T.K., 1903
Mukherjee, R., see Gupta, R., 1429
Mukherjee, R., see Gupta, R., 719
Mukherjee, R., see Patra, A.K., 1423
Mulford, D.R., Fanwick, P.E. and Rothwell, I.P., Group 4 and 5 metal derivatives of 2,2′-methylene-bis(6-phenylphenoxide), 35
Mu, L.-J., see Bu, X.-H., 2095
Muñoz, M.C., see Hernández-Padilla, M., 1175
Munshi, P., see Jain, P.U., 801
Murphy, W.L. and Messersmith, P.B., Compartmental control of mineral formation: adaptation of a biomineralization strategy for biomedical use, 357
Murray, K.S., see Dalgaard, P., 1909
Muthiah, C., Said, M.A., Pülm, M., Herbst-Irmer, R. and Kumara Swamy, K.C., New phospharanes with five- and seven-membered rings: influence of the nature of the substituents on hydrogen bonding, 63
Mu, Y., see Zhang, F., 1941

Nagy, D., see Szabó-Plánka, T., 1123
Nagy, N., see Szabó-Plánka, T., 2049
Nakashima, S., Ichikawa, N., Komatsu, H., Yamada, K. and Okuda, T., Host–guest interaction and dynamics of haloferrocenes enclathrated in deoxycholic acid as inferred from ^{57}Fe Mössbauer measurements, 205
Napoli, A., see Bucci, R., 2421
Napoli, A., see Bucci, R., 2515
Navarro, M., Lehmann, T., Cisneros-Fajardo, E.J., Fuentes, A., Sánchez-Delgado, R.A., Silva, P. and Urbina, J.A., Toward a novel metal-based chemotherapy against tropical diseases. Part 5. Synthesis and characterization of new Ru(II) and Ru(III) clotrimazole and ketoconazole complexes and evaluation of their activity against *Trypanosoma cruzi*, 2319
Negishi, E.-i., Liou, S.-Y., Xu, C. and Huo, S., A general method for the synthesis of *E* and/or *Z* oligoisoprenoids based on Pd-catalyzed homoallylalkenyl and homopropargyl-alkenyl cross coupling and Zr-catalyzed carboalumination, 591
Nejati, K., see Khandar, A.A., 607
Nel, A., Chapman, J., Long, N., Kolawole, G., Motevalli, M. and O'Brien, P., The synthesis and characterisation of two mononuclear tungsten pentacarbonyl complexes of 4,4′-bipyridine and 1,2-bis(4-pyridyl)ethane, 1621
Nemečková, M., see Boča, R., 835
Neuburger, M., see Constable, E.C., 23
Newman, E.H., see Levason, W., 2697
Nguyen, V.T., see Mink, L.M., 1057
Nicholson, B.K., see Depree, C.V., 2101
Niclós-Gutiérrez, J., see Bugella-Altamirano, E., 2473
Niclós-Gutiérrez, J., see Bugella-Altamirano, E., 2463
Nielsen, L.P., see Hazell, A., 1333
Nierlich, M., see Thuéry, P., 2673
Nierlich, M., see Thuéry, P., 1749
Nie, W.-L., see Qian, C.-T., 1955
Nishida, Y., see Kobayashi, T., 2639
Nishihara, Y., see Mori, A., 567
Nishino, S., see Kobayashi, T., 2639

Noh, D.-Y., see Lee, H.-J., 425
Noltemeyer, M., see Cui, C., 471
Nothenberg, M.S., de Souza, A.R. and Matos, J.R., Synthesis and physicochemical characterization of rhodium sulfosalicylate, 1305
Nöth, H., see Bond, E.M., 2135
Nöth, H., see Ceniceros-Gómez, A.E., 1821
Nöth, H., see Quiroz-Castro, E., 1479
Novaro, O., see Bokhimi, X., 2283
Nurchi, V.M., see Crisponi, G., 2435
Nyokong, T., see Oni, J., 1355
Nyokong, T., see Vilakazi, S., 229

Oberhauser, W., Stampfl, T., Bachmann, C., Haid, R., Langes, C., Kopacka, H., Ongania, K.-H. and Brüggeller, P., Palladium(II), platinum(II), and platinum(IV) complexes containing *trans*-1,2-bis(diphenylphosphino)ethene or *cis,trans,cis*-1,2,3,4-tetrakis(-diphenylphosphino)cyclobutane: complete X-ray structural characterization of binuclear compounds, 913
O'Brien, P., see Byrom, C., 211
O'Brien, P., see Jones, A.C., 351
O'Brien, P., see Nel, A., 1621
O'Brien, P., see Yordanov, N.D., 2177
O'Brien, S., see O'Hare, D., 297
Odović, J., see Djurdjević, P., 1085
O'Hare, D., Evans, J.S.O., Fogg, A. and O'Brien, S., Time-resolved, in situ X-ray diffraction studies of intercalation in lamellar hosts, 297
Oh, K.E., see Yoo, J., 549
Öhman, A., see Catalano, V.J., 1049
Ohta, K., Inagaki-Oka, Y., Hasebe, H. and Yamamoto, I., Discotic liquid crystals of transition metal complexes. 25: influence of the central metal on columnar mesomorphism and π-acceptor properties of the octa-alkoxy-substituted bis(diphenyldithiolene) metal complexes, 267
Okamoto, K.-i., see Maji, T.K., 1903
Okuda, T., see Nakashima, S., 205
Ongania, K.-H., see Oberhauser, W., 913
Ongania, K.-H., see Scheffter, B., 871
Oni, J. and Nyokong, T., Interaction between iron(II) tetrasulfophthalocyanine and the neurotransmitters, serotonin and dopamine, 1355
Onor, M., see Malatesta, F., 2493
Orchard, S.D., see Barton, A.J., 1373
Osborn, J.A., see Lorber, C.Y., 1693
Ovchynnikov, V.A., see Gubina, K.E., 2203
Ozeki, T., Sakaguchi, M. and Yagasaki, A., Synthesis and structure of a novel dimeric molybdenum oxyhalide anion, 43

Paget, T.J., see Edwards, D.A., 757
Paine, R.T., see Bond, E.M., 2135
Palicová, M., Segl'a, P., Mikloš, D., Kopcová, M., Melník, M., Dudová, B., Hudecová, D. and Glowiak, T., Synthesis, spectral properties, crystal structures and antimicrobial effects of copper(II) pyridinecarboxylate adducts with chelating ligands, 2689
Pal, S., Das, D., Chattopadhyay, P., Sinha, C., Panneerselvam, K. and Lu, T.-H., Synthesis, spectral and electrochemical properties of 1-alkyl-2-(naphthyl-β-azo)imidazole complexes of platinum(II) and the reaction with pyridine bases. Single-crystal X-ray structure of dichloro-[1-ethyl-2-(naphthyl-β-azo)imidazole]platinum(II), 1263
Pal, S., Misra, T.K., Sinha, C., Slawin, A.M.Z. and Woollins, J.D., Ruthenium(II) complexes of α-diimines: synthesis, spectral characterisation, electrochemical properties and single-crystal X-ray structure of bis(2,2′-bipyridine){1-benzyl-2-(*p*-tollylazo)imidazole}-ruthenium(II) perchlorate, 1925
Pal, S., see Sangeetha, N.R., 2713
Pal, S., see Sangeetha, N.R., 2713
Pal, S., see Sangeetha, N.R., 1593
Pandian, R.P., see Rose, E., 581
Panneerselvam, K., see Pal, S., 1263
Pannell, K.H., Wang, F., Sharma, H.K. and Cervantes-Lee, F., Bis(ferrocenylsilyl)thiophenes and ferrocenylene(silylene)thiophene oligomers, 291
Paoletti, P., see Bencini, A., 2441
Paoletti, P., see Ceccanti, N., 2447
Pardey, A.J., see Longo, C., 487
Pardini, R., see Bencini, A., 2441
Pardini, R., see Ceccanti, N., 2447
Pardo, T., see Al Shihadeh, Y., 1867
Parish, R.V., see Keypour, H., 1633
Park, B.B., see Rhee, S.W., 1961
Parker, O.J., Aubol, S.L. and Breneman, G.L., Crystal structure of a copper stabilized hydrate of di-2-pyridyl ketone, 623
Park, G., Ye, N., Rogers, R.D., Brechbiel, M.W. and Planalp, R.P., Effect of metal size on coordination geometry of *N,N′,N″*-tris(2-pyridylmethyl)-*cis,cis*-1,3,5-triaminocyclohexane: synthesis and structure of $[M^{II}L](ClO_4)_2$ (M = Zn, Cd and Hg), 1155
Parkin, G., see Hascall, T., 1063
Parkin, I.P., see Carmalt, C.J., 829
Park, J.W., see Kim, J.T., 1139
Park, S.K., Koo, S.M. and Lee, Y.E., Heterometallic lithium niobium complexes: synthesis and molecular structures of LiNbO(O-2,6-$PhMe_2)_4 \cdot 3THF$ and $[LiNbCl_3(O\text{-}2,6\text{-}PhMe_2)_2 \cdot 2THF]_2$, 1037
Parola, S., see Verdenelli, M., 2069
Parsons, S.A., see Ahmed, S.I., 129
Parsons, S.A., see Alshehri, S., 399
Paschalidis, D.G., Tossidis, I.A. and Gdaniec, M., Synthesis, characterization and spectra of lanthanide(III) hydrazone complexes: The X-ray molecular structures of the erbium(III) complex and the ligand, 2629
Pastorek, R., Trávníček, Z., Marek, J., Dastych, D. and Šindelář, Z., Ni(II)-piperidinedithiocarbamate complexes with bidentate phosphorus-donor ligands, 1713
Patra, A.K., Ray, M. and Mukherjee, R., Magneto–structural studies of monohydroxo-bridged dicopper(II) complexes $M[Cu_2L_2(OH)] \cdot 2H_2O$ (M = Na^+ (**1**) and K^+ (**2**); H_2L = 2,6-bis[*N*-(phenyl)-carbamoyl]pyridine). Effect of Cu–OH–Cu bridge angle on antiferromagnetic coupling, 1423
Patron, L., see Tuna, F., 1643
Paul, P., see Bilakhiya, A.K., 1233
Paul, S., Kumar Barik, A., Butcher, R.J. and Kumar Kar, S., Synthesis and characterisation of nickel(II) complexes with tripodal ligand tris[4-(3-(5-methylpyrazolyl)-3-aza-3-butenyl] amine (MPz_3tren): X-ray crystal structure of $[Ni(MPz_3tren)](BF_4)_2 \cdot 0.5H_2O$, 2661
Paul, S., see Barik, A.K., 2651
Pavlović, G., see Cindrić, M., 1471
Pazderski, L., see Szłyk, E., 965
Pedrosa, M.R., see Arnáiz, F.J., 2141
Pelosi, G., see Belicchi Ferrari, M., 1895
Peñas-Chamorro, A.L., see Hueso-Ureña, F., 689
Peng, S.-M., see Basuli, F., 1663
Peng, S.-M., see Das, A., 1227
Peng, S.-M., see Sinha, P.K., 1673
Peng, Y., Lu, X.-F., Fan, H.-J., Wu, Q.-J., Yu, R.-M. and Huang, J.-Q., Synthesis, crystal structure and bonding features of a trinuclear cluster $[Mo_3X(S_2)_3(dtp)_3I_3]$ (X = O,S) with layer-like packing, 733
Pereira, G.G., see Caldeira, M.M., 193
Pérez, J., see Sánchez, G., 1395
Perilla, I.C., see Riveros, P.C., 2327
Peringer, P., see Scheffter, B., 871
Perrin, J.L., see Adams, R.D., 521

Petriček, S., Demšar, A., Golič, L. and Košmrlj, J., New complexes of lanthanide chlorides. Reversible isomerization in octahedral $[LaCl_3(HMPA)_3]$ and the crystal structure of *fac*-$[SmCl_3(HMPA)_3]$, 199
Petrohán, K., see Kiss, E., 55
Petrović, D.M., see Rogan, J., 1415
Petrukhina, M.A., see Cotton, F.A., 1829
Pharazyn, P.S., see Matteson, D.S., 587
Picchi, M.P., see Pifferi, C., 69
Pidwell, A.D., see Guillevic, M.-A., 249
Piedade, M.F.M., see Santos, I.C., 655
Pietro, W.J., see Veinot, J.G.C., 331
Pifferi, C., Picchi, M.P. and Cini, R., Vanadium complexes as models for vanadium species of marine organisms. Synthesis, X-ray structure of oxo(*O*,*O*-sulfate)(2,2′:6′,2″-terpyridine)vanadium(IV) hydrate, and density functional geometry optimization analysis of vanadyl complexes, 69
Piniella, J.F., see Chadghan, A., 855
Pinkerton, A.B., see Santos, E.C., 1777
Pinna, R., see Crisponi, G., 2435
Pires de Matos, A., see Carvalho, A., 1707
Pires de Matos, A., see Carvalho, A., 1699
Pivetta, T., see Crisponi, G., 2435
Planalp, R.P., see Park, G., 1155
Pokol, G., see Madarász, J., 457
Polese, P., see Comuzzi, C., 2427
Poleti, D., see Rogan, J., 1415
Ponnuswamy, M.N., see Manonmani, J., 2011
Pons, J., see Chadghan, A., 855
Pontellini, R., see Formica, M., 2501
Pope, S.J.A., see Heuer, B., 743
Portanova, R., see Comuzzi, C., 2427
Porto, R., see Ciavatta, L., 1043
Poveda, A., see Riveros, P.C., 2327
Powell, A.K., see Zhang, Y.-J., 1757
Powell, D.R., see McGaff, R.W., 1245
Power, P.P., see Wehmschulte, R.J., 1649
Pritchard, R.G., see Keypour, H., 1633
Pritzkow, H., see Riveros, P.C., 2327
Pulidori, F., see Remelli, M., 2409
Pülm, M., see Muthiah, C., 63
Purvis, K.L., see Schwartz, J., 505
Py, S., see Fallis, A.G., 533

Qian, C.-T., Zou, G., Nie, W.-L., Sun, J., Lemenovskii, D.A. and Borzov, M.V., Stereoselective synthesis and structural characterization of *rac*-planar chiral bis(2-methoxyethylindenyl)lanthanum and yttrium tetrahydroborates, 1955
Qian, Y., see Liu, Q., 453
Quelquejeu, M., see Rose, E., 581
Quintana, P., see Alvarado, E., 2345
Quirós, M., see Seco, J.M., 1005
Quiroz-Castro, E., Bernès, S., Barba-Behrens, N., Tapia-Benavides, R., Contreras, R. and Nöth, H., Structural and spectroscopic characterisation of tris(2-benzimidazolylmethyl)amine coordination compounds of Zn(II), Cd(II) and Hg(II), 1479
Quiroz-Castro, M.E., see Ceniceros-Gómez, A.E., 1821

Rabinovich, D., see Richburg, L.M., 1815
Rabinovich, D., see Yim, H.W., 849
Rabu, P., see Hornick, C., 259
Radanović, D.D., see Rychlewska, U., 1
Radanović, D.J., see Rychlewska, U., 1
Rahaman Laskar, I., Kumar Maji, T., Chaudhuri, S., Ghosh, A. and Ray Chaudhuri, N., Synthesis and characterization of *cis* and *trans* isomers of $[NiL_2(NCS)_2]$ [L = 1-(2-aminoethyl)pyrrolidine]: X-ray single-crystal structures, 1803
Rahim, M.A., see Takeda, T., 593
Rajak, K.K., Mondal, S. and Rath, S.P., Synthesis, structure and properties of mononuclear oxovanadium(V) alkoxides incorporating chelated ethane-1,2-diol and propane-1,3-diol, 931
Rajak, K.K., see Jain, P.U., 801
Ramalingam, K., see Thirumaran, S., 1279
Ramirez, J., see Canales, J., 2373
Ramos, M.L., see Caldeira, M.M., 193
Ramírez de Arellano, M.C., see Sánchez, G., 1395
Rath, S.P., see Jain, P.U., 801
Rath, S.P., see Rajak, K.K., 931
Ratnani, R., see Drake, J.E., 407
Rauchfuss, T.B., see Breitzer, J.G., 1283
Ray Chaudhuri, N., see Laskar, I.R., 1015
Ray Chaudhuri, N., see Maji, T.K., 1903
Ray Chaudhuri, N., see Rahaman Laskar, I., 1803
Ray, M., see Patra, A.K., 1423
Redman, H., see Almond, M.J., 2127
Redshaw, C. and Elsegood, M.R.J., Synthesis and structure of a novel molybdenum imido calix[6]arene, 2657
Rees, L.H., see Coe, B.J., 1193
Reid, G., see Barton, A.J., 1373
Reid, G., see Barton, A.J., 235
Reid, G., see Heuer, B., 743
Remelli, M., Conato, C., Agarossi, A., Pulidori, F., Młynarz, P. and Kozłowski, H., Copper complexes of dipeptides with L-Lys as C-terminal residue: a thermodynamic and spectroscopic study, 2409
Repo, T., see Abu-Surrah, A.S., 1601
Resino, I., Monfort, M., Ribas, J., Font-Bardia, M. and Solans, X., Synthesis and crystal structure of a new mononuclear compound containing alternate nickel(II) and sodium ions in the sheet $[Ni(en)_2(NO_2)_2]NaClO_4 \cdot H_2O$, 225
Rhee, H., see Kwak, B., 1985
Rhee, S.W., Park, B.B., Do, Y. and Kim, J., Electronic and NMR properties of *meso*-monosubstituted ferrocenylporphyrin: evidence of π-conjugation between porphyrin and ferrocene, 1961
Rheingold, A.L., see MacLachlan, M.J., 275
Rheingold, A.L., see Richburg, L.M., 1815
Rheingold, A.L., see Yim, H.W., 849
Ribas, J., see Resino, I., 225
Ricart, G., see Rose, E., 581
Ricci, A., see Bonini, B.F., 529
Rice, C.R. and Anderson, K.M., A new synthesis of a potentially versatile ligand 2,2′-bi-(1,10-phenanthroline): crystal structure and complexation chemistry, 495
Rice, D.A., see Almond, M.J., 2127
Richburg, L.M., Farouq, J.A., Incarvito, C.D., Rheingold, A.L. and Rabinovich, D., Zinc bis(pyrazolyl)silane complexes, 1815
Richens, D.T., see Hay, R.W., 1485
Riedel, R., see Ruwisch, L.M., 323
Rietveld, T., see Fallis, A.G., 533
Rigo, S., see García-Raso, Á., 991
Rintoul, L., see Jiang, J., 1381
Rivero, M., Kremer, C., Gancheff, J., Kremer, E., Suescun, L., Mombrú, A., Mariezcurrena, R., Domínguez, S., Mederos, A. and Midollini, S., Cationic complexes of Re with dppm (bis(diphenylphosphinomethane)). Crystal structure of $[Re(dppm)_3]I \cdot CH_3OH \cdot CH_2Cl_2$, 2249
Riveros, P.C., Perilla, I.C., Poveda, A., Keller, H.J. and Pritzkow, H., Tris(dialkyldithiocarbamato)diazenido(1-) and hydrazido(2-) molybdenum complexes: synthesis and reactivity in acid medium, 2327
Rivière, E., see Tuna, F., 1643
Rizzotto, M., Moreno, V., Signorella, S., Daier, V. and Sala, L.F., Electron paramagnetic resonance and potentiometric studies of the interactions of Cr(VI) and Cr(V) with D-ribose-5-phosphate and nucleotides, 417

Robertson, E.W., Wilkin, O.M. and Young, N.A., The spectroscopic characterisation of *cis*-$Fe(CO)_4IBr$ and *cis*-$Fe(CO)_4ICl$ and an investigation of their halogen exchange reactions in solution and the vapour, 1493
Robinson, S.D., see Exarchos, G., 1511
Robinson, S.D., see Exarchos, G., 123
Robinson, S.D., see Malik, K.Z., 1589
Rocha-Filho, R.C., see Trollund, E., 2303
Rockenbauer, A., see Szabó-Plánka, T., 2049
Rockenbauer, A., see Szabó-Plánka, T., 1123
Rodríguez, M., Llobet, A. and Corbella, M., A theoretical analysis of how geometrical distortions on $Cu(\mu\text{-}Cl)_2Cu$ dimers influence their electronic and magnetic properties, 2483
Rodríguez, V., see Ruiz, J., 1627
Rodrigues-Filho, U.P., see do Carmo, D.R., 2277
Rodriguez, M.A., see Zechmann, C.A., 2557
Roesky, H.W., see Cui, C., 471
Rogan, J., Poleti, D., Karanović, L., Bogdanović, G., Spasojević-de Biré, A. and Petrović, D.M., Mixed ligand Co(II), Ni(II) and Cu(II) complexes containing terephthalato ligands. Crystal structures of diaqua(2,2′-dipyridylamine)(terephthalato)metal(II) trihydrates (metal = cobalt or nickel), 1415
Rogers, R.D., see Park, G., 1155
Rogers-Sakuma, A., see López-Cardoso, M., 1539
Romani, P., see Formica, M., 2501
Rombaut, G., see Tanase, S., 1967
Romeo, I., Bardají, M., Concepción Gimeno, M. and Laguna, M., Gold(I) complexes containing the cationic ylide ligand bis(-methyldiphenylphosphonio)methylide, 1837
Romero, J., see Cabaleiro, S., 1607
Romero, J., see Labisbal, E., 1255
Rose, E., Quelquejeu, M., Pandian, R.P., Lecas-Nawrocka, A., Vilar, A., Ricart, G., Collman, J.P., Wang, Z. and Straumanis, A., Synthesis of porphyrins: models of natural hemoproteins and impressive catalysts for asymmetric epoxidation of olefins, 581
Rosenberg, E., see Hanif, K.M., 1073
Ros, J., see Chadghan, A., 855
Roszak, S., see Szterenberg, L., 2565
Rothwell, I.P., see Mulford, D.R., 35
Roussanova, D., see Yordanov, N.D., 2177
Rubini, P., see Giroux, S., 1567
Rui, L., see Li, J.-M., 1117
Ruiz, J., Giner, J., Rodríguez, V., López, G., Casabó, J., Molins, E. and Miravitlles, C., Synthesis and characterization of heterodinuclear thiolate complexes containing the $Pd(\eta^3\text{-allyl})^+$ moiety. Crystal structure of $[(dppe)Pd(\mu\text{-}SC_6H_4Me\text{-}p)_2Pd(\eta^3\text{-}C_3H_5)][ClO_4]$, 1627
Ruiz-Ramírez, L., see Mendoza-Díaz, G., 2149
Runde, W.H., see Danis, J.A., 1551
Russell, D.R., see Ahmed, S.I., 129
Russell, D.R., see Alshehri, S., 399
Russell, D.R., see Matoga, D., 1503
Russo, U., see Casas, J.S., 813
Rusu, D., see David, L., 1917
Rusu, M., see David, L., 1917
Ruwisch, L.M., Dürichen, P. and Riedel, R., Synthesis of silyl substituted organoboranes by hydroboration of vinylsilanes, 323
Rybak, W.K., see Głowiak, T., 2667
Rychlewska, U., Radanović, D.D., Jevtović, V.S. and Radanović, D.J., Synthesis and X-ray structural study of magnesium (1,3-propanediaminetetraacetato)cuprato(II) octahydrate, $Mg[Cu(1,3\text{-}pdta)]\cdot 8H_2O$. Stereochemistry of hexadentate copper(II)–edta-type complexes in relation to the structure of the ligand, 1

Sacht, C. and Datt, M.S., Synthesis and characterisation of mixed-ligand platinum(II)–sulfoxide complexes, [PtCl(DMSO)(L)], for potential use as chemotherapeutic agents (HL = *N*,*N*-dialkyl-*N*′-(3-*R*-benzoyl)thiourea), 1347
Saha, M.K., see Mondal, N., 1935
Said, M.A., see Muthiah, C., 63
Saito, Y., see Sakakura, T., 573
Sakaguchi, M., see Ozeki, T., 43
Sakakura, T., Choi, J.-C., Saito, Y. and Sako, T., Synthesis of dimethyl carbonate from carbon dioxide: catalysis and mechanism, 573
Sakata, K., see Moriguchi, T., 785
Sako, T., see Sakakura, T., 573
Sala, L.F., see Rizzotto, M., 417
Salehzadeh, S., see Keypour, H., 1633
Sambasiva Reddy, P. and Hussain Reddy, K., Transition metal complexes of benzil-α-monoxime (BMO); X-ray structure determination of $Co(BMO)_3$, 1687
Samotus, A., see Matoga, D., 1503
Samson, E., see Baker, P.K., 147
Sánchez, A., see Casas, J.S., 813
Sánchez-Delgado, R.A., see Navarro, M., 2319
Sánchez, G., Serrano, J.L., Ramírez de Arellano, M.C., Pérez, J. and López, G., Reactivity of the di-μ-hydroxo-complexes $[\{Pd(N\text{–}N)\}_2(\mu\text{-}OH)_2][ClO_4]_2$ (N–N = bis(pyrazol-1-yl)alkanes) towards protic electrophiles. Hydration of coordinated nitriles at a palladium(II) site, 1395
Sangeetha, N.R. and Pal, S., Dimeric and polymeric square-pyramidal copper(II) complexes containing equatorial–apical chloride or acetate bridges, 1593
Sangeetha, N.R., Pal, S. and Pal, S., Copper(II)-activated transformation of azomethine to imidate: synthetic and structural studies, 2713
Sanmartín, J., Bermejo, M.R., Garía-Deibe, A.M., Maneiro, M., Lage, C. and Costa-Filho, A.J., Mono- and polynuclear complexes of Fe(II), Co(II), Ni(II), Cu(II), Zn(II) and Cd(II) with *N*,*N*′-bis(3-hydroxysalicylidene)-1,3-diamino-2-propanol, 185
Sanna, D., see Ágoston, C.G., 1849
Sanna, D., see Kiss, E., 55
Santos, E.C., Pinkerton, A.B., Kinkead, S.A., Hurlburt, P.K., Jasper, S.A., Sellers, C.W., Huffman, J.C. and Todd, L.J., Syntheses of *nido*-9,11-X_2-7,8-$C_2B_9H_{10}^-$ anions (X = Cl, Br or I) and the synthesis and structural characterization of $N(C_2H_5)_4[commo\text{-}3,3'\text{-}Co(4,7\text{-}Br_2\text{-}3,1,2\text{-}CoC_2B_9H_9)_2]$, 1777
Santos, I.C., Vilas-Boas, M., Piedade, M.F.M., Freire, C., Duarte, M.T. and de Castro, B., Electrochemical and X-ray studies of nickel(II) Schiff base complexes derived from salicylaldehyde. Structural effects of bridge substituents on the stabilisation of the +3 oxidation state, 655
Sanz-Ruiz, F., see Borrás, E., 1859
Sarova, G., see Yordanov, N.D., 2177
Scarcia, V., see Tušek-Božić, L., 937
Scheetz, B.E., see Danis, J.A., 1551
Scheffter, B., Schuh, W., Ongania, K.-H., Kopacka, H., Malleier, R., Wurst, K. and Peringer, P., Host–guest interactions of the cluster $[triangulo\text{-}Hg_3(\mu\text{-}dppm)_3]^{4+}$ (dppm = bis(diphenylphosphino)methane) with halides and pseudohalides, 871
Schmidt, H.-G., see Cui, C., 471
Schubert, U., see Vrbová, M., 2195
Schuh, W., see Scheffter, B., 871
Schumann, H., see Blum, J., 509
Schwartz, J., Gawalt, E.S., Lu, G., Milliron, D.J., Purvis, K.L., Woodson, S.J., Bernasek, S.L., Bocarsly, A.B. and VanderKam, S.K., Organometallic chemistry at the interface with materials science, 505
Scott, B.L., see Danis, J.A., 1551
Secco, F., see Ceccanti, N., 2447
Secco, F., Tinè, M.R., Venturini, M., Bencini, A., Giorgi, C. and Valtancoli, B., Equilibria and kinetics of complex formation between nickel(II) and the polyamine Me_2octaen, 2507

Seco, J.M., Quirós, M. and González Garmendia, M.J., Synthesis, X-ray crystal structure and spectroscopic, magnetic and EPR studies of copper(II) dimers with methoxy-di-(2-pyridyl)methoxide as bridging ligand, 1005
Segl'a, P., see Palicová, M., 2689
Segura, R., see Cárdenas, G., 2337
Segura, R., see Crivelli, I.G., 2289
Sellers, C.W., see Santos, E.C., 1777
Semioshkin, A.A., see Sivaev, I.B., 627
Sen, S., Kumar Saha, M., Mitra, S., Edwards, A.J. and Clegg, W., Synthesis, characterisation and crystal structure of a 1,4-diazacycloheptane complex of copper(II), 1881
Serrano, J.L., see Sánchez, G., 1395
Server-Carrió, J., see Borrás, E., 1859
Sevilla, M.T., see Franco, E., 441
Shamsipur, M. and Madrakian, T., Competitive lithium-7 NMR study of the complexation of some alkaline earth and transition metal ions with 18-crown-6 in acetonitrile and its 50:50 mixtures with nitrobenzene and nitroethane, 1681
Shanmugam, G., see Manonmani, J., 2011
Sharma, H.K., see Pannell, K.H., 291
Sharma, M., Singh, A. and Mehrotra, R.C., Synthesis and characterization of homo- and hetero-bimetallic diethanolaminates of alkaline earth metals, 77
Sharp, P.R., see Kannan, S., 155
Shatrava, J.A., see Gubina, K.E., 2203
Shen, Q., see Zhang, L.-L., 2243
Shen, X., see Liu, Q., 453
Shepherd, R.E., see Ward, M.S., 1339
Shinmyozu, T., see Moriguchi, T., 785
Shi, Q., see Wang, Y.-Y., 891
Shi, Q.-Z., see Wang, Y.-Y., 891
Shirran, C., see Casey, M., 517
Shi, Z., see Zhang, F., 1941
Shoemaker, J.A.W., see Hartman, J.S., 165
Shukla, A.D. and Das, A., Redox responsive binuclear complexes using 5,6-dihydroxy-1,10-phenanthroline as a bridging ligand: synthesis, characterization and physicochemical studies, 2605
Shuvaev, A.T., see Uraev, A.I., 2361
Sicilia Zafra, A.G., see Bugella-Altamirano, E., 2473
Sicilia-Zafra, A.G., see Bugella-Altamirano, E., 2463
Sieklucka, B., see Kania, R., 2225
Sienra, B., see Benzo, F., 971
Signorella, S., see Rizzotto, M., 417
Sillanpää, R., see Lehtonen, A., 2579
Sillanpää, R., see Liimatainen, J., 1133
Silva, P., see Navarro, M., 2319
Silvino, A.C., see Harrison, W.T.A., 821
Simón-Manso, Y., see Concepción, J., 2297
Šindelář, Z., see Pastorek, R., 1713
Singh, A., see Sharma, M., 77
Singh, R.P., see Matteson, D.S., 587
Sinha, C., see Pal, S., 1925
Sinha, C., see Pal, S., 1263
Sinha, P.K., Falvello, L.R., Peng, S.-M. and Bhattacharya, S., Chemistry of some ruthenium phenolates: synthesis, structure and redox properties, 1673
Sinyashin, O.G., see Karasik, A.A., 1455
Sivaev, I.B., Semioshkin, A.A., Brellochs, B., Sjöberg, S. and Bregadze, V.I., Synthesis of oxonium derivatives of the dodecahydrocloso-dodecaborate anion $[B_{12}H_{12}]^{2-}$. Tetramethylene oxonium derivative of $[B_{12}H_{12}]^{2-}$ as a convenient precursor for the synthesis of functional compounds for boron neutron capture therapy, 627
Sjöberg, S., see Sivaev, I.B., 627
Skarżyńska, A., see Głowiak, T., 2667
Slawin, A.M.Z., see Aucott, S.A., 499
Slawin, A.M.Z., see Bhattacharyya, P., 809
Slawin, A.M.Z., see Kelly, P.F., 2077
Slawin, A.M.Z., see Pal, S., 1925
Slawin, A.M.Z., see Smith, M.B., 695
Smith, D.R., see Constable, E.C., 23
Smith, M.B. and Slawin, A.M.Z., New *E*-unidentate $[Ph_2P(O)NP(E)Ph_2]^-$ (E = S or Se) complexes of palladium(II) and platinum(II), 695
Smith, P.D., see Brooker, S., 1887
Sodre Costa, L.A., see Harrison, W.T.A., 821
Solans, X., see Resino, I., 225
Song, Y., see Zhu, D.-R., 2019
Song, Y., Zhu, D.-R., Zhang, K.-L., Xu, Y., Duan, C.-Y. and You, X.-Z., Magnetic properties of two 1D complexes with mixed bridging ligands, 1461
Sordo, J., see Casas, J.S., 813
Soto, H., see Cárdenas, G., 2337
Soto, J., see Al Shihadeh, Y., 1867
Sousa, A., see Cabaleiro, S., 1607
Sousa, A., see Labisbal, E., 1255
Sousa, A., see Maneiro, M., 47
Sousa-Pedrares, A., see Maneiro, M., 47
Sóvágó, I., see Ágoston, C.G., 1849
Spasojević-de Biré, A., see Rogan, J., 1415
Spey, S.E., see Bricklebank, N., 1163
Speziali, N.L., see Teles, W.M., 739
Spodine, E., see Manzur, J., 2367
Spry, M.P., see Willey, G.R., 1799
Stampfl, T., see Oberhauser, W., 913
Stankov, M.J., see Djurdjević, P., 1085
Starikova, Z.A., see Turevskaya, E.P., 705
Starynowicz, P., see Lisowski, J., 465
Starynowicz, P., see Mondry, A., 771
Stasiak, M., see Kowalik-Jankowska, T., 241
Steed, J.W., see Carmalt, C.J., 1639
Steed, J.W., see Exarchos, G., 1511
Steed, J.W., see Malik, K.Z., 1589
Stephenson, G.R., see Anson, C.E., 569
Stiriba, S.-E., see Cotton, F.A., 1829
Stockland, R.A., Jr., see Moser, J.A., 1329
Straumanis, A., see Rose, E., 581
Strenger, I., see Tanase, S., 1967
Su, C.-Y., see Xiao, W., 1295
Suescun, L., see Rivero, M., 2249
Sundara Raj, S.S., see Manonmani, J., 2011
Sundara Raj, S.S., see Zhu, D.-R., 2019
Sun, J., see Qian, C.-T., 1955
Sun, J., see Zhang, L.-L., 2243
Sun, Z.-G., Liu, Q. and Liu, J.-F., Synthesis and spectroscopic characterization of organophosphoryl polyoxotungstates $[C_6H_{11}P(O)]_2X^{n+}$-$W_{11}O_{39}^{(8-n)-}$ $X^{n+} = P^{5+}$, Si^{4+}, B^{3+}, Ga^{3+}), 125
Suzuki, Y., see Hiroi, K., 525
Svoboda, I., see Boča, R., 835
Svoboda, I., see Iskander, M.F., 949
Svoboda, I., see Iskander, M.F., 1181
Svoboda, I., see Vrbová, M., 2195
Swearingen, J.K., see de Sousa, G.F., 841
Szabó-Plánka, T., Nagy, N., Rockenbauer, A. and Korecz, L., An ESR study of the copper(II)-glycyl-L-histidine system in aqueous solution by the simultaneous analysis of multi-component spectra. Formation constants and coordination modes, 2049
Szabó-Plánka, T., Rockenbauer, A., Korecz, L. and Nagy, D., An electron spin resonance study of coordination modes in the copper(II)–histamine and copper(II)–L-histidine systems in fluid aqueous solution, 1123
Szklarzewicz, J., see Matoga, D., 1503

Sztyk, E., Grodzicki, A., Pazderski, L., Bednarek, E. and Kamieński, B., Heteronuclear multiple-quantum correlation $^{15}N-^{1}H$, cross-polarized magic angle spinning ^{13}C, ^{15}N nuclear magnetic resonance and infrared spectroscopic studies of 1,2,4-triazolo-[1,5α]-pyrimidine and its Zn(II) halide and thiocyanate complexes, 965
Szterenberg, L., Roszak, S., Matusiak, R. and Keller, A., Structure and chemical bonding in *cis*- and *trans*-$M(NO)_2(O_2CR)_2$ (M = Cr and Mo) complexes, 2565

Tae Kim, J., see Woo Park, J., 2547
Takahisa, E., see Mori, A., 567
Takamori, M., see Takeda, T., 593
Takeda, T., Rahim, M.A., Takamori, M., Yanai, K. and Fujiwara, T., Synthesis of carbocycles and heterocycles by the titanocene(II)-promoted reactions of thioacetals, 593
Takemura, H., see Thuéry, P., 2673
Takeuchi, R., Iridium complex-catalyzed allylic alkylation, 557
Tanase, S., Ferbinteanu, M., Andruh, M., Mathonière, C., Strenger, I. and Rombaut, G., Synthesis and characterization of a new molecular magnet, $[Ni(ampy)_2]_3[Fe(CN)_6]_2 \cdot 6H_2O$, and synthesis, crystal structure and magnetic properties of its mononuclear precursor, *trans*-$[Ni(ampy)_2(NO_3)_2]$ (ampy = 2-aminomethylpyridine), 1967
Tang, L.-F., Wang, Z.-H., Chai, J.-F., Jia, W.-L., Xu, Y.-M. and Wang, J.-T., Novel five- and six-coordinate diorganotin(IV) complexes with bis(triazol-1-yl)alkanes: linkage coordination polymers, 1949
Tang, L.-F., Wang, Z.-H., Jia, W.-L., Xu, Y.-M. and Wang, J.-T., Synthesis of diorganotin derivatives containing asymmetric disubstituted bis(pyrazol-1-yl)methanes: X-ray crystal structures of (3-isopropylpyrazol-1-yl-5′-isopropylpyrazol-1-yl)methane diphenyltin(IV) dibromide and bis(5-isopropylpyrazol-1-yl)methane diphenyltin(IV) dibromide, 381
Tang, N., see Fan, L., 779
Tang, Y., see Zhang, Z.-H., 1559
Tan, M., see Fan, L., 779
Tanner, P.A., Mak, C.S.K. and Mak, T.C.W., Synthesis, structure and spectroscopy of rare earth hypophosphites: 3. Ytterbium hypophosphite, 863
Tan, W., Zheng, H., Jin, Q., Jin, G., Ji, W., Long, D. and Xin, X., Synthesis, crystal structure and third-order optical nonlinearity of a 'flywheel'-shaped cluster, $[MoS_4Cu_3(dppm)_3][BF_4] \cdot 2H_2O$, 1545
Tapia-Benavides, R., see Quiroz-Castro, E., 1479
Tarasconi, P., see Belicchi Ferrari, M., 1895
Teles, W.M., Speziali, N.L. and Filgueiras, C.A.L., Synthesis of a polymetallic Pt, Sn complex containing square planar and trigonal bipyramidal platinum centres. Crystal and molecular structure of bis{chlorotriethylphosphinoplatinum(II)}μ-2,3,5,6-tetrakis(α-pyridyl)pyrazinetetrakis(trichlorostannyl)triethylphosphinoplatinate(II), 739
Téllez-Sara, C.A., Arissawa, M., Gómez-Lara, J. and Mondragón, M.A., Fourier transform infrared and Raman spectra of uranyl bis(2-hydroxybenzaldehyde): $UO_2(sal)_2$, 2353
Teresa Sevilla, M., see Cañadas, M., 2059
Thieme, K., see MacLachlan, M.J., 275
Thind, R.K., see Hodson, A.G.W., 791
Thirumaran, S., Ramalingam, K., Bocelli, G. and Cantoni, A., Spectral and single crystal X-ray structural studies on disulfide complexes: reaction of bis(dialkyldithiocarbamato)M(II) with iodine and crystal structure determination of diiodo(bipiperidinethiuramdisulfide)M(II) (M = zinc, cadmium), 1279
Thirumurugan, R., see Manonmani, J., 2011
Thuéry, P., Nierlich, M., Asfari, Z., Vicens, J. and Dozol, J.-F., Complexes of sodium and caesium perrhenates with calix[4]arene bis(crown-6): a model for pertechnetate ion extraction, 1749
Thuéry, P., Nierlich, M., Vicens, J. and Takemura, H., Complexes of ytterbium(III) nitrate and triflate with homoazacalix[*n*]arenes (*n* = 3, 4), 2673
Tinè, M.R., see Ceccanti, N., 2447
Tinè, M.R., see Secco, F., 2507
Todd, L.J., see Santos, E.C., 1777
Tokii, T., see Kobayashi, T., 2639
Tolazzi, M., see Comuzzi, C., 2427
Tolhurst, V.-A., see Barton, A.J., 235
Toner, A.J., see Coles, S.J., 177
Toner, A.J., see Coles, S.J., 1271
Tong, M.-L., Zheng, S.-L. and Chen, X.-M., Synthesis and structures of two-dimensional coordination polymers constructed by metal salts and 4,4′-bipyridine, 1809
Torres-Martinez, L.M., see Alvarado, E., 2345
Toscano, R.A., see de Sousa, G.F., 841
Tossidis, I.A., see Paschalidis, D.G., 2629
Trávníček, Z., see Pastorek, R., 1713
Treichel, P.M., see McGaff, R.W., 1245
Tristão, M.L.B., see Doyle, A., 2621
Trollund, E., Ardiles, P., Aguirre, M.J., Biaggio, S.R. and Rocha-Filho, R.C., Spectroelectrochemical and electrical characterization of poly(cobalt–tetraaminophthalocyanine)-modified electrodes: electrocatalytic oxidation of hydrazine, 2303
Trombella, S., see Malatesta, F., 2493
Tsai, C.-H., see Li, Y.-I., 413
Tsai, C.-H., Tung, J.-Y., Chen, J.-H., Liao, F.-L., Wang, S.-L., Wang, S.-S., Hwang, L.-P. and Chen, C.-B., Crystal of *meso*-*p*-tolyl-porphyrinato copper(II) Cu(tptp) and di-cation ion-pair complex $[H_4tptp]^{2+}[CF_3SO_3]^{2-}$ formation during the reaction of $Cu(CF_3SO_3)_2$ with *meso*-*p*-tolyl-porphyrin in $CDCl_3$, 633
Tsiamis, C., Voulgaropoulos, B., Charistos, D., Voutsas, G.P. and Kavounis, C.A., Ligand reactivity, substituent effects and solvent interactions in the spectra and structure of some oxovanadium(V) chelates with Schiff bases. Proof for dimeric species, 2003
Tsuge, A., see Moriguchi, T., 785
Tuna, F., Patron, L., Rivière, E. and Boillot, M.-L., Magnetic and spectral properties of two five-coordinate Lewis-base adducts of cobalt(II) Schiff-base complexes with a N_3O_2 ligand environment, 1643
Tung, J.-Y., see Li, Y.-I., 413
Tung, J.-Y., see Tsai, C.-H., 633
Turevskaya, E.P., Belokon', A.I., Starikova, Z.A., Yanovsky, A.I., Kiruschenkov, E.N. and Turova, N.Y., Scandium alkoxides: the first mixed-ligand alkoxides containing the $[M_5O(OR)_8]$ core, scandium alkoxoaluminates, 705
Turner, P., see Long, G.V., 1067
Turova, N.Ya., see Turevskaya, E.P., 705
Tušek-Božić, L., Komac, M., Ćurić, M., Lyčka, A., D'Alpaos, M., Scarcia, V. and Furlani, A., Five-membered [C,N] and [N,O] metallocyclic complexes of palladium(II) with monoalkyl [α-(4-benzeneazoanilino)-*N*-benzyl]phosphonates: synthesis, characterization and antitumour activity, 937
Tyagi, B., see Bilakhiya, A.K., 1233

Uchiyama, K., see Moriguchi, T., 785
Umani-Ronchi, A., see Bandini, M., 537
Uraev, A.I., Vlasenko, V.G., Kharisov, B.I., Blanco, L.M., Shuvaev, A.T., Vasilchenko, I.S., Garnovskii, A.D. and Elizondo, N.V., Synthesis and EXAFS investigation of azomethynic copper metallochelates with an N,S,O ligand environment, 2361
Urbach, F.L., see Chou, J.-L., 2215
Urbina, J.A., see Navarro, M., 2319
Ursini, C.V., Dias, G.H.M., Hörner, M., Bortoluzzi, A.J. and Morigaki, M.K., Facile conversion of bis(alkynyl) into diyne ligand on platinum assisted by electrophilic gold phosphine, 2261

Vacca, A., see Ciavatta, L., 1043
Vais-Morlender, N., see Kaftanov, J., 563
Valdés-Martínez, J., see de Sousa, G.F., 841
Valtancoli, B., see Bencini, A., 2441

Valtancoli, B., see Secco, F., 2507
VanderKam, S.K., see Schwartz, J., 505
van Koten, G., see Kronenburg, C.M.P., 553
Varchi, G., see Bonini, B.F., 529
Varela, J.M., see Casas, J.S., 813
Várnagy, K., see Ágoston, C.G., 1849
Vasilchenko, I.S., see Uraev, A.I., 2361
Veale, P.L., see Baker, P.K., 147
Veinot, J.G.C., Farah, A.A., Galloro, J., Zobi, F., Bell, V. and Pietro, W.J., Surface functionalization of cadmium sulfide quantum confined nanoclusters. 6: evidence of facile electronic communications between remote surface sites, 331
Venturini, M., see Ceccanti, N., 2447
Venturini, M., see Secco, F., 2507
Verani, C.N., see Doyle, A., 2621
Verdenelli, M., Parola, S., Hubert-Pfalzgraf, L.G. and Lecocq, S., Tin dioxide thin films from Sn(IV) modified alkoxides — synthesis and structural characterization of $Sn(OEt)_2(\eta^2\text{-acac})_2$ and $Sn_4(\mu_3\text{-}O)_2(\mu_2\text{-}OEt)_4(OEt)_6(\eta^2\text{-acac})_2$, 2069
Verma, R., see Lobana, T.S., 899
Vestergaard, C., see Becher, J., 665
Vicens, J., see Thuéry, P., 2673
Vicens, J., see Thuéry, P., 1749
Vicentini, G., see Carvalho, A., 1707
Vicentini, G., see Fernandes, L.C., 2313
Victoriano, L.I., The reaction of copper and iron species with thiuram sulfides: copper and iron dithiocarbamate derivatives, 2269
Vilakazi, S. and Nyokong, T., Interaction of nitric oxide with cobalt(II) tetrasulfophthalocyanine, 229
Vilar, A., see Rose, E., 581
Vilas-Boas, M., see Santos, I.C., 655
V. Larionov, S., see A. Savel'eva, Z., 1737
Vlasenko, V.G., see Uraev, A.I., 2361
Voce, J.W., see Mink, L.M., 1057
Voigt, A., see Abram, U., 1741
Voulgaropoulos, B., see Tsiamis, C., 2003
Voutsas, G.P., see Tsiamis, C., 2003
Vrbová, M., Baran, P., Boča, R., Fuess, H., Svoboda, I., Linert, W., Schubert, U. and Wiede, P., Preparation and structure of 2-(2-benzimidazol-2-yl)pyridine *N*-oxide and its complexes, 2195
Vrbová, M., see Boča, R., 835
Vrdoljak, V., see Cindrić, M., 1471
V. Romanenko, G., see A. Savel'eva, Z., 1737

Wagner, C., see Böttcher, H.-C., 2593
Walawalkar, M.G., see Jain, P.U., 801
Wang, F., see Pannell, K.H., 291
Wang, G.-L., see Zhang, L., 1105
Wang, J., see Zhang, F., 1941
Wang, J.-T., see Tang, L.-F., 1949
Wang, J.-T., see Tang, L.-F., 381
Wang, Q.-M., see Li, J.-M., 1117
Wang, S.-L., see Li, Y.-I., 413
Wang, S.-L., see Tsai, C.-H., 633
Wang, S.-S., see Tsai, C.-H., 633
Wang, X.-J., see Xiao, W., 1295
Wang, Y.-M., see Cheng, T.-H., 2027
Wang, Y., see Yeh, A.-C., 545
Wang, Y.-Y., Shi, Q., Shi, Q.-Z., Gao, Y.-C. and Hou, X., Molecular structure, characterization and magnetic properties of novel mixed-valence copper(I,II) α,β-unsaturated carboxylate complexes with triphenylphosphine and methanol ligands, 891
Wang, Z.-H., see Tang, L.-F., 1949
Wang, Z.-H., see Tang, L.-F., 381
Wang, Z., see Lu, X., 577
Wang, Z., see Rose, E., 581
Wang, Z.-X., see Zheng, H.-B., 713
Wanner, V.F., see Constable, E.C., 23
Wardell, J.L., see Harrison, W.T.A., 821
Wardell, S.M.S.V., see Harrison, W.T.A., 821
Ward, M.S., Chatterjee, D. and Shepherd, R.E., Formation of a mixed-valence Ru(IV)–Fe(II) binuclear complex via the reaction of $[Ru^{III}(edta)(H_2O)]^-$ and $[Fe^{III}(CN)_6]^{3-}$ in aqueous solution, 1339
Waring., K.W., see Kelly, P.F., 2077
Washburn, H., see Mink, L.M., 1057
Waters, J.M., see Ainscough, E.W., 2585
Webster, M., see Levason, W., 2697
Wehmschulte, R.J. and Power, P.P., Primary alanes and alanates: useful synthetic reagents in aluminum chemistry, 1649
Welch, A.J., see Maji, T.K., 1903
Werner, R., see Iskander, M.F., 949
Werner, R., see Iskander, M.F., 1181
West, D.X., see Castiñeiras, A., 1873
West, D.X., see de Sousa, G.F., 841
West, D.X., see Labisbal, E., 1255
Whall, L.A., see Constable, E.C., 23
Wheatley, A.E.H., see Chia, L.M.L., 109
White, A.J.P., see Byrom, C., 211
Whitmire, K.H., see Khan, S.R.A., 975
Whitmire, K.H., see Khan, S.R.A., 983
Wiede, P., see Vrbová, M., 2195
Wikaira, J., see Devereux, M., 1205
Wilkin, O.M., see Robertson, E.W., 1493
Willey, G.R., Spry, M.P. and Errington, W., Crown ether complexation of Te(IV): formation and crystal structure of $[(18\text{-crown-}6)Te(Cl)(\mu\text{-}O)_2Te(Cl)(18\text{-crown-}6)][SbCl_6]_2$, 1799
Williams, D.J., see Byrom, C., 211
Williams, D.J., see Jones, A.C., 351
Williams, P.A.M., see Allegretti, Y., 2613
Wilson, A., see Bell, N.A., 2539
Wocadlo, S., see Zhang, Y.-J., 1757
Wołowiec, S., see Łukasiewicz, M., 2119
Wong, W.-T., see Liu, Q., 453
Wong, W.-T., see Liu, X.-X., 7
Woodson, S.J., see Schwartz, J., 505
Woollins, J.D., see Aucott, S.A., 499
Woollins, J.D., see Bhattacharyya, P., 809
Woollins, J.D., see Pal, S., 1925
Woo Park, J., Tae Kim, J., Man Koo, S., Kim, C.G. and Kim, Y.S., Strontium β-diketonate complexes with polyamine donor ligands: the synthesis and structural characterization of $[Sr(thd)_2(L)]_n$ ($n = 2$; L = diethylenetriamine, $n = 1$; L = triethylenetetramine, tetraethylenepentamine and tris(2-aminoethyl)amine) complex, 2547
Woo, S., see Fallis, A.G., 533
Wright, P.J., see Jones, A.C., 351
Wu, D.-D., see Chisholm, M.H., 375
Wu, L.-M., see Lin, P., 2189
Wu, Q.-J., see Peng, Y., 733
Wurst, K., see Scheffter, B., 871
Wu, X.-T., see Li, J.-M., 1117
Wu, X.-T., see Lin, P., 2189

Xiao, W., Lu, Z.-L., Wang, X.-J., Su, C.-Y., Yu, K.-B., Liu, H.-Q. and Kang, B.-S., Chemistry of aroylhydrazones II. Enol-form coordination of 4,5-diazafluorene-9-one salicyloylhydrazone (H_2L) to transition metals and crystal structures of H_2L, $Mn(HL)_2(H_2O)_2$ and $Co(HL)_2(DMF)_2$, 1295
Xie, Y.-Y., see Kong, D.-Y., 1527
Xie, Y.-Y., see Kong, D.-Y., 217
Xin, X., see Tan, W., 1545
Xu, C., see Negishi, E.-i., 591
Xu, Y.-M., see Tang, L.-F., 1949
Xu, Y.-M., see Tang, L.-F., 381
Xu, Y., see Song, Y., 1461
Xu, Y., see Zhu, D.-R., 2019

Yagasaki, A., see Ozeki, T., 43
Yamada, K., see Nakashima, S., 205
Yamamoto, I., see Ohta, K., 267
Yanagihara, N., Yumoto, Y., Arai, K., Kawabe, K. and Kojima, Y., Thermal decomposition of oxovanadium(IV) complexes with *N,N'*-ethylenebis(amino acids), 1311
Yanai, K., see Takeda, T., 593
Yang, J., see Matteson, D.S., 587
Yang, L., Jin, W. and Lin, J., Synthesis, crystal structure and magnetic properties of novel dinuclear complexes of manganese, cobalt and nickel with 4-acetylbispyrazolone, 93
Yang, Q.-C., see Goher, M.A.S., 615
Yang, R.-D., see Yang, Z.-Y., 2599
Yang, S.-P., Zhu, H.-L., Yin, X.-H., Chen, X.-M. and Ji, L.-N., Polymeric and tetranuclear silver(I) chains encapsulated by a scorpion-like ligand. Synthesis and structures of $[Ag_2(tren(mim)_3)]_n(NO_3)_{2n}\cdot nH_2O$ and $[Ag_4(tren(mim)_3)_2](CF_3SO_3)_4\cdot 2H_2O$ ($tren(mim)_3$ = tris{2 - [2 - (1 - methyl)imidazolyl]methyliminoethyl}-amine), 2237
Yang, Z.-Y., Yang, R.-D., Li, F.-S. and Yu, K.-B., Crystal structure and antitumor activity of some rare earth metal complexes with Schiff base, 2599
Yanovsky, A.I., see Turevskaya, E.P., 705
Yan, S.-P., see Zhang, L., 1105
Yan, S., see Li, L., 2529
Yan, S., see Li, L., 1575
Yan, Y.-K., Koh, W., Jiang, C., Leong, W.K. and Hor, T.S.A., Amine-oxide-mediated oxidative methanolysis of metal–metal bonds in $[MM'(CO)_{10}]$ (M = Mn, Re; M' = Re) and $[Os_3(CO)_{12}]$: crystal structure of *fac*-[Re{OC(O)OMe})$CO)_3(\eta^2$-dppf)], 641
Yao, Y.-M., see Zhang, L.-L., 2243
Yasutake, M., see Moriguchi, T., 785
Ye, B.-H., see Chao, H., 1975
Yeh, A.-C., Chen, S.-I., Chen, A.-J., Lee, G.-H., Wang, Y. and Chen, J.-T., Addition of the alkenyl C–H bond of enamines to η^3-allenyl/propargyl complexes leading to the formation of pyrrole derivatives, 545
Ye, N., see Park, G., 1155
Yim, H.W., Lam, K.-C., Rheingold, A.L. and Rabinovich, D., Bismuth(III) thioether chemistry: synthesis and structure of a coordination polymer derived from $BiCl_3$ and $MeSi(CH_2SMe)_3$, 849
Yin, X.-H., see Yang, S.-P., 2237
Yılmaz, İ., see Kandaz, M., 115
Yoo, J., Oh, K.E., Keum, G., Kang, S.B. and Kim, Y., Indium-mediated monoallylation of carbonyl compounds with allylic chlorides and bisallylation of 2-pyridyl carboxylates with allylic halides in aqueous media, 549
Yordanov, N.D., Jeliazkova, B., Roussanova, D., Sarova, G., O'Brien, P. and Malik, M.A., Charge-transfer photochemistry of the ternary complex (diselenocarbamato, dithiophosphato)copper-(II), 2177
Youinou, M.-T., see Lorber, C.Y., 1693
Young, N.A., see Robertson, E.W., 1493
You, X.-Z., see Song, Y., 1461
You, X.-Z., see Zhu, D.-R., 2019
Yu, K.-B., see Xiao, W., 1295
Yu, K.-B., see Yang, Z.-Y., 2599
Yu, K., see Fan, L., 779
Yumoto, Y., see Yanagihara, N., 1311
Yu, R.-M., see Peng, Y., 733

Zabel, M., see Brunner, H., 1519
Zagal, J.H., Gulppi, M.A. and Cárdenas-Jirón, G., Metal-centered redox chemistry of substituted cobalt phthalocyanines adsorbed on graphite and correlations with MO calculations and Hammett parameters. Electrocatalytic reduction of a disulfide, 2255
Zahn, S.K., see Breit, B., 513
Zaki, A.B., El-Sheikh, M.Y., Evans, J. and El-Safty, S.A., Characteristic mechanisms of the homogeneous and heterogeneous oxidation of aromatic amines with transition metal–oxalate complexes, 1317
Zanonato, P.L., see Comuzzi, C., 2427
Zechmann, C.A., Boyle, T.J., Rodriguez, M.A. and Kemp, R.A., Solvent influences on the molecular aggregation of magnesium aryloxides: synthesis, crystal structure, and solution characterization of $Mg(OAr)_2(L)_3$ (OAr = DMP, DIP, TCP) and $[Mg(DIP)_2]_3$, 2557
Zehnder, M., see Constable, E.C., 23
Zhang, F., Mu, Y., Wang, J., Shi, Z., Bu, W., Hu, S., Zhang, Y. and Feng, S., Synthesis and crystal structures of unbridged bis(4-R-1,2-diphenylcyclopentadienyl)zirconium dichlorides (R = phenyl, cyclohexyl), and catalysis for olefin polymerization, 1941
Zhang, K.-L., see Song, Y., 1461
Zhang, L., Bu, W.-M., Yan, S.-P., Jiang, Z.-H., Liao, D.-Z. and Wang, G.-L., Weaker magnetic interactions of oxalato-copper(II) binuclear compounds: synthesis, spectroscopy, crystal structure and magnetism, 1105
Zhang, L.-L., Yao, Y.-M., Luo, Y.-J., Shen, Q. and Sun, J., Syntheses and crystal structures of four-coordinate aryloxo neodymium complexes, 2243
Zhang, R.-H., see Bu, X.-H., 2095
Zhang, R.-H., see Bu, X.-H., 431
Zhang, Y.-G., see Li, J.-M., 1117
Zhang, Y.-J., Collison, D., Livens, F.R., Powell, A.K., Wocadlo, S. and Eccles, H., Synthesis, spectroscopic, and X-ray crystallographic characterisation of thorium(IV) and uranium(IV) malonato and substituted malonato compounds, 1757
Zhang, Y., see Zhang, F., 1941
Zhang, Y., see Zhu, D.-R., 2019
Zhang, Z.-H., Bu, X.-H., Ma, Z.-H., Bu, W.-M., Tang, Y. and Zhao, Q.-H., Synthesis, crystal structure and properties of two new binuclear complexes bridged by end-to-end azido: $[Ni_2(TLA)_2(N_3)_3]^+$ and $[Mn_2(TLA)_2(N_3)_3]^+$, [TLA = tris(6-methyl-2-pyridylmethyl)amine], 1559
Zhang, Z.-H., see Bu, X.-H., 2095
Zhao, Q.-H., see Zhang, Z.-H., 1559
Zheng, H.-B., Miao, S.-B., Wang, Z.-X., Zhou, Z.-Y. and Zhou, X.-G., Chemical reactivity of $[(\mu\text{-Rse})(\mu\text{-S})\{Fe_2(CO)_6\}_2(\mu_4\text{-S})]^-$: synthesis and characterization of $(\mu\text{-Rse})(\mu\text{-R'S})\{Fe_2(CO)_6\}_2(\mu_4\text{-S})$ and $(\mu_3\text{-S})_2Fe_3(CO)_8[Se(Ph)Fe(CO)_2Cp]$, 713
Zheng, H., see Tan, W., 1545
Zheng, J., see MacLachlan, M.J., 275
Zheng, S.-L., see Tong, M.-L., 1809
Zhou, J.-Y., see Chao, H., 1975
Zhou, X.-G., see Zheng, H.-B., 713
Zhou, Z.-Y., see Zheng, H.-B., 713
Zhuang, H.-H., see Lin, X., 925
Zhu, D.-R., see Song, Y., 1461
Zhu, D.-R., Song, Y., Xu, Y., Zhang, Y., Sundara Raj, S.S., Fun, H.-K. and You, X.-Z., Syntheses, crystal structures and properties of the novel Co(II) and Ni(II) complexes with 4-(*p*-methylphenyl)-3,5-bis(pyridin-2-yl)-1,2,4-triazole, 2019
Zhu, H.-L., see Yang, S.-P., 2237
Zhu, H.-P., see Bu, X.-H., 431
Zinner, L.B., see Fernandes, L.C., 2313
Zobi, F., see Veinot, J.G.C., 331
Zou, G., see Qian, C.-T., 1955
Zukerman-Schpector, J., see Fernandes, L.C., 2313
Zuloaga, F., see Concepción, J., 2297

PERGAMON

www.elsevier.nl/locate/poly

Polyhedron 19 (2000) 2739–2770

POLYHEDRON

Subject Index to Volume 19

Ab initio methods
Cyclic phosphazenes, Electronic structures, Group theory, 389
Absorption spectra
Imidazole derivatives, Transition metal complexes, Crystal structure, Stability constants, 2183
Absorption spectroscopy
α,α′-Bis(pyrazolyl)-*m*-xylene, Copper(II) complexes, X-ray structure, Network structures, Electron spin resonance, 719
π-acceptors
Discotic complexes, Columnar complexes, Liquid crystals, Dithiolene, 267
Acetamidate
Trirhenium(III) clusters, Rhenium clusters, Dimolybdenum(II), MALDI, Mass spectroscopy, 1245
Acetonitrile
Macrocyclic polyether 18-crown-6, Alkaline earth metal ions, Transition metal ions, 1681
Acetylacetonates
Iridium, Halogenation, 1097
α-Acetylenic alcohols
Isomerization, Rearrangement, Heterobimetallic titanium–copper systems, 1693
Acid–base congeners
Dicopper complexes, Solvent-derived ancillary ligands, 1909
Acid–base
Dithiolene, Nickel, Dinuclear complexes, Solvatochromism, Carbon disulfide, 1283
Acid dissociation constants
Acidopentaaminecobalt(III) complexes, ESCA studies, ESI + mass spectra, 971
Acidopentaaminecobalt(III) complexes
ESCA studies, ESI + mass spectra, Acid dissociation constants, 971
Activity coefficients
3:3 Electrolytes, Electrolytic solutions, High-charge salts, High valency electrolytes, Mixed electrolytes, 2493
Acylthiourea
Platinum(II), Sulfoxide, *N*,*N*-Dialkyl-*N*′-(3-*R*-benzoyl)thiourea, NMR, Chemotherapeutic agents, 1347
Addition reactions
Alkoxyalkynes, Aminoalkynes, Organophosphorus halides, Organosilane halides, Organogermane halides, Pd-catalyzed cross-coupling reactions, 597
Additions
Alkylation, Insertions, Nucleophilic, Schiff bases, Titanium, 177
Adduct
Magnesium, Aryloxide, Structure, 2557
Aerial oxidation of aldehydes
Molybdenum complexes, 1133
Aggregation
Sol–gel, Tetrasulfophthalocyanines, Monolith, Macrocycle, Silica, 2383
Alanate
Alane, Aluminum hydride, Alumoxane, Reduction, 1649
Alane
Aluminum hydride, Alanate, Alumoxane, Reduction, 1649
β-alanyl-lysine
Copper-dipeptide complexes, Glycyl-lysine, Alanyl-lysine, Histidyl-lysine, 2409
Alanyl-lysine
Copper-dipeptide complexes, Glycyl-lysine, Histidyl-lysine, β-alanyl-lysine, 2409
Alcohol oxidation
Ruthenium, Polypyridine, Terpyridine, Electrocatalytic oxidation, Isomerization, 1049
Al(III) complexes
Biospeciation, VO(IV) complexes, Insulin-mimetics, 2389
Alkaline Earth
Calcium, H-bonding, Inorganic Polymers, X-ray structure, 1783
Alkaline earth metal ions
Macrocyclic polyether 18-crown-6, Acetonitrile, Transition metal ions, 1681
Alkaline earth metals
Heterobimetallic diethanolaminates, Homobimetallic diethanolaminates, 77
Alkaline metal extraction
Phthalocyanine complexes, Phthalonitrile derivatives, Crown-ether, Copper, Nickel, Cobalt, 115
Alkaloid synthesis
Nitrosobenzene cycloaddition, Regioselectivity, Organoiron compounds, Decomplexation, Heterocycloaddition trap, 569
Alkene
Phosphine, Polymerization, Hydroboration, Copper(I) complexes, 1271
Alkenylation
Enamine, Pyrrole, 545
Alkenylsilanes
Hydrosilylation, $RhI(PPh_3)_3$, Polyaddition, Stereodivergent, 567
Alkoxides
Indium tin oxide, Surface modification, Interfaces, 505
Alkoxides
Molybdenum, Nitrides, Synthesis, X-ray structures, NMR fluxionality, Pseudorotation, 1363
Alkoxides
Scandium, Crystal structures, Volatility, 705
Alkoxide
Tin, Tin dioxide, Sol–gel, β-Diketonate, 2069
Alkoxo compounds of oxovanadium(V)
Crystal structure of compounds of oxovanadium(V), Hydrazonato compounds of oxovanadium(V), Oxovanadium(V) dimers, Reactivity of bis(β-dionato)-oxovanadium(IV) chelates, Hydrazonato tridentate Schiff base ligands, 2003
Alkoxyalkynes
Aminoalkynes, Addition reactions, Organophosphorus halides, Organosilane halides, Organogermane halides, Pd-catalyzed cross-coupling reactions, 597
Alkylation
Additions, Insertions, Nucleophilic, Schiff bases, Titanium, 177
Alkyl-substituted pyridines
Oxomolybdenum(V) compounds, Clusters, $Mo_2O_4^{2+}$ unit, Pyridine, 1219
Alkyl-substituted pyridines
Solvothermal synthesis, Crystal structures, Oxomolybdenum(V) coordination compounds, Mo(V, VI) compounds, 1407
Alkyne complexes
Multimetallic, Cobalt carbonyl complexes, Tungsten(II), Chain triphos-bridged, 1585
Alkynes
Functionalized metalloalkynes, Olefins, Polymetallated olefins, Titanium, 563
Allenes
C–H activation, Intramolecular bonds, Titanium, Metallacycles, Carbometalation, 879

PII: S0277-5387(00)00653-7

Allylation
Aqueous reactions, Esters, Indium, Indium compounds, Pyridines, 549
π-Allyl complexes
Allylic substitutions, Iridium, Regioselectivity, Stereoselectivity, Phosphites, 557
Allyl complexes
Palladium, Platinum, Thiolate complexes, 1627
Allylic alkylation
Axially chiral phosphinamine, Hydroboration, Quinazolines, 541
Allylic substitutions
π-Allyl complexes, Iridium, Regioselectivity, Stereoselectivity, Phosphites, 557
Alternating chain
Dimer complex, Crystal structure, Magnetic properties, 1461
Aluminum complexes
1-Aza-allyl, Bismuth complexes, Crystal structures, Gallium complexes, 471
Aluminum hydride
Alane, Alanate, Alumoxane, Reduction, 1649
Alumoxane
Alane, Aluminum hydride, Alanate, Reduction, 1649
Amberlite anion-exchange resin
Aromatic amines, Oxalate anions, Metal–oxalate complexes, Oxidation, Homogeneous and heterogeneous, 1317
Amido
Diimine, Dimer, Hydroxo, Palladium, Platinum, 155
Amine oxide
Methanolysis, Rhenium, Osmium, Carbonyl, Methylcarbonate, 641
Amino acids
closo-Dodecaborate, Oxonium derivatives, Functional derivatives, Boron neutron capture therapy, 627
α-Aminoacylsilanes
β-Amino alcohols, Lewis acid, Silylcupration, Statine analogues, 529
β-Amino alcohols
α-Aminoacylsilanes, Lewis acid, Silylcupration, Statine analogues, 529
Aminoalkynes
Alkoxyalkynes, Addition reactions, Organophosphorus halides, Organosilane halides, Organogermane halides, Pd-catalyzed cross-coupling reactions, 597
(2-Aminoethyl)(3-aminopropyl)amine
Nickel(II)selenocyanate, Bis(3-aminopropyl)amine, Bis(2-aminoethyl)-methylamine, Thermochromism, 1903
1-(2-Aminoethyl)pyrrolidine
Nickel(II)thiocyanate, Crystal structures, *cis*/*trans* Isomers, 1803
Aminophosphate complexes
Palladium(II) complexes, Metallocycles, Spectroscopy, Antitumour activity, 937
Aminopolyphosphonates
Potentiometry, Equilibria, Stability constants, Manganese(II), Cobalt(II), Nickel(II) complexes, UV–VIS spectra, 2083
Aniline polymerization
Copper phosphonates, Intercalation compounds, 765
Anion–cation pair compound
Synthesis, Crystal structure, Aryloxide, Neodymium, 2243
Anticancer drugs
Rhodium(II) complexes, Rhodium(II) carboxylates, Rhodium sulfosalicylate, Thermogravimetric analysis, Spectroscopic analysis, 1305
Antiferromagnetic interactions
Dinuclear, Pyrazolyl groups, 2215
Antimicrobial activity
Chelating ligands, Crystal structures, Copper(II) complexes, Pyridinecarboxylate complexes, 2689
Antimonides
Arsenides, Metathesis, Phosphides, 829
Antimony
Homoleptic silyl complexes, Arsenic, 1639
Antitumor activity
Transition metals, Synthesis, Structural characterization, 217
Antitumour activity
Palladium(II) complexes, Metallocycles, Aminophosphate complexes, Spectroscopy, 937
Antitumour activity
Rare earth complex, Crystal structure, Hydrazone, 2599
Antitumour
Streptonigrin, 2,2′-Bipyridyl, 6,6′-Dicarboxy-2,2′-bipyridyl, Zinc, 1067
Aqua(imidazole)(*N*-carbamoylmethyl-iminodiacetato)cobalt(II) sesquihydrate
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-amidomethyl)-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Imidazole, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl-iminodiacetato)nickel(II) sesquihydrate, Molecular and crystal structures, Magnetic, spectral and thermal properties, 2473
Aqua(imidazole)(*N*-carbamoylmethyl-iminodiacetato)nickel(II) sesquihydrate
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-amidomethyl)-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Imidazole, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl - iminodiacetato)cobalt(II) sesquihydrate, Molecular and crystal structures, Magnetic, spectral and thermal properties, 2473
Aqueous reactions
Allylation, Esters, Indium, Indium compounds, Pyridines, 549
Arene coordination
Dirhodium(II) compounds, Trifluoroacetate, One-dimensional polymers, π-Complexes, Crystal structures, 1829
Aromatic amines
Amberlite anion-exchange resin, Oxalate anions, Metal–oxalate complexes, Oxidation, Homogeneous and heterogeneous, 1317
Aromatic diamines
Transition metal complexes, Terephthalate ions, Crystal structures, Spectral data, 1415
Arsenic
Homoleptic silyl complexes, Antimony, 1639
Arsenides
Antimonides, Metathesis, Phosphides, 829
Aryloxide
Magnesium, Structure, Adduct, 2557
Aryloxide
Synthesis, Crystal structure, Neodymium, Anion–cation pair compound, 2243
Aryloxide
Titanium, Tantalum, Nobium, Bisphenol, Hydrogenation, 35
Ascorbic acid
Kinetics, Manganese(IV), Electroprotic reactions, 1213
Asorption spectra
Copper(III), Nickel(III), Dioxotetraamines, Macrocyclic ligands, 2533
Aspartate
Lead(II), Structures, 649
Asymmetrical complexes
Cadmium(II) complexes, Schiff-base ligands, Symmetrical complexes, Heptadentate ligands, 1633
Asymmetric alkylation
Asymmetric rearrangements, Chiral ligands, Chiral sulfoxides, Palladium catalysts, 525
Asymmetric rearrangements
Asymmetric alkylation, Chiral ligands, Chiral sulfoxides, Palladium catalysts, 525
Asymmetric synthesis
Hydroformylation, Organocopper reagents, Catalysis, Domino reactions, 513
Asymmetric synthesis
Kainoids, Boronic esters, Pyrrolidine, 587
Axially chiral phosphinamine
Allylic alkylation, Hydroboration, Quinazolines, 541
1-Aza-allyl
Aluminum complexes, Bismuth complexes, Crystal structures, Gallium complexes, 471
Aza-macrocycles
Electroreduction, Carbon dioxide, Delocalized π interactions, 2373
Aza–oxa crowns
Macrocyclic ligands, Naphthylmethyl fluorescent groups, 1867
Azide
Cobalt, 2-Hydroxyacetophenone, Thiocyanate, Crystal structure, 2707
Azido-bridged nickel(II) compounds
Crystal structures, Magnetic properties, 1575
Azoimine
Ru–bipyridine, Tris-chelates, X-ray structures, Electrochemistry, Emission spectra, 1925

Azomethine
Copper(II), Imidate, Crystal structures, 2713
Azomethynic copper metallochelates
Synthesis, EXAFS investigation, 2361
Azoxybenzene deoxygenation
Dioxomolybdenum dipicolinate, Oxygen-atom transfer, 2141

Barriers
Ruthenium, Phenanthroline, *Cis–trans*, MO calculations, Field strength, 2297
^{9}Be NMR spectroscopy
Beryllium, Phosphato complexes, Solution equilibria, ^{31}P NMR spectroscopy, Speciation, 1043
Benzil-α-monoxime
Transition metal complexes, Electronic spectral data, Oximes, 1687
Benzolamide
Divalent metals, Zinc, Copper, Diethylenetriamine, Ternary complexes, 725
Benzothiazole-2-thione
Mercury(II) complexes, Triphenylphosphine, pyrimidine-2-thione, Crystal structures, 2231
Beryllium
Phosphato complexes, Solution equilibria, ^{31}P NMR spectroscopy, ^{9}Be NMR spectroscopy, Speciation, 1043
Bidentate ligands
Trichlorovinyl, Mercury(II), Crystal structures, Complexes, 2539
Bidentate Schiff base ligands
Dichloromanganese(IV) complexes, Tetradentate Schiff base ligands, Crystal structures, Photosystem II, 2039
Bimetallic complexes
Crystal structures, Palladium complexes, Platinum complexes, Diphosphine complexes, Tetraphosphine complexes, 913
Bimetallic complexesw
Molybdenum(II), Tungsten(II), Crystal structures, *o*-Phenylenediacetonitrile, Trimetallic complexes, Nitrile-bridged complexes, Seven-coordinate complexes, Halocarbonyls, 147
Bimetallic films
Colloids, FT-IR, Conductivity, Thermal analysis, 2337
Binaphtholato complexes
Tungsten(VI), X-ray structures, 2579
Binuclear copper compounds
Crystal structures, Magnetism, Oxalato-bridged compounds, 1105
Binuclear Cu(II) complexes
Magnetic properties, Electrochemistry, ESR, 1769
Binuclear manganese(II) complex
Binuclear nickel(II) complex, Crystal structures, Magnetic properties, Tris(6-methyl-2-pyridylmethyl)amine, 1559
Binuclear nickel(II) complex
Binuclear manganese(II) complex, Crystal structures, Magnetic properties, Tris(6-methyl-2-pyridylmethyl)amine, 1559
Binuclear zinc complexes
Heterocyclic bis(thiosemicarbazone), Heptacoordinate complexes, Organotin(IV) complexes, 841
Binucleating hexa-aza macrocycle
Copper(II), Nickel(II), Cobalt(II), Zinc(II), Crystal structures, Phosphotriester, Hydrolysis, 1485
Binucleating ligand
Nickel complexes, Copper complexes, Crystal structures, Redox chemistry, 2011
Bioactive groups
Phosphorothiates, Organotin(IV), Cholesteryl, 1539
Bio-activity
Copper(II), Chloropropionate, Crystal structure, EPR, 2573
Biomimetics
Calcium phosphates, Biomineralization, Liposomes, 357
Biomineralization
Calcium phosphates, Biomimetics, Liposomes, 357
Biospeciation
Al(III) complexes, VO(IV) complexes, Insulin-mimetics, 2389
2,2′-Bipyridine
1,8-Bis(dimethylamino)naphthalene, Boron-11 NMR, Chelated fluoroboron cations, Fast atom bombardment mass spectrometry, Fluorine-19 NMR, 1,10-Phenanthroline, 2,2′,6′,2″-Terpyridine, 165
4,4′-Bipyridine
Coordination polymers, Copper(II) complexes, Cadmium(II) complexes, 1809
1,4-Bipyridine
Mononuclear, Tungsten pentacarbonyl complexes, 1,2-Bis(4-pyridyl)ethane, 1621
2,2′-Bipyridyl
Streptonigrin, 6,6′-Dicarboxy-2,2′-bipyridyl, Antitumour, Zinc, 1067
Bis(2-aminoethyl)methylamine
Nickel(II)selenocyanate, Bis(3-aminopropyl)amine, (2-Aminoethyl)(3-aminopropyl)amine, Thermochromism, 1903
Bis(3-aminopropyl)amine
Nickel(II)selenocyanate, (2-Aminoethyl)-(3-aminopropyl)amine, Bis(2-aminoethyl)methylamine, Thermochromism, 1903
2,6-Bis(2-benzimidazolyl)pyridine
Chromium(III) complexes, Tris(2-benzimidazolylmethyl)amine, 2-Guanidinobenzimidazole, 2-(2-Pyridyl)benzimidazole, Crystal structures, 1821
Bis(η-cyclopentadienyl)titanium(IV)
Crystal structures, Diphenylphosphinoacetate, Heterometallics, Nicotinate, Thiophenoxyacetate, 757
1,8-Bis(dimethylamino)naphthalene
2,2′-Bipyridine, Boron-11 NMR, Chelated fluoroboron cations, Fast atom bombardment mass spectrometry, Fluorine-19 NMR, 1,10-Phenanthroline, 2,2′,6′,2″-Terpyridine, 165
Bis(methyldiphenylphosphonio)methylide salts
Gold(I) complexes, Cationic ylide ligand, P-alkylation, 1837
Bismuth complexes
Aluminum complexes, 1-Aza-allyl, Crystal structures, Gallium complexes, 471
Bismuth
Thioether, Coordination polymers, Crystal structures, Electrospray, 849
Bisphenol
Titanium, Tantalum, Nobium, Aryloxide, Hydrogenation, 35
Bisphosphines
Heterocyclic thiones, Palladium(II) complexes, Platinum(II) complexes, Pyridyl, 899
α,α′-Bis(pyrazolyl)-*m*-xylene
Copper(II) complexes, X-ray structure, Network structures, Absorption spectroscopy, Electron spin resonance, 719
Bis(pyrazolyl)silanes
Zinc, Crystal structures, Nitrogen-donor ligands, 1815
1,2-Bis(4-pyridyl)ethane
Mononuclear, Tungsten pentacarbonyl complexes, 1,4-Bipyridine, 1621
4,5-bis(2-pyridylethylsulfanyl)-1,3-dithiole-2-thione
Copper, Cobalt, Nickel, Palladium, dmit, 4,5 - bis(2 - pyridylmethylsulfanyl) - 1,3-dithiole-2-thione, 665
4,5-bis(2-pyridylmethylsulfanyl)-1,3-dithiole-2-thione
Copper, Cobalt, Nickel, Palladium, dmit, 4,5 - bis(2 - pyridylethylsulfanyl) - 1,3-dithiole-2-thione, 665
Bonding
Hydroborates, Lithium, Titanium(IV), Crystal structures, 1579
Boron
Halogenated carborane anions, Cobalt bis(dicarbollide), Carborane, Halogenation, 1777
Boronic esters
Kainoids, Asymmetric synthesis, Pyrrolidine, 587
Boron neutron capture therapy
closo-Dodecaborate, Oxonium derivatives, Functional derivatives, Amino acids, 627
Boron-11 NMR
2,2′-Bipyridine, 1,8-Bis(dimethylamino)-naphthalene, Chelated fluoroboron cations, Fast atom bombardment mass spectrometry, Fluorine-19 NMR, 1,10-Phenanthroline, 2,2′,6′,2″-Terpyridine, 165
Bpy ligands
Polypyridine ligands, Ruthenium(II) complexes, 1975
Bridged structures
Crystal structures, Heteronuclear multiple bond coherence, *N*-Tosyl ligands, Zinc porphyrin complexes, 413
Bridging ligands
Butadienyl, Chiral substituents, Molybdenum, 791

Bridging oxygen atoms
μ-oxo-Bridged cations, Crown ether complexation, Crystal structures, 1799
Bromide
Platinum(II), Platinum(IV), Porphyrins, Electrochemistry, Voltammetry, 1057
Bulky phosphine
X-ray structure, Cone angle, Two-coordinate gold complex., 2211
Butadienyl
Bridging ligands, Chiral substituents, Molybdenum, 791

Cadmium complexes
Mercury complexes, Sulfamides, X-ray structure, Zinc complexes, 991
Cadmium halides
2-Pyridineformamide, Thiosemicarbazone, Crystal structures, 1873
Cadmium(II) complexes
4,4′-Bipyridine, Coordination polymers, Copper(II) complexes, 1809
Cadmium(II) complexes
Schiff-base ligands, Symmetrical complexes, Asymmetrical complexes, Heptadentate ligands, 1633
Cadmium(II)
Zinc(II), Mercury(II), Tris(2-benzimidazolylmethyl)amine, X-ray diffraction structures, NMR data, 1479
Caesium ion
Calixcrowns, Sodium ion, Perrhenate ion, Pertechnetate ion, Nuclear reprocessing, 1749
Calcium
H-bonding, Inorganic Polymers, Alkaline Earth, X-ray structure, 1783
Calcium phosphates
Biomimetics, Biomineralization, Liposomes, 357
Calixarenes
Ytterbium(III), Lanthanides, Homoazacalixarenes, Crystal structure, 2673
Calixcrowns
Caesium ion, Sodium ion, Perrhenate ion, Pertechnetate ion, Nuclear reprocessing, 1749
Carbacylamidophosphate
Lanthanide, NMR, X-ray data, 2203
Carboalumination
1,5-diene, Cross coupling, Terpenoids, Palladium, 591
Carbometalation
C–H activation, Intramolecular bonds, Titanium, Metallacycles, Allenes, 879
Carbon dioxide
Aza-macrocycles, Electroreduction, Delocalized π interactions, 2373
Carbon dioxide
Dimethyl carbonate, Homogeneous catalysis, Mechanism, Supercritical conditions, 573
Carbon disulfide
Dithiolene, Nickel, Dinuclear complexes, Acid–base, Solvatochromism, 1283
Carbonyl
Amine oxide, Methanolysis, Rhenium, Osmium, Methylcarbonate, 641
Carbonyl clusters
Solvothermal synthesis, Polytelluride, Iron telluride, Iron cluster, Iron carbonyl, 1995
Carborane
Halogenated carborane anions, Cobalt bis(dicarbollide), Boron, Halogenation, 1777
Carbosilanes
Dendrimers, Platinum catalysts, Hydrosilation, 1031
Carboxylate and sulfonate substituted pyridines
Tungsten(II), Propiolic acid, Water soluble complexes, 2171
Carboxylate complexes
Copper complexes, Dinuclear complexes, Crystal structures, Cuprous oxide, Cupric oxide., 2621
Carboxylate
Nitrosyl complex, Chromium, Molybdenum, DFT, 2565
Carboxylates
Crystal structures, Ruthenium, Dimethyl sulfoxide, Complexes, Catalysis, 1589
Carboxylato-bridged copper(II) complex
Crystal structure, Magnetic properties, 2529
Carcinogenic
Chromium, Nucleotides, 417
Catalase
Manganese complexes, Schiff bases, Manganoenzymes, Photolysis, Dioxygen, 47
Catalysis
Chromium, Salen, Manganese, Enantioselection, Nozaki–Hiyama–Kishi reaction, 537
Catalysis
Crystal structures, Ruthenium, Dimethyl sulfoxide, Carboxylates, Complexes, 1589
Catalysis
Hydroformylation, Organocopper reagents, Asymmetric synthesis, Domino reactions, 513
Catalysis
Oxidation, 3,5-Di-*tert*-butylcatechol, Kinetics, Copper binuclear complexes, 2367
Catalysis
Zirconocene, Crystal structures, Olefin polymerizations, 1941
Catalysts
Palladium(II) complexes, Peptides, Hydrolysis, 959
Catecholborane
Reactivity, 1063
Catechols
Macrocyclic ligands, Oxovanadium complexes, ESR parameters, Distorted square-pyramid, Hydrophobic cavities, 1167
Cationic ylide ligand
Gold(I) complexes, Bis(methyldiphenylphosphonio)methylide salts, P-alkylation, 1837
Cavity
Solubility, Oxygen, Solubilization enthalpy, Solubilization entropy, 2457
Cd(II)
Hg(II), tachpyr, Torsion angles, Twist angles, Zn(II), 1155
CdS nanoclusters
Ruthenium(II) polypyridyls, Functionalized nanoclusters, Mesophase materials, Molecular devices, 331
C–H activation
Intramolecular bonds, Titanium, Metallacycles, Allenes, Carbometalation, 879
Chagas
Ruthenium, Clotrimazole, Ketoconazole, Paramagnetic, Metal complexes, *Trypanosoma cruzi*, 2319
Chain triphos-bridged
Multimetallic, Cobalt carbonyl complexes, Tungsten(II), Alkyne complexes, 1585
Chelated fluoroboron cations
2,2′-Bipyridine, 1,8-Bis(dimethylamino)naphthalene, Boron-11 NMR, Fast atom bombardment mass spectrometry, Fluorine-19 NMR, 1,10-Phenanthroline, 2,2′,6′,2″-Terpyridine, 165
Chelating ligands
Crystal structures, Copper(II) complexes, Pyridinecarboxylate complexes, Antimicrobial activity, 2689
Chemotherapeutic agents
Platinum(II), Sulfoxide, *N*,*N*-Dialkyl-*N*′-(3-*R*-benzoyl)thiourea, Acylthiourea, NMR, 1347
Chiral-at-metal complexes
Configurational stability, Epimerisation, Equilibria, X-ray structure analyses, 1519
Chiral catalysts
Porphyrins, Hemoprotein models, Epoxidation, Olefins, 581
Chiral complexes
Macrocycles, Lanthanide complexes, NMR of paramagnetic compounds, 465
Chiral ligands
Asymmetric alkylation, Asymmetric rearrangements, Chiral sulfoxides, Palladium catalysts, 525
Chiral nematic phases
Metallomesogens, Rhenium, Nematic phases, 249
Chiral substituents
Bridging ligands, Butadienyl, Molybdenum, 791
Chiral sulfoxides
Asymmetric alkylation, Asymmetric rearrangements, Chiral ligands, Palladium catalysts, 525
Chloride metathesis
Palladium(II) complexes, Platinum(II) complexes, X-ray crystallography, Heterodifunctional ligands, 695
Chloroboranes
Hydroboration, Polysilazanes, Precursors, Vinylsilanes, 323
Chloropropionate
Copper(II), Crystal structure, EPR, Bioactivity, 2573

Cholesteryl
Phosphorothiates, Organotin(IV), Bioactive groups, 1539
Chromium
Carcinogenic, Nucleotides, 417
Chromium(III) complexes
Tris(2-benzimidazolylmethyl)amine, 2-Guanidinobenzimidazole, 2,6-Bis(2-benzimidazolyl)pyridine, 2-(2-Pyridyl)benzimidazole, Crystal structures, 1821
Chromium(III)
Iron(III), DTPA, Complexes, Thermal properties, Thermodynamics, 2421
Chromium
Nitrosyl complex, Molybdenum, Carboxylate, DFT, 2565
Chromium
Salen, Manganese, Catalysis, Enantioselection, Nozaki–Hiyama–Kishi reaction, 537
Chromium
Selenoether, Telluroether, Sulfur macrocycles, Molybdenum, Tungsten, 1373
Ciprofloxacin
Iron(III), Solution equilibria, Surfactants, 1085
cis - Diaquabis(2,2′ - bipirydyl)chromium(III)
Kinetics, Substitution, Mechanism, Octacyanomolybdate(IV), Octacyanotungstate(IV), 2225
cis-Diaqua(*N*-carbamoylmethyl-iminodiacetato)nickel(II)
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)-iminodiacetic acid, *N*-(2-Acetamide)-iminodiacetic acid, Molecular and crystal structure, Magnetic and spectral properties, Thermal stability, 2463
Cis–trans isomerism
Crystal structures, 1,2-Diamino-2-methylpropane, Nickel(II)nitrite, 1015
cis/trans Isomers
Nickel(II)thiocyanate, 1-(2-Aminoethyl)pyrrolidine, Crystal structures, 1803
Cis–trans
Ruthenium, Phenanthroline, MO calculations, Barriers, Field strength, 2297
closo-Dodecaborate
Oxonium derivatives, Functional derivatives, Amino acids, Boron neutron capture therapy, 627
Clotrimazole
Ruthenium, Ketoconazole, Paramagnetic, Metal complexes, *Trypanosoma cruzi*, Chagas, 2319
Cluster compounds
Molybdenum complexes, Tellurium-rich compounds, De-tellurium reaction, Crystal structures, 925
Cluster
Ruthenium, Iridium, Gold, Electron-rich, Phosphido-bridged, Crystal structures, 2593
Clusters
Mercury, Thiocyanante, Host–guest chemistry, 871
Clusters
Oxomolybdenum(V) compounds, $Mo_2O_4^{2+}$ unit, Pyridine, Alkyl-substituted pyridines, 1219
Cobalt bis(dicarbollide)
Halogenated carborane anions, Boron, Carborane, Halogenation, 1777
Cobalt carbonyl complexes
Multimetallic, Tungsten(II), Alkyne complexes, Chain triphos-bridged, 1585
Cobalt complexes
Crystal structures, 855
Cobalt complexes
Schiff bases, Spin crossover, Photosensitive ligands, LD-LISC effect, 1643
Cobalt complexes
Thiosemicarbazones, Electrochemistry, Iron complexes, EPR of iron complexes, Nickel complexes, 2059
Cobalt complex
Zinc complexes, α-Ketoglutaric acid, Thiosemicarbazones, Crystal structures, Spectroscopic properties, 1895
Cobalt
Copper, Nickel, Palladium, dmit, 4,5-bis(2-pyridylmethylsulfanyl)-1,3-dithiole-2-thione, 4,5-bis(2-pyridylethylsulfanyl)-1,3-dithiole-2-thione, 665
Cobalt
Crystal structures, Magnetic properties, Dinuclear complexes, Manganese, Nickel, 93
Cobalt
Dioxygen carriers, Dinuclear complexes, Dinucleating ligands, Polyamines, Kinetics, Dioxygen binding, 2447
Cobalt
Dioxygen carriers, Dioxygen binding, Polynuclear complexes, Polyamines, Thermodynamics of complexation, 2441
Cobalt
Electrocatalysis, Nitric oxide, Oxidation, Phthalocyanine, Reduction, 229
Cobalt
2-Hydroxyacetophenone, Azide, Thiocyanate, Crystal structure, 2707
Cobalt(II)
Binucleating hexa-aza macrocycle, Copper(II), Nickel(II), Zinc(II), Crystal structures, Phosphotriester, Hydrolysis, 1485
Cobalt(II) complexes
Crystal structures, Iron(II) complexes, Octadentate ligands, 431
Cobalt(II) complexes
Electrochemical synthesis, Crystal structures, Tosylamide complexes, 1607
Cobalt(II) complexes
Pyridine *N*-oxide ligands, Zinc(II) complexes, X-ray structures, Magnetic susceptibility, 2195
Cobalt(II) complex
Syntheses, Crystal structures, Nickel(II) complex, 4-(*p*-Methylphenyl)-3,5-bis-(pyridin-2-yl)-1,2,4-triazole, ESIMS, 2019
Cobalt(II)
Cyanamidonitrate, Electronic spectra, Imidazole ligands, IR spectra, Nickel(II), X-ray crystallography, 1021
Cobalt(III) complex
Thiocarbamylpyrazole, Spectroscopic study, X-ray crystal structure, 2651
Cobalt(III)
Copper(II), NMR spectroscopy, Pyridylmethyl-tetraazadecane, 1447
Cobalt(II)
Potentiometry, Equilibria, Stability constants, Manganese(II), Nickel(II) complexes, Aminopolyphosphonates, UV–VIS spectra, 2083
Cobalt
Phthalocyanine complexes, Phthalonitrile derivatives, Crown-ether, Copper, Nickel, Alkaline metal extraction, 115
Colloids
Bimetallic films, FT-IR, Conductivity, Thermal analysis, 2337
Columnar complexes
Discotic complexes, Liquid crystals, π-acceptors, Dithiolene, 267
Complexation chemistry
Crystal structures, 1,10-Phenanthroline, 495
Complexation
D-Gluconic acid, D-Galactonic acid, D-Gulonic acid, Praseodymium(III), 1567
Complexes
Crystal structures, Ruthenium, Dimethyl sulfoxide, Carboxylates, Catalysis, 1589
π-Complexes
Dirhodium(II) compounds, Trifluoroacetate, One-dimensional polymers, Arene coordination, Crystal structures, 1829
Complexes
Iron(III), Chromium(III), DTPA, Thermal properties, Thermodynamics, 2421
Complexes
Lanthanides(III), Silver(I), Diethylenetriamine, *N*,*N*-dimethylformamide, Thermodynamics, 2427
Complexes
Macrocycles, Synthesis, Equilibria, 2501
Complexes
Platinum, Sulfimides, Hydrogen bonding, 2077
Complexes
Trichlorovinyl, Mercury(II), Crystal structures, Bidentate ligands, 2539
Conductivity
Colloids, Bimetallic films, FT-IR, Thermal analysis, 2337
Cone angle
Bulky phosphine, X-ray structure, Two-coordinate gold complex., 2211
Configurational stability
Chiral-at-metal complexes, Epimerisation, Equilibria, X-ray structure analyses, 1519
π-Conjugation
Ferrocenylporphyrin, Electrochemical communication, Intramolecular hydrogen bonding, NH tautomerism, 1961

Contrast agents
Crystal structures, Diethylenetriaminepentaacetate, Lanthanides, Neodymium, 771
Cooperative vibronic transitions
Infrared spectroscopy, Raman spectroscopy, Electronic absorption spectroscopy, Crystal structures, Hypophospite complexes, Two-centre transitions, 863
Coordination compounds
Uranium, Thorium, Tetraphenylimidophosphinate ligand, X-ray crystal structures, 1699
Coordination.
Dithiocarboxylate, Vanadium(IV), Magnetism, EPR, Infrared, 2155
Coordination
Iron, Phthalocyanine, Dopamine, Serotonin, 1355
Coordination modes
Electron spin resonance, Copper(II) complexes, Histamine, L-Histidine, Isomerism, 1123
Coordination modes
ESR, Copper(II) complexes, Glycyl-L-histidine, Formation constants, Isomerism, 2049
Coordination polymers
4,4′-Bipyridine, Copper(II) complexes, Cadmium(II) complexes, 1809
Coordination polymers
Bismuth, Thioether, Crystal structures, Electrospray, 849
Copper and iron species
Thiuram sulfides, Dithiocarbamate derivatives, 2269
Copper binuclear complexes
Oxidation, Catalysis, 3,5-Di-*tert*-butylcatechol, Kinetics, 2367
Copper
Cobalt, Nickel, Palladium, dmit, 4,5-bis-(2 - pyridylmethylsulfanyl) - 1,3 - dithiole-2-thione, 4,5-bis(2-pyridylethylsulfanyl)-1,3-dithiole-2-thione, 665
Copper complexes
Binucleating ligand, Nickel complexes, Crystal structures, Redox chemistry, 2011
Copper complexes
Carboxylate complexes, Dinuclear complexes, Crystal structures, Cuprous oxide, Cupric oxide., 2621
Copper complexes
Crystal structures, Metavanadate complexes, Nickel complexes, Hydrothermal synthesis, Magnetic properties, 2521
Copper complexes
Crystal structures, Nickel complexes, Schiff bases, Uracil, 689
Copper complexes
Schiff bases, X-ray structure, 5-Phenylazosalicylaldehyde, Cyclic voltammetry, 607
Copper complexes
Silver complexes, Gold complexes, 743
Copper complexes
Thiosemicarbazones, Macrocyclic ligands, Electrochemistry, Dithio-Schiff base complexes, 441
Copper compounds
Tetrathiometalate, Nonlinear optical properties, Synthesis, Crystal structures, Dppm, 1545
Copper-dipeptide complexes
Glycyl-lysine, Alanyl-lysine, Histidyl-lysine, β-alanyl-lysine, 2409
Copper
Divalent metals, Zinc, Benzolamide, Diethylenetriamine, Ternary complexes, 725
Copper
Equilibrium, Mixed valence, Disproportionation, Temperature effects, 2289
Copper
gem-Diol,di-2-pyridyl ketone, Di(2-pyridyl)methanediol, Crystal structures, 623
Copper(I) bromide complexes
Heterocyclic thione complexes, Diphosphine complexes, Dinuclear complexes, Crystal structures, 1615
Copper(I) complexes
Crystal structures, Electronic spectra, Emission spectra, Pyrazine carboxamide complexes, Vibrational spectra, 601
Copper(I) complexes
Di-2-pyridyl ketone, Crystal structures, Electronic and IR spectra, 1465
Copper(I) complexes
Phosphine, Alkene, Polymerization, Hydroboration, 1271
Copper(II)
Azomethine, Imidate, Crystal structures, 2713
Copper(II)
Binucleating hexa-aza macrocycle, Nickel(II), Cobalt(II), Zinc(II), Crystal structures, Phosphotriester, Hydrolysis, 1485
Copper(II)
Chloropropionate, Crystal structure, EPR, Bio-activity, 2573
Copper(II)
Cobalt(III), NMR spectroscopy, Pyridylmethyl-tetraazadecane, 1447
Copper(II) complexes
4,4′-Bipyridine, Coordination polymers, Cadmium(II) complexes, 1809
Copper(II) complexes
α,α′-Bis(pyrazolyl)-*m*-xylene, X-ray structure, Network structures, Absorption spectroscopy, Electron spin resonance, 719
Copper(II) complexes
Chelating ligands, Crystal structures, Pyridinecarboxylate complexes, Antimicrobial activity, 2689
Copper(II) complexes
Deltakephalins, Stability constants, 241
Copper(II) complexes
Deprotonated pyridine-2,6-dicarboxamide ligands, Singly hydroxo-bridged, Crystal structures, Magnetism, 1423
Copper(II) complexes
Dinuclear and polynuclear, Crystal structures, Equatorial–apical bridge, Paramagnetic, 1593
Copper(II) complexes
Dinucleating alkoxide ligands, X-ray structures, Hetero-bridged complexes, Magnetism, Magneto-structural trends, 1429
Copper(II) complexes
Electron spin resonance, Coordination modes, Histamine, L-Histidine, Isomerism, 1123
Copper(II) complexes
ESR, Glycyl-L-histidine, Formation constants, Coordination modes, Isomerism, 2049
Copper(II) complexes
N-salicylidenearoylhydrazines, X-ray crystal structures, Molecular structures, Magnetic properties, Infrared spectra, 949
Copper(II)
Diamines, Uridine, Uridine 5′-monophosphate, 1145
Copper(II)
1,4-Diazacycloheptane, Trichloroacetate, Crystal structures, 1881
Copper(II)–edta-type complexes
Crystal structures, Stereochemistry, 1
Copper(III)
Asorption spectra, Nickel(III), Dioxotetraamines, Macrocyclic ligands, 2533
Copper(I,II) complexes
α,β-Unsaturated carboxylates, Triphenylphosphine, Magnetic properties, Crystal structures, 891
Copper(II) imidazolate ternary complexes
N-salicylidenearoylhydrazine copper(II) complexes, Copper(II) imidazole ternary complexes, X-ray crystal structures, Molecular structures, Magnetic properties, Infrared spectra, 1181
Copper(II) imidazole ternary complexes
N-salicylidenearoylhydrazine copper(II) complexes, Copper(II) imidazolate ternary complexes, X-ray crystal structures, Molecular structures, Magnetic properties, Infrared spectra, 1181
Copper(II), nickel(II) and zinc(II) complexes
Mixed-ligand complexes, Solution equilibrium, Hydroxamic acid, 1727
Copper(II)–peroxide adduct
Release of free nucleobases from oligomers, DNA cleavage, Electrospray mass spectrometry, 2639
Copper–iron complexes
Cyano-bridge, Crystal structures, IR spectra, 1935
Copper(I) thiocyanate complexes
Methyl nicotinates, Ethyl nicotinates, Ethyl isonicotinate complexes, Crystal structures, Trigonal planar anions, 615
Copper phosphonates
Aniline polymerization, Intercalation compounds, 765
Copper
Phthalocyanine complexes, Phthalonitrile derivatives, Crown-ether, Nickel, Cobalt, Alkaline metal extraction, 115

Coupling reactions
Palladium catalyzed reactions, Halide ions, Protonolysis, 577
CPMAS ^{13}C NMR spectroscopy
Thorium(IV), Uranium(IV), Dicarboxylate complexes, X-ray crystallography, 1757
CP-MAS NMR
Tetra-aza ligands, Nickel complex, Template reaction, 2149
CPMAS
Zn(II) complexes, 1,2,4-Triazolo-[1,5α]-pyrimidine, ^{15}N NMR, HETCOR, 965
Cross coupling
1,5-diene, Terpenoids, Carboalumination, Palladium, 591
Cross-coupling
Platinum, Gold, Diyne, X-ray, 2261
15-Crown-5 complexes
Liquid clathrates, X-ray crystallography, Oxonium ion, 85
Crown ether complexation
μ-oxo-Bridged cations, Crystal structures, Bridging oxygen atoms, 1799
Crown-ether
Phthalocyanine complexes, Phthalonitrile derivatives, Copper, Nickel, Cobalt, Alkaline metal extraction, 115
Crown
Uranium, Uranyl, Phosphate, Crystal structures, 1551
Cryoscopy
Cyanocuprates, Ionic, Reactivity, Structures, 553
Crystal engineering
Dimolybdenum, Dimolybdenum diolates, 375
Crystallite size
Magnesia, Dolomite, Degree of agglomeration, X-ray diffraction, SEM, 2345
Crystallographic
Selenium, Tungsten analogue, Refluxing, 2127
Crystal structure
Alternating chain, Dimer complex, Magnetic properties, 1461
Crystal structure
Carboxylato-bridged copper(II) complex, Magnetic properties, 2529
Crystal structure
Cobalt, 2-Hydroxyacetophenone, Azide, Thiocyanate, 2707
Crystal structure
Copper(II), Chloropropionate, EPR, Bioactivity, 2573
Crystal structure
Imidazole derivatives, Transition metal complexes, Absorption spectra, Stability constants, 2183
Crystal structure of compounds of oxovanadium(V)
Alkoxo compounds of oxovanadium(V), Hydrazonato compounds of oxovanadium(V), Oxovanadium(V) dimers, Reactivity of bis(β-dionato)oxovanadium(IV) chelates, Hydrazonato tridentate Schiff base ligands, 2003
Crystal structure
Rare earth complex, Antitumour activity, Hydrazone, 2599
Crystal structures
Aluminum complexes, 1-Aza-allyl, Bismuth complexes, Gallium complexes, 471
Crystal structures
Azido-bridged nickel(II) compounds, Magnetic properties, 1575
Crystal structures
Binuclear copper compounds, Magnetism, Oxalato-bridged compounds, 1105
Crystal structures
Binuclear nickel(II) complex, Binuclear manganese(II) complex, Magnetic properties, Tris(6-methyl-2-pyridylmethyl)-amine, 1559
Crystal structures
Binucleating hexa-aza macrocycle, Copper(II), Nickel(II), Cobalt(II), Zinc(II), Phosphotriester, Hydrolysis, 1485
Crystal structures
Binucleating ligand, Nickel complexes, Copper complexes, Redox chemistry, 2011
Crystal structures
Bis(η-cyclopentadienyl)titanium(IV), Diphenylphosphinoacetate, Heterometallics, Nicotinate, Thiophenoxyacetate, 757
Crystal structures
Bismuth, Thioether, Coordination polymers, Electrospray, 849
Crystal structures
Bridged structures, Heteronuclear multiple bond coherence, *N*-Tosyl ligands, Zinc porphyrin complexes, 413
Crystal structures
Chelating ligands, Copper(II) complexes, Pyridinecarboxylate complexes, Antimicrobial activity, 2689
Crystal structures
Chromium(III) complexes, Tris(2-benzimidazolylmethyl)amine, 2-Guanidinobenzimidazole, 2,6-Bis(2-benzimidazolyl)-pyridine, 2-(2-Pyridyl)benzimidazole, 1821
Crystal structures
Cis–trans isomerism, 1,2-Diamino-2-methylpropane, Nickel(II)nitrite, 1015
Crystal structures
Cluster compounds, Molybdenum complexes, Tellurium-rich compounds, Detellurium reaction, 925
Crystal structures
Cobalt complexes, 855
Crystal structures
Cobalt(II) complexes, Iron(II) complexes, Octadentate ligands, 431
Crystal structures
Complexation chemistry, 1,10-Phenanthroline, 495
Crystal structures
Contrast agents, Diethylenetriaminepentaacetate, Lanthanides, Neodymium, 771
Crystal structures
Copper complexes, Carboxylate complexes, Dinuclear complexes, Cuprous oxide, Cupric oxide., 2621
Crystal structures
Copper, *gem*-Diol,di-2-pyridyl ketone, Di(2-pyridyl)methanediol, 623
Crystal structures
Copper(I) bromide complexes, Heterocyclic thione complexes, Diphosphine complexes, Dinuclear complexes, 1615
Crystal structures
Copper(I) complexes, Di-2-pyridyl ketone, Electronic and IR spectra, 1465
Crystal structures
Copper(I) complexes, Electronic spectra, Emission spectra, Pyrazine carboxamide complexes, Vibrational spectra, 601
Crystal structures
Copper(II), Azomethine, Imidate, 2713
Crystal structures
Copper(II) complexes, Deprotonated pyridine-2,6-dicarboxamide ligands, Singly hydroxo-bridged, Magnetism, 1423
Crystal structures
Copper(II) complexes, Dinuclear and polynuclear, Equatorial–apical bridge, Paramagnetic, 1593
Crystal structures
Copper(II), 1,4-Diazacycloheptane, Trichloroacetate, 1881
Crystal structures
Copper(II)–edta-type complexes, Stereochemistry, 1
Crystal structures
Copper(I,II) complexes, α,β-Unsaturated carboxylates, Triphenylphosphine, Magnetic properties, 891
Crystal structures
Copper–iron complexes, Cyano-bridge, IR spectra, 1935
Crystal structures
Copper(I) thiocyanate complexes, Methyl nicotinates, Ethyl nicotinates, Ethyl isonicotinate complexes, Trigonal planar anions, 615
Crystal structures
Cu dimers, Di-(2-pyridyl)ketone, Ferromagnetic dimers, Magnetic properties, Spin triplet, 1005
Crystal structures
Cu^{2+} porphyrin complexes, Protonated porphyrins, SAT complexes, Electron spin resonance, Nuclear magnetic resonance, 633
Crystal structures
Cyclic voltammetry, Nickel bisdithiolenes, Strong near-IR absorption, 425
Crystal structures
Diazafluorenone aroylhydrazone, Transition metal aroylhydrazone complexes, Enolization, ^1H NMR spectroscopy, IR, 1295
Crystal structures
Dichloromanganese(IV) complexes, Bidentate Schiff base ligands, Tetradentate Schiff base ligands, Photosystem II, 2039

Crystal structures
Diethyltin, Pyridoxine, 813
Crystal structures
Dirhodium(II) compounds, Trifluoroacetate, One-dimensional polymers, Arene coordination, π-Complexes, 1829
Crystal structures
Electrochemical synthesis, Cobalt(II) complexes, Tosylamide complexes, 1607
Crystal structures
Electrochemistry, EPR, Nickel(II)/(III) complexes, Schiff base complexes, 655
Crystal structures
2-Ethyl-3-hydroxy-4-pyranonate, Ethylmaltol, 1-Methyl-2-ethyl-3-hydroxy-4-pyridinonate, Tin(IV), Titanium(IV), 399
Crystal structures
Europium(III) complexes, Non-planar conjugated ligands, Fluorescence spectra, 785
Crystal structures
Fac isomers, Isomerization, Lanthanide chloride complexes, Octahedral complexes, 199
Crystal structures
Hydroborates, Lithium, Titanium(IV), Bonding, 1579
Crystal structures
Imidazole, Schiff base, Silver complexes, 2237
Crystal structures
Infrared spectroscopy, Raman spectroscopy, Electronic absorption spectroscopy, Hypophospite complexes, Cooperative vibronic transitions, Two-centre transitions, 863
Crystal structures
Lanthanide complexes, Picrate, 4-Methylmorpholine, *N*-Oxide, TG, DSC, 2313
Crystal structures
Lanthanide picrate, PBD, Fluorescence, 779
Crystal structures
Magnetic properties, Dinuclear complexes, Manganese, Cobalt, Nickel, 93
Crystal structures
Manganese(II) complexes, Fumaric acid, Fungitoxic activity, 1205
Crystal structures
Mercury(II) complexes, Triphenylphosphine, Benzothiazole-2-thione, pyrimidine-2-thione, 2231
Crystal structures
Mercury(II) halides, Phosphine complexes, 1719
Crystal structures
Metavanadate complexes, Nickel complexes, Copper complexes, Hydrothermal synthesis, Magnetic properties, 2521
Crystal structures
Molybdenum complexes, Tungsten complexes, Pyrazine complexes, Peroxo ligands, 1503
Crystal structures
Molybdenum(II), Tungsten(II), *o*-Phenylenediacetonitrile, Bimetallic complexesw, Trimetallic complexes, Nitrile-bridged complexes, Seven-coordinate complexes, Halocarbonyls, 147
Crystal structures
Molybdenum, Oxocluster complexes, Hantzsch synthesis, Hexanuclear molybdenum(V) complexes, 1471
Crystal structures
Molybdenum–oxo complexes, Photochemistry, Photooxidation, Phosphines, Phosphine oxides, 1437
Crystal structures
Molybdenum, Tantalum, Trimetallic alkoxides, 1791
Crystal structures
Mo–S clusters, Electronic structures, Layer-like packing, 733
Crystal structures
Nickel complexes, Copper complexes, Schiff bases, Uracil, 689
Crystal structures
Nickel(II), Iron(II), Electronic spectra, 1333
Crystal structures
Nickel(II), Mononuclear compounds, Nitrito ligands, Magnetic measurements, 225
Crystal structures
Nickel(II)thiocyanate, 1-(2-Aminoethyl)-pyrrolidine, *cis*/*trans* Isomers, 1803
Crystal structures
Ni(II) complexes, Tripodal ligand, Spectroscopic studies, 2661
Crystal structures
Nitrosonaphthol, Ruthenium nitrosonaphthol complexes, 7
Crystal structures
Organolanthanide complexes, Ether-side chain cyclopentadienyl, Cyclooctatetraenyl, 453
Crystal structures
μ-oxo-Bridged cations, Crown ether complexation, Bridging oxygen atoms, 1799
Crystal structures
Oxovanadium(V) alkoxides, Mononuclear chelation, Hydrogen bonded helical structures, 931
Crystal structures
Palladium complexes, Platinum complexes, Diphosphine complexes, Tetraphosphine complexes, Bimetallic complexes, 913
Crystal structures
Palladium, Hydroxo complexes, Pyrazolylalkane complexes, 1395
Crystal structures
Phosphine sulfides, Phosphonium salt, 2585
Crystal structures
Platinum complexes, 3-methylpiperidine, Dicarboxylates, Synthesis, 983
Crystal structures
Platinum(II) complexes, Piperidine, Synthesis, 975
Crystal structures
1,3-propylenediaminetetraacetate, Cu(II) complexes, Mn(II) complexes, Thermal properties, Magnetic properties, 1175
Crystal structures
2-Pyridineformamide, Thiosemicarbazone, Cadmium halides, 1873
Crystal structures
Rhenium, Metal clusters, Sulfur, Selenium, Tellurium, 437
Crystal structures
Ruthenium, Dimethyl sulfoxide, Carboxylates, Complexes, Catalysis, 1589
Crystal structures
Ruthenium, Iridium, Gold, Electron-rich, Cluster, Phosphido-bridged, 2593
Crystal structures
Scandium, Alkoxides, Volatility, 705
Crystal structures
Solvothermal synthesis, Oxomolybdenum(V) coordination compounds, Mo(V, VI) compounds, Alkyl-substituted pyridines, 1407
Crystal structures
Spirophosphorane ring-opening, Phosphite diolato(1 −) ligand, 2667
Crystal structures
Sulfamethizole, Metal complexes, Spectroscopic properties, 1859
Crystal structures
Syntheses, Cobalt(II) complex, Nickel(II) complex, 4-(*p*-Methylphenyl)-3,5-bis-(pyridin-2-yl)-1,2,4-triazole, ESIMS, 2019
Crystal structures
Synthesis, Macrocyclic polyamine ligand, Manganese complexes, Octa- and hepta-coordination, 2095
Crystal structures
Tetrathiometalate, Nonlinear optical properties, Synthesis, Copper compounds, Dppm, 1545
Crystal structures
Thiolate, Electrochemistry, Macrocycle, 1887
Crystal structures
Thiophosphoryl guanidines, Platinum complexes, 809
Crystal structures
Thiosemicarbazone, Isatin, Zinc, Lead, Hexamethyleneimine, Metal(II) complexes, 1255
Crystal structures
Transition metal complexes, Terephthalate ions, Aromatic diamines, Spectral data, 1415
Crystal structures
Trichlorovinyl, Mercury(II), Complexes, Bidentate ligands, 2539
Crystal structures
Uranium, Uranyl, Phosphate, Crown, 1551
Crystal structure
Synthesis, Aryloxide, Neodymium, Anion–cation pair compound, 2243
Crystal structures
Zinc, Bis(pyrazolyl)silanes, Nitrogen-donor ligands, 1815
Crystal structures
Zinc complexes, Cobalt complex, α-Ketoglutaric acid, Thiosemicarbazones, Spectroscopic properties, 1895

Crystal structures
Zinc complexes, Lead(II) complexes, Maltol, 3-Hydroxy-4-pyranone, 3-Hydroxy-4-pyridinone, 1,2-Dimethyl, 129
Crystal structures
Zinc, Tris-pyrazolylborate, Electrochemistry, 109
Crystal structures
Zirconocene, Catalysis, Olefin polymerizations, 1941
Crystal structure
Ytterbium(III), Lanthanides, Calixarenes, Homoazacalixarenes, 2673
CT photochemistry
Ternary copper(II) complexes, Diselenocarbamate and dithiophosphate ligands, 2177
Cu dimers
Crystal structures, Di-(2-pyridyl)ketone, Ferromagnetic dimers, Magnetic properties, Spin triplet, 1005
Cu(II) complexes
Effortil, Structures, Stability constants, EPR, Magnetochemical data, 1843
Cu(II) complexes
1,3-propylenediaminetetraacetate, Mn(II) complexes, Crystal structures, Thermal properties, Magnetic properties, 1175
Cu(II) complex
Structure, Triaminoguanidinium(2+) ion, 1737
Cu^{2+} porphyrin complexes
Crystal structures, Protonated porphyrins, SAT complexes, Electron spin resonance, Nuclear magnetic resonance, 633
Cupric oxide.
Copper complexes, Carboxylate complexes, Dinuclear complexes, Crystal structures, Cuprous oxide, 2621
Cuprous oxide
Copper complexes, Carboxylate complexes, Dinuclear complexes, Crystal structures, Cupric oxide, 2621
Cyanamidonitrate
Cobalt(II), Electronic spectra, Imidazole ligands, IR spectra, Nickel(II), X-ray crystallography, 1021
Cyano-bridge
Copper–iron complexes, Crystal structures, IR spectra, 1935
Cyanobridged complexes
Mixed-valence complexes, Ruthenium–edta complexes, Ferricyanide, Intramolecular electron transfer, 1339
Cyano-bridged heteropolynuclear complexes
Molecular magnets, Iron complexes, Nickel complexes, Ferromagnetic coupling, 1967
Cyanocuprates
Cryoscopy, Ionic, Reactivity, Structures, 553
Cyclic oligomers
Thiophenes, Ferrocenes, 291
Cyclic phosphazenes
Ab initio methods, Electronic structures, Group theory, 389
Cyclic voltammetry
Crystal structures, Nickel bisdithiolenes, Strong near-IR absorption, 425
Cyclic voltammetry
Schiff bases, Copper complexes, X-ray structure, 5-Phenylazosalicylaldehyde, 607
Cyclic voltammetry
Thiopyrimidine, Rhenium(V) complexes, Rhenium(III) complexes, UV–Vis–NIR, IR, ^{1}H NMR spectra, 2163
Cycloadditions
Dienes, Indium, Magnesium, Trienes, 533
Cycloalkenes
Thioacetal, Titanocene(II), Ring-closing metathesis, Intramolecular carbonyl olefination, Heterocyclic compounds, 593
Cyclooctatetraenyl
Organolanthanide complexes, Ether-side chain cyclopentadienyl, Crystal structures, 453
Cymene
Nitration, Pyrazolyl, Ruthenium, Structure, Synthesis, 475

Decomplexation
Nitrosobenzene cycloaddition, Regioselectivity, Organoiron compounds, Heterocycloaddition trap, Alkaloid synthesis, 569
Degree of agglomeration
Magnesia, Dolomite, Crystallite size, X-ray diffraction, SEM, 2345
Delocalized π interactions
Aza-macrocycles, Electroreduction, Carbon dioxide, 2373
Deltakephalins
Copper(II) complexes, Stability constants, 241
Dendrimers
Carbosilanes, Platinum catalysts, Hydrosilation, 1031
Density functional theory
Vanadium, Vanadyl, Terpyridine, 69
Deoxycholic acid
Ferrocene derivatives, Inclusion compounds, Molecular motion, ^{57}Fe Mössbauer spectroscopy, Powder X-ray diffraction patterns, 205
Deprotonated pyridine-2,6-dicarboxamide ligands
Copper(II) complexes, Singly hydroxo-bridged, Crystal structures, Magnetism, 1423
De-tellurium reaction
Cluster compounds, Molybdenum complexes, Tellurium-rich compounds, Crystal structures, 925
DFT
Nitrosyl complex, Chromium, Molybdenum, Carboxylate, 2565
D-Galactonic acid
D-Gluconic acid, D-Gulonic acid, Praseodymium(III), Complexation, 1567
D-Gluconic acid
D-Galactonic acid, D-Gulonic acid, Praseodymium(III), Complexation, 1567
D-Gulonic acid
D-Gluconic acid, D-Galactonic acid, Praseodymium(III), Complexation, 1567
Dialkoxo-bridged binuclear Cu(II) complexes
Model of metal–guanine interaction, Single crystal structures, Thermal decompostion, Theophylline, Diethanolamine-(2,2′-iminodiethanol), 457
Dialkyldithiocarbamato
Molybdenum, Hydrazido, Diazenido, Hydrazines, 2327
Diamines
Copper(II), Uridine, Uridine 5′-monophosphate, 1145
1,2-Diamino-2-methylpropane
Cis–trans isomerism, Crystal structures, Nickel(II)nitrite, 1015
1,4-Diazacycloheptane
Copper(II), Trichloroacetate, Crystal structures, 1881
Diazafluorenone aroylhydrazone
Transition metal aroylhydrazone complexes, Crystal structures, Enolization, ^{1}H NMR spectroscopy, IR, 1295
Diazenido
Molybdenum, Hydrazido, Dialkyldithiocarbamato, Hydrazines, 2327
6,6′-Dicarboxy-2,2′-bipyridyl
Streptonigrin, 2,2′-Bipyridyl, Antitumour, Zinc, 1067
Dicarboxylate-based compounds
Hybrid copper(II) compounds, Magnetic properties, Layered magnets, Long-range ferromagnetism, 259
Dicarboxylate complexes
Thorium(IV), Uranium(IV), CPMAS ^{13}C NMR spectroscopy, X-ray crystallography, 1757
Dicarboxylates
Platinum complexes, 3-methylpiperidine, Synthesis, Crystal structures, 983
Dichloromanganese(IV) complexes
Bidentate Schiff base ligands, Tetradentate Schiff base ligands, Crystal structures, Photosystem II, 2039
Diclofenac
Metal(II) compounds, Spectroscopic properties, Thermal properties, 2515
Dicopper complexes
Solvent-derived ancillary ligands, Acid–base congeners, 1909
1,5-diene
Cross coupling, Terpenoids, Carboalumination, Palladium, 591
Dienes
Cycloadditions, Indium, Magnesium, Trienes, 533
Diethanolamine(2,2′-iminodiethanol)
Dialkoxo-bridged binuclear Cu(II) complexes, Model of metal–guanine interaction, Single crystal structures, Thermal decompostion, Theophylline, 457
Diethyldithiocarbamate
Palladium, Diphosphines, Tetrachlorometallate anions, X-ray crystal structures, 1511

Diethylenetriamine
Divalent metals, Zinc, Copper, Benzolamide, Ternary complexes, 725
Diethylenetriamine
Lanthanides(III), Silver(I), *N,N*-dimethylformamide, Complexes, Thermodynamics, 2427
Diethylenetriaminepentaacetate
Contrast agents, Crystal structures, Lanthanides, Neodymium, 771
Diethyltin
Crystal structures, Pyridoxine, 813
Dihydrodithiins
Thiiranes, Tungsten carbonyls, 521
Diimine
Amido, Dimer, Hydroxo, Palladium, Platinum, 155
β-Diketonate
Alkoxide, Tin, Tin dioxide, Sol–gel, 2069
Dimer
Amido, Diimine, Hydroxo, Palladium, Platinum, 155
Dimer complex
Alternating chain, Crystal structure, Magnetic properties, 1461
Dimers
Magnetic properties, Geometrical distortions, Magnetostructural correlations, 2483
Dimethyl carbonate
Carbon dioxide, Homogeneous catalysis, Mechanism, Supercritical conditions, 573
Dimethyl sulfoxide
Crystal structures, Ruthenium, Carboxylates, Complexes, Catalysis, 1589
1,2-Dimethyl
Zinc complexes, Lead(II) complexes, Maltol, 3-Hydroxy-4-pyranone, 3-Hydroxy-4-pyridinone, Crystal structures, 129
Dimolybdenum
Crystal engineering, Dimolybdenum diolates, 375
Dimolybdenum diolates
Crystal engineering, Dimolybdenum, 375
Dimolybdenum(II)
Trirhenium(III) clusters, Rhenium clusters, Acetamidate, MALDI, Mass spectroscopy, 1245
Dinuclear and polynuclear
Copper(II) complexes, Crystal structures, Equatorial–apical bridge, Paramagnetic, 1593
Dinuclear
Antiferromagnetic interactions, Pryrazolyl groups, 2215
Dinuclear complexes
Copper complexes, Carboxylate complexes, Crystal structures, Cuprous oxide, Cupric oxide., 2621
Dinuclear complexes
Copper(I) bromide complexes, Heterocyclic thione complexes, Diphosphine complexes, Crystal structures, 1615
Dinuclear complexes
Crystal structures, Magnetic properties, Manganese, Cobalt, Nickel, 93
Dinuclear complexes
Dioxygen carriers, Cobalt, Dinucleating ligands, Polyamines, Kinetics, Dioxygen binding, 2447
Dinuclear complexes
Dithiolene, Nickel, Acid–base, Solvatochromism, Carbon disulfide, 1283
Dinucleating alkoxide ligands
Copper(II) complexes, X-ray structures, Hetero-bridged complexes, Magnetism, Magneto-structural trends, 1429
Dinucleating ligands
Dioxygen carriers, Cobalt, Dinuclear complexes, Polyamines, Kinetics, Dioxygen binding, 2447
Dioxomolybdenum dipicolinate
Oxygen-atom transfer, Azoxybenzene deoxygenation, 2141
Dioxotetraamines
Asorption spectra, Copper(III), Nickel(III), Macrocyclic ligands, 2533
Dioxygen binding
Dioxygen carriers, Cobalt, Dinuclear complexes, Dinucleating ligands, Polyamines, Kinetics, 2447
Dioxygen binding
Dioxygen carriers, Cobalt, Polynuclear complexes, Polyamines, Thermodynamics of complexation, 2441
Dioxygen carriers
Cobalt, Dinuclear complexes, Dinucleating ligands, Polyamines, Kinetics, Dioxygen binding, 2447
Dioxygen carriers
Dioxygen binding, Cobalt, Polynuclear complexes, Polyamines, Thermodynamics of complexation, 2441
Dioxygen
Manganese complexes, Schiff bases, Manganoenzymes, Photolysis, Catalase, 47
Diphenylphosphinoacetate
Bis(η-cyclopentadienyl)titanium(IV), Crystal structures, Heterometallics, Nicotinate, Thiophenoxyacetate, 757
Diphosphine complexes
Copper(I) bromide complexes, Heterocyclic thione complexes, Dinuclear complexes, Crystal structures, 1615
Diphosphine complexes
Crystal structures, Palladium complexes, Platinum complexes, Tetraphosphine complexes, Bimetallic complexes, 913
Diphosphines
Palladium, Diethyldithiocarbamate, Tetrachlorometallate anions, X-ray crystal structures, 1511
Diphosphines
Palladium, Platinum, Nitrite, Isomerism, Fluxionality, 1329
Di-2-pyridyl ketone
Copper(I) complexes, Crystal structures, Electronic and IR spectra, 1465
Di-(2-pyridyl)ketone
Crystal structures, Cu dimers, Ferromagnetic dimers, Magnetic properties, Spin triplet, 1005
Di(2-pyridyl)methanediol
Copper, *gem*-Diol,di-2-pyridyl ketone, Crystal structures, 623
Dirhodium(II) compounds
Trifluoroacetate, One-dimensional polymers, Arene coordination, π-Complexes, Crystal structures, 1829
Discotic complexes
Columnar complexes, Liquid crystals, π-acceptors, Dithiolene, 267
Diselenocarbamate and dithiophosphate ligands
CT photochemistry, Ternary copper(II) complexes, 2177
Disodium or dipotassium 1,3-di(carboxylatomethyl)-5-aryl-1,3,5-diazaphosphorinanes
Water-soluble phosphines, Phosphino amino acid salts, 1455
Disproportionation
Equilibrium, Copper, Mixed valence, Temperature effects, 2289
Distorted square-pyramid
Catechols, Macrocyclic ligands, Oxovanadium complexes, ESR parameters, Hydrophobic cavities, 1167
Disulfide
Peptides, Transition metal ions, 1849
Disulfide reduction
Substituted cobalt phthalocyanines, Redox properties, Hammett parameters, Frontier orbitals, 2255
Disulfides
Thioureides, Dithiocarbamates, Tetrahedral coordination, 1279
Ditelluroether
Osmium, X-ray structures, 235
3,5-Di-*tert*-butylcatechol
Oxidation, Catalysis, Kinetics, Copper binuclear complexes, 2367
Dithiadiazolyl radicals, 1163
Dithiocarbamate derivatives
Copper and iron species, Thiuram sulfides, 2269
Dithiocarbamates
Disulfides, Thioureides, Tetrahedral coordination, 1279
Dithiocarbamates
Rhodium(II), 123
Dithiocarboxylate
Vanadium(IV), Magnetism, EPR, Infrared, Coordination., 2155
Dithiolate complexes
Ruthenium, Osmium, X-ray structures, 1073
Dithiolene
Discotic complexes, Columnar complexes, Liquid crystals, π-acceptors, 267
Dithiolene
Nickel, Dinuclear complexes, Acid–base, Solvatochromism, Carbon disulfide, 1283
1,3-dithiole-2-thione-4,5-dithiolates
dmit complexes, Zinc dmit compounds, Zincates, 821
Dithiophosphinates
Low-pressure metal organic chemical vapour deposition, II/VI Semiconductors, 211

Dithio-Schiff base complexes
Thiosemicarbazones, Macrocyclic ligands, Electrochemistry, Copper complexes, 441
Divalent metals
Zinc, Copper, Benzolamide, Diethylenetriamine, Ternary complexes, 725
Diyne
Platinum, Gold, Cross-coupling, X-ray, 2261
dmit complexes
1,3-dithiole-2-thione-4,5-dithiolates, Zinc dmit compounds, Zincates, 821
dmit
Copper, Cobalt, Nickel, Palladium, 4,5-bis(2-pyridylmethylsulfanyl)-1,3-dithiole-2-thione, 4,5-bis(2-pyridylethylsulfanyl)-1,3-dithiole-2-thione, 665
DNA cleavage activities
Tetraazamacrocyclic ligand, Transition metal, Synthesis, Structural characterization, Stability constants, 1527
DNA cleavage
Release of free nucleobases from oligomers, Copper(II)–peroxide adduct, Electrospray mass spectrometry, 2639
Dodecanuclear
Mo–Cu–S cage cluster, Interstitial group, 2189
Dolomite
Magnesia, Crystallite size, Degree of agglomeration, X-ray diffraction, SEM, 2345
Domino reactions
Hydroformylation, Organocopper reagents, Catalysis, Asymmetric synthesis, 513
Dopamine
Iron, Phthalocyanine, Serotonin, Coordination, 1355
dppm
Rhenium, Re complexes, Re(I), *trans*-Dioxo Re(V) complexes, Phosphines, 2249
Dppm
Tetrathiometalate, Nonlinear optical properties, Synthesis, Copper compounds, Crystal structures, 1545
DSC
Crystal structures, Lanthanide complexes, Picrate, 4-Methylmorpholine, *N*-Oxide, TG, 2313
DTPA
Iron(III), Chromium(III), Complexes, Thermal properties, Thermodynamics, 2421

Effortil
Cu(II) complexes, Structures, Stability constants, EPR, Magnetochemical data, 1843
Electrocatalysis
Cobalt, Nitric oxide, Oxidation, Phthalocyanine, Reduction, 229
Electrocatalytic oxidation
Ruthenium, Polypyridine, Terpyridine, Alcohol oxidation, Isomerization, 1049
Electrochemical communication
Ferrocenylporphyrin, π-Conjugation, Intramolecular hydrogen bonding, NH tautomerism, 1961
Electrochemical studies
Heterodinuclear complexes, Homodinuclear complexes, Luminescence properties, Osmium(II) complexes, Ruthenium(II) complexes, Syntheses, 1233
Electrochemical synthesis
Cobalt(II) complexes, Crystal structures, Tosylamide complexes, 1607
Electrochemical synthesis
Mononuclear complexes, Phenoxo bridges, Polyhydroxyl ligands, Polynuclear complexes, Schiff base ligands, 185
Electrochemistry
Azoimine, Ru–bipyridine, Tris-chelates, X-ray structures, Emission spectra, 1925
Electrochemistry
Binuclear Cu(II) complexes, Magnetic properties, ESR, 1769
Electrochemistry
Crystal structures, EPR, Nickel(II)/(III) complexes, Schiff base complexes, 655
Electrochemistry
Naphthylazoimidazoles, Platinum(II), PtN_4 coordination, X-ray structures, 1263
Electrochemistry
Platinum(II), Platinum(IV), Bromide, Porphyrins, Voltammetry, 1057
Electrochemistry
Thiolate, Macrocycle, Crystal structures, 1887
Electrochemistry
Thiosemicarbazones, Iron complexes, EPR of iron complexes, Nickel complexes, Cobalt complexes, 2059
Electrochemistry
Thiosemicarbazones, Macrocyclic ligands, Copper complexes, Dithio-Schiff base complexes, 441
Electrochemistry
Zinc, Tris-pyrazolylborate, Crystal structures, 109
3:3 Electrolytes
Activity coefficients, Electrolytic solutions, High-charge salts, High valency electrolytes, Mixed electrolytes, 2493
Electrolytic solutions
3:3 Electrolytes, Activity coefficients, High-charge salts, High valency electrolytes, Mixed electrolytes, 2493
Electronic absorption spectroscopy
Infrared spectroscopy, Raman spectroscopy, Crystal structures, Hypophospite complexes, Cooperative vibronic transitions, Two-centre transitions, 863
Electronic and IR spectra
Copper(I) complexes, Di-2-pyridyl ketone, Crystal structures, 1465
Electronic spectra
Cobalt(II), Cyanamidonitrate, Imidazole ligands, IR spectra, Nickel(II), X-ray crystallography, 1021
Electronic spectra
Copper(I) complexes, Crystal structures, Emission spectra, Pyrazine carboxamide complexes, Vibrational spectra, 601
Electronic spectral data
Transition metal complexes, Oximes, Benzil-α-monoxime, 1687
Electronic spectra
Nickel(II), Iron(II), Crystal structures, 1333
Electronic structures
Ab initio methods, Cyclic phosphazenes, Group theory, 389
Electronic structures
Mo–S clusters, Crystal structures, Layer-like packing, 733
Electron-rich
Ruthenium, Iridium, Gold, Cluster, Phosphido-bridged, Crystal structures, 2593
Electron spin resonance
α,α′-Bis(pyrazolyl)-*m*-xylene, Copper(II) complexes, X-ray structure, Network structures, Absorption spectroscopy, 719
Electron spin resonance
Copper(II) complexes, Coordination modes, Histamine, L-Histidine, Isomerism, 1123
Electron spin resonance
Crystal structures, Cu^{2+} porphyrin complexes, Protonated porphyrins, SAT complexes, Nuclear magnetic resonance, 633
Electron-transfer
Thiolate-bridged complexes, Mixed-valence, Iron, 2679
Electrooxidation of hydrazine
Polymeric metallophthalocyanines, Modified electrodes, Poly(cobalt–tetraaminophthalocyanine), Impedance spectroscopy, 2303
Electroprotic reactions
Kinetics, Manganese(IV), Ascorbic acid, 1213
Electroreduction
Aza-macrocycles, Carbon dioxide, Delocalized π interactions, 2373
Electrospray
Bismuth, Thioether, Coordination polymers, Crystal structures, 849
Electrospray mass spectrometry
Pentafluoro-cyclotriphosphazene, Pentachloro-cyclotriphosphazene, X-ray structures, 2101
Electrospray mass spectrometry
Release of free nucleobases from oligomers, Copper(II)–peroxide adduct, DNA cleavage, 2639
Emission spectra
Azoimine, Ru–bipyridine, Tris-chelates, X-ray structures, Electrochemistry, 1925
Emission spectra
Copper(I) complexes, Crystal structures, Electronic spectra, Pyrazine carboxamide complexes, Vibrational spectra, 601
Enamine
Alkenylation, Pyrrole, 545

Enantioselection
Chromium, Salen, Manganese, Catalysis, Nozaki–Hiyama–Kishi reaction, 537
Enolization
Diazafluorenone aroylhydrazone, Transition metal aroylhydrazone complexes, Crystal structures, ^{1}H NMR spectroscopy, IR, 1295
Enthalpy
Yttrium, Rare earth elements, Hydrolysis, Ionic strength, Spectrophotometry, 99
Epimerisation
Chiral-at-metal complexes, Configurational stability, Equilibria, X-ray structure analyses, 1519
Epoxidation
Porphyrins, Hemoprotein models, Chiral catalysts, Olefins, 581
EPR
Copper(II), Chloropropionate, Crystal structure, Bio-activity, 2573
EPR
Crystal structures, Electrochemistry, Nickel(II)/(III) complexes, Schiff base complexes, 655
EPR
Dithiocarboxylate, Vanadium(IV), Magnetism, Infrared, Coordination, 2155
EPR
Effortil, Cu(II) complexes, Structures, Stability constants, Magnetochemical data, 1843
EPR of iron complexes
Thiosemicarbazones, Electrochemistry, Iron complexes, Nickel complexes, Cobalt complexes, 2059
EPR spectroscopy
Rhenium, Nitrido complexes, Imido complexes, X-ray structures, 1741
EPR spectroscopy
Vanadium, Molybdenum, Heteropolyoxometalate, IR spectroscopy, UV–Vis spectroscopy, 1917
Equatorial–apical bridge
Copper(II) complexes, Dinuclear and polynuclear, Crystal structures, Paramagnetic, 1593
Equilibria
Chiral-at-metal complexes, Configurational stability, Epimerisation, X-ray structure analyses, 1519
Equilibria
Macrocycles, Synthesis, Complexes, 2501
Equilibria
Me_2Octaen, Polyamines, Nickel(II), Kinetics, Stopped-flow, 2507
Equilibria
Potentiometry, Stability constants, Manganese(II), Cobalt(II), Nickel(II) complexes, Aminopolyphosphonates, UV–VIS spectra, 2083
Equilibrium constants
Molybenum(VI) cations, Thermodynamic quantities, 907
Equilibrium
Copper, Mixed valence, Disproportionation, Temperature effects, 2289
Erbium complex
Lanthanide, Hydrazone, 2629
ESCA studies
Acidopentaaminecobalt(III) complexes, ESI + mass spectra, Acid dissociation constants, 971
ESI + mass spectra
Acidopentaaminecobalt(III) complexes, ESCA studies, Acid dissociation constants, 971
ESIMS
Syntheses, Crystal structures, Cobalt(II) complex, Nickel(II) complex, 4-(*p*-Methylphenyl)-3,5-bis(pyridin-2-yl)-1,2,4-triazole, 2019
ESR
Binuclear Cu(II) complexes, Magnetic properties, Electrochemistry, 1769
ESR
Copper(II) complexes, Glycyl-L-histidine, Formation constants, Coordination modes, Isomerism, 2049
ESR parameters
Catechols, Macrocyclic ligands, Oxovanadium complexes, Distorted square-pyramid, Hydrophobic cavities, 1167
Esters
Allylation, Aqueous reactions, Indium, Indium compounds, Pyridines, 549
Ether-side chain cyclopentadienyl
Organolanthanide complexes, Cyclooctatetraenyl, Crystal structures, 453
Ethylenimine
Immobilization, 3-Mercaptopropyltrimethoxysilane, Silica gels, 367
2-Ethyl-3-hydroxy-4-pyranonate
Crystal structures, Ethylmaltol, 1-Methyl-2-ethyl-3-hydroxy-4-pyridinonate, Tin(IV), Titanium(IV), 399
Ethyl isonicotinate complexes
Copper(I) thiocyanate complexes, Methyl nicotinates, Ethyl nicotinates, Crystal structures, Trigonal planar anions, 615
Ethylmaltol
Crystal structures, 2-Ethyl-3-hydroxy-4-pyranonate, 1-Methyl-2-ethyl-3-hydroxy-4-pyridinonate, Tin(IV), Titanium(IV), 399
Ethyl nicotinates
Copper(I) thiocyanate complexes, Methyl nicotinates, Ethyl isonicotinate complexes, Crystal structures, Trigonal planar anions, 615
Europium compounds
Hydrotris(pyrazolyl)borate ligands, Luminescence studies, X-ray crystal structures, 1707
Europium(III) chloride
Lanthanide complex, Tridentate chelate, 2135
Europium(III) complexes
Crystal structures, Non-planar conjugated ligands, Fluorescence spectra, 785
EXAFS investigation
Synthesis, Azomethynic copper metallochelates, 2361
Fac isomers
Crystal structures, Isomerization, Lanthanide chloride complexes, Octahedral complexes, 199
Fast atom bombardment mass spectrometry
2,2′-Bipyridine, 1,8-Bis(dimethylamino)-naphthalene, Boron-11 NMR, Chelated fluoroboron cations, Fluorine-19 NMR, 1,10-Phenanthroline, 2,2′,6′,2″-Terpyridine, 165
^{57}Fe Mössbauer spectroscopy
Deoxycholic acid, Ferrocene derivatives, Inclusion compounds, Molecular motion, Powder X-ray diffraction patterns, 205
Ferricyanide
Mixed-valence complexes, Ruthenium–edta complexes, Cyanobridged complexes, Intramolecular electron transfer, 1339
Ferrocene derivatives
Deoxycholic acid, Inclusion compounds, Molecular motion, ^{57}Fe Mössbauer spectroscopy, Powder X-ray diffraction patterns, 205
Ferrocenes
Cyclic oligomers, Thiophenes, 291
Ferrocenophane
Inorganic polymers, Silanol, Mössbauer spectroscopy, Ring-opening polymerization, 275
Ferrocenylporphyrin
π-Conjugation, Electrochemical communication, Intramolecular hydrogen bonding, NH tautomerism, 1961
Ferroelectric oxides
Metal–organic chemical vapour deposition, Precursors, Lead scandium tantalate, 351
Ferromagnetic coupling
Molecular magnets, Cyano-bridged heteropolynuclear complexes, Iron complexes, Nickel complexes, 1967
Ferromagnetic dimers
Crystal structures, Cu dimers, Di-(2-pyridyl)ketone, Magnetic properties, Spin triplet, 1005
Field strength
Ruthenium, Phenanthroline, *Cis–trans*, MO calculations, Barriers, 2297
Fluorescence
Lanthanide picrate, PBD, Crystal structures, 779
Fluorescence spectra
Crystal structures, Europium(III) complexes, Non-planar conjugated ligands, 785
Fluorine-19 NMR
2,2′-Bipyridine, 1,8-Bis(dimethylamino)-naphthalene, Boron-11 NMR, Chelated fluoroboron cations, Fast atom bombardment mass spectrometry, 1,10-Phenanthroline, 2,2′,6′,2″-Terpyridine, 165
Fluxionality
Palladium, Platinum, Nitrite, Diphosphines, Isomerism, 1329
Force constants
Fourier transform infrared and Raman spectra, Uranyl bis(2-hydroxybenzaldehyde), 2353

Formation constants
ESR, Copper(II) complexes, Glycyl-L-histidine, Coordination modes, Isomerism, 2049
Formation constants
meso-2,3-Dimercaptosuccinic acid, Potentiometry, UV–Vis spectroscopy, Ionization constants, Kinetic measurements, 2435
Fourier transform infrared and Raman spectra
Uranyl bis(2-hydroxybenzaldehyde), Force constants, 2353
Frontier orbitals
Substituted cobalt phthalocyanines, Redox properties, Hammett parameters, Disulfide reduction, 2255
FT-IR
Colloids, Bimetallic films, Conductivity, Thermal analysis, 2337
Fumaric acid
Manganese(II) complexes, Crystal structures, Fungitoxic activity, 1205
Functional derivatives
closo-Dodecaborate, Oxonium derivatives, Amino acids, Boron neutron capture therapy, 627
Functionalized metalloalkynes
Alkynes, Olefins, Polymetallated olefins, Titanium, 563
Functionalized nanoclusters
CdS nanoclusters, Ruthenium(II) polypyridyls, Mesophase materials, Molecular devices, 331
Fungitoxic activity
Manganese(II) complexes, Fumaric acid, Crystal structures, 1205

Gallium complexes
Aluminum complexes, 1-Aza-allyl, Bismuth complexes, Crystal structures, 471
gem-Diol,di-2-pyridyl ketone
Copper, Di(2-pyridyl)methanediol, Crystal structures, 623
Geometrical distortions
Magnetic properties, Dimers, Magnetostructural correlations, 2483
Glycyl-L-histidine
ESR, Copper(II) complexes, Formation constants, Coordination modes, Isomerism, 2049
Glycyl-lysine
Copper-dipeptide complexes, Alanyl-lysine, Histidyl-lysine, β-alanyl-lysine, 2409
Gold complexes
Copper complexes, Silver complexes, 743
Gold(I) complexes
Cationic ylide ligand, Bis(methyldiphenylphosphonio)methylide salts, P-alkylation, 1837
Gold
Photochemistry, Surface chemistry, Photochemical metal organic deposition, Lithography, 343
Gold
Platinum, Cross-coupling, Diyne, X-ray, 2261
Gold
Ruthenium, Iridium, Electron-rich, Cluster, Phosphido-bridged, Crystal structures, 2593
Group theory
Ab initio methods, Cyclic phosphazenes, Electronic structures, 389
2-Guanidinobenzimidazole
Chromium(III) complexes, Tris(2-benzimidazolylmethyl)amine, 2,6-Bis(2-benzimidazolyl)pyridine, 2-(2-Pyridyl)benzimidazole, Crystal structures, 1821

Halide ions
Palladium catalyzed reactions, Coupling reactions, Protonolysis, 577
Halocarbonyls
Molybdenum(II), Tungsten(II), Crystal structures, *o*-Phenylenediacetonitrile, Bimetallic complexesw, Trimetallic complexes, Nitrile-bridged complexes, Seven-coordinate complexes, 147
Halogenated carborane anions
Cobalt bis(dicarbollide), Boron, Carborane, Halogenation, 1777
Halogenation
Halogenated carborane anions, Cobalt bis(dicarbollide), Boron, Carborane, 1777
Halogenation
Iridium, Acetylacetonates, 1097
Halogen exchange reactions
Iron carbonyl halides, NMR, XAFS spectroscopy, Matrix isolation, 1493
Hammett parameters
Substituted cobalt phthalocyanines, Redox properties, Frontier orbitals, Disulfide reduction, 2255
Hantzsch synthesis
Molybdenum, Oxocluster complexes, Crystal structures, Hexanuclear molybdenum(V) complexes, 1471
H-bonding
Calcium, Inorganic Polymers, Alkaline Earth, X-ray structure, 1783
Heck reactions
Palladium, Phosphane, Sulfane, Ligands, Mechanism, 517
Helical structures
Supramolecular chemistry, Transition metals, X-ray crystal structures, 23
Hemoprotein models
Porphyrins, Chiral catalysts, Epoxidation, Olefins, 581
Heptacoordinate complexes
Heterocyclic bis(thiosemicarbazone), Organotin(IV) complexes, Binuclear zinc complexes, 841
Heptadentate ligands
Cadmium(II) complexes, Schiff-base ligands, Symmetrical complexes, Asymmetrical complexes, 1633
HETCOR
Zn(II) complexes, 1,2,4-Triazolo-[1,5α]-pyrimidine, ^{15}N NMR, CPMAS, 965
Heterobimetallic diethanolaminates
Alkaline earth metals, Homobimetallic diethanolaminates, 77
Heterobimetallic titanium–copper systems
α-Acetylenic alcohols, Isomerization, Rearrangement, 1693
Hetero-bridged complexes
Dinucleating alkoxide ligands, Copper(II) complexes, X-ray structures, Magnetism, Magneto-structural trends, 1429
Heterocyclic bis(thiosemicarbazone)
Heptacoordinate complexes, Organotin(IV) complexes, Binuclear zinc complexes, 841
Heterocyclic compounds
Thioacetal, Titanocene(II), Ring-closing metathesis, Intramolecular carbonyl olefination, Cycloalkenes, 593
Heterocyclic thione complexes
Copper(I) bromide complexes, Diphosphine complexes, Dinuclear complexes, Crystal structures, 1615
Heterocyclic thiones
Bisphosphines, Palladium(II) complexes, Platinum(II) complexes, Pyridyl, 899
Heterocycloaddition trap
Nitrosobenzene cycloaddition, Regioselectivity, Organoiron compounds, Decomplexation, Alkaloid synthesis, 569
Heterodifunctional ligands
Palladium(II) complexes, Platinum(II) complexes, Chloride metathesis, X-ray crystallography, 695
Heterodinuclear complexes
Electrochemical studies, Homodinuclear complexes, Luminescence properties, Osmium(II) complexes, Ruthenium(II) complexes, Syntheses, 1233
Heterometallic aryloxides
Lithium niobate, Monomeric compounds, Niobium, Percursors, 1037
Heterometallics
Bis(η-cyclopentadienyl)titanium(IV), Crystal structures, Diphenylphosphinoacetate, Nicotinate, Thiophenoxyacetate, 757
Heteronuclear catalysts
Immobilization, Nanoparticles, Sol–gel matrices, 509
Heteronuclear multiple bond coherence
Bridged structures, Crystal structures, *N*-Tosyl ligands, Zinc porphyrin complexes, 413
Heteropolyoxometalate
Vanadium, Molybdenum, IR spectroscopy, UV–Vis spectroscopy, EPR spectroscopy, 1917
Heteroscorpionate tris(3-*R*-pyrazolyl)borate cobalt(II) complexes
Structures, NMR, 2119
Hexamethyleneimine
Thiosemicarbazone, Isatin, Crystal structures, Zinc, Lead, Metal(II) complexes, 1255
Hexanuclear clusters
Metallamacrocycles, Manganese complexes, Pentadentate ligands, Hydrophobic aliphatic tripled tails, 1985

Hexanuclear molybdenum(V) complexes
Molybdenum, Oxocluster complexes, Hantzsch synthesis, Crystal structures, 1471
Hg(II)
Cd(II), tachpyr, Torsion angles, Twist angles, Zn(II), 1155
High acidity
Polyoxometalate, Oxyhalide, Molybdenum, X-ray structure, 43
High-charge salts
3:3 Electrolytes, Activity coefficients, Electrolytic solutions, High valency electrolytes, Mixed electrolytes, 2493
High valency electrolytes
3:3 Electrolytes, Activity coefficients, Electrolytic solutions, High-charge salts, Mixed electrolytes, 2493
Histamine
Electron spin resonance, Copper(II) complexes, Coordination modes, L-Histidine, Isomerism, 1123
Histidyl-lysine
Copper-dipeptide complexes, Glycyl-lysine, Alanyl-lysine, β-alanyl-lysine, 2409
^{1}H NMR spectroscopy
Diazafluorenone aroylhydrazone, Transition metal aroylhydrazone complexes, Crystal structures, Enolization, IR, 1295
Homoazacalixarenes
Ytterbium(III), Lanthanides, Calixarenes, Crystal structure, 2673
Homobimetallic diethanolaminates
Alkaline earth metals, Heterobimetallic diethanolaminates, 77
Homodinuclear complexes
Electrochemical studies, Heterodinuclear complexes, Luminescence properties, Osmium(II) complexes, Ruthenium(II) complexes, Syntheses, 1233
Homogeneous and heterogeneous
Aromatic amines, Amberlite anion-exchange resin, Oxalate anions, Metal–oxalate complexes, Oxidation, 1317
Homogeneous catalysis
Carbon dioxide, Dimethyl carbonate, Mechanism, Supercritical conditions, 573
Homoleptic silyl complexes
Arsenic, Antimony, 1639
Host–guest chemistry
Mercury, Clusters, Thiocyanante, 871
Hush theory
Iron complexes, Mixed valence, TCNE complexes, TCNQ complexes, 137
Hybrid copper(II) compounds
Dicarboxylate-based compounds, Magnetic properties, Layered magnets, Long-range ferromagnetism, 259
Hybrid materials
Sol-gel, NMR, Siloxane, Silicon-29, Oxygen-17, 315
Hydrazido
Molybdenum, Diazenido, Dialkyldithiocarbamato, Hydrazines, 2327
Hydrazines
Molybdenum, Hydrazido, Diazenido, Dialkyldithiocarbamato, 2327
Hydrazonato compounds of oxovanadium(V)
Alkoxo compounds of oxovanadium(V), Crystal structure of compounds of oxovanadium(V), Oxovanadium(V) dimers, Reactivity of bis(β-dionato)oxovanadium(IV) chelates, Hydrazonato tridentate Schiff base ligands, 2003
Hydrazonato tridentate Schiff base ligands
Alkoxo compounds of oxovanadium(V), Crystal structure of compounds of oxovanadium(V), Hydrazonato compounds of oxovanadium(V), Oxovanadium(V) dimers, Reactivity of bis(β-dionato)-oxovanadium(IV) chelates, 2003
Hydrazone
Lanthanide, Erbium complex, 2629
Hydrazone
Rare earth complex, Crystal structure, Antitumour activity, 2599
Hydroborates
Lithium, Titanium(IV), Bonding, Crystal structures, 1579
Hydroboration
Allylic alkylation, Axially chiral phosphinamine, Quinazolines, 541
Hydroboration
Phosphine, Alkene, Polymerization, Copper(I) complexes, 1271
Hydroboration
Polysilazanes, Precursors, Vinylsilanes, Chloroboranes, 323
Hydroformylation
Organocopper reagents, Catalysis, Asymmetric synthesis, Domino reactions, 513
Hydrogenation
Pyriding N-oxides, Metal complexes, Structures, 835
Hydrogenation
Titanium, Tantalum, Nobium, Aryloxide, Bisphenol, 35
Hydrogen bonded helical structures
Oxovanadium(V) alkoxides, Mononuclear chelation, Crystal structures, 931
Hydrogen bonding
Complexes, Platinum, Sulfimides, 2077
Hydrogen bonding
Phosphoranes, Pentacoordination, X-ray structure, 63
Hydrolysis
Binucleating hexa-aza macrocycle, Copper(II), Nickel(II), Cobalt(II), Zinc(II), Crystal structures, Phosphotriester, 1485
Hydrolysis
Palladium(II) complexes, Catalysts, Peptides, 959
Hydrolysis
Yttrium, Rare earth elements, Enthalpy, Ionic strength, Spectrophotometry, 99
Hydrophobic aliphatic tripled tails
Metallamacrocycles, Hexanuclear clusters, Manganese complexes, Pentadentate ligands, 1985
Hydrophobic cavities
Catechols, Macrocyclic ligands, Oxovanadium complexes, ESR parameters, Distorted square-pyramid, 1167
Hydrosilation
Dendrimers, Carbosilanes, Platinum catalysts, 1031
Hydrosilylation
Alkenylsilanes, $RhI(PPh_3)_3$, Polyaddition, Stereodivergent, 567
Hydrothermal synthesis
Crystal structures, Metavanadate complexes, Nickel complexes, Copper complexes, Magnetic properties, 2521
Hydrotris(pyrazolyl)borate ligands
Europium compounds, Luminescence studies, X-ray crystal structures, 1707
Hydroxamic acid
Mixed-ligand complexes, Solution equilibrium, Copper(II), nickel(II) and zinc(II) complexes, 1727
Hydroxo
Amido, Diimine, Dimer, Palladium, Platinum, 155
Hydroxo complexes
Palladium, Pyrazolylalkane complexes, Crystal structures, 1395
2-Hydroxyacetophenone
Cobalt, Azide, Thiocyanate, Crystal structure, 2707
3-Hydroxy-4-pyranone
Zinc complexes, Lead(II) complexes, Maltol, 3-Hydroxy-4-pyridinone, 1,2-Dimethyl, Crystal structures, 129
3-Hydroxy-4-pyridinone
Zinc complexes, Lead(II) complexes, Maltol, 3-Hydroxy-4-pyranone, 1,2-Dimethyl, Crystal structures, 129
Hypophospite complexes
Infrared spectroscopy, Raman spectroscopy, Electronic absorption spectroscopy, Crystal structures, Cooperative vibronic transitions, Two-centre transitions, 863

II/VI Semiconductors
Dithiophosphinates, Low-pressure metal organic chemical vapour deposition, 211
Imidate
Copper(II), Azomethine, Crystal structures, 2713
Imidazole-carboxylate chelating ligands
Polynuclear manganese-carboxylate clusters, Paramagnetic NMR, 2111
Imidazole derivatives
Transition metal complexes, Crystal structure, Absorption spectra, Stability constants, 2183
Imidazole ligands
Cobalt(II), Cyanamidonitrate, Electronic spectra, IR spectra, Nickel(II), X-ray crystallography, 1021
Imidazole
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-amidomethyl)-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl - iminodiacetato)nickel(II) sesquihydrate, Aqua(imidazole)(*N* - carbamoylmethyl - iminodiacetato)cobalt(II) sesquihydrate, Molecular and crystal structures, Magnetic, spectral and thermal properties, 2473

Imidazole
Schiff base, Silver complexes, Crystal structures, 2237
Imido complexes
Rhenium, Nitrido complexes, EPR spectroscopy, X-ray structures, 1741
Immobilization
Ethylenimine, 3-Mercaptopropyltrimethoxysilane, Silica gels, 367
Immobilization
Heteronuclear catalysts, Nanoparticles, Sol–gel matrices, 509
Impedance spectroscopy
Polymeric metallophthalocyanines, Modified electrodes, Electrooxidation of hydrazine, Poly(cobalt–tetraaminophthalocyanine), 2303
Inclusion compounds
Deoxycholic acid, Ferrocene derivatives, Molecular motion, ^{57}Fe Mössbauer spectroscopy, Powder X-ray diffraction patterns, 205
Indenyl
Planar chiral, Structure, Yttrium, Lanthanum, Tetrahydroborate, 1955
Indium
Allylation, Aqueous reactions, Esters, Indium compounds, Pyridines, 549
Indium compounds
Allylation, Aqueous reactions, Esters, Indium, Pyridines, 549
Indium
Cycloadditions, Dienes, Magnesium, Trienes, 533
Indium tin oxide
Surface modification, Alkoxides, Interfaces, 505
Infrared
Dithiocarboxylate, Vanadium(IV), Magnetism, EPR, Coordination., 2155
Infrared spectra
N-salicylidenearoylhydrazine copper(II) complexes, Copper(II) imidazole ternary complexes, Copper(II) imidazolate ternary complexes, X-ray crystal structures, Molecular structures, Magnetic properties, 1181
Infrared spectra
N-salicylidenearoylhydrazines, Copper(II) complexes, X-ray crystal structures, Molecular structures, Magnetic properties, 949
Infrared spectroscopy
Raman spectroscopy, Electronic absorption spectroscopy, Crystal structures, Hypophospite complexes, Cooperative vibronic transitions, Two-centre transitions, 863
Inorganic Polymers
Calcium, H-bonding, Alkaline Earth, X-ray structure, 1783
Inorganic polymers
Ferrocenophane, Silanol, Mössbauer spectroscopy, Ring-opening polymerization, 275
Insertion reactions
Platinum(II) complexes, Platinum–tin bimetallics, 2,3,5,6-Tetrakis(α-pyridyl)-pyrazine, 739
Insertions
Additions, Alkylation, Nucleophilic, Schiff bases, Titanium, 177
In situ X-ray diffraction
Intercalation, Layered compounds, Solid state, Synchrotron radiation, 297
Insulin-mimetics
Biospeciation, Al(III) complexes, VO(IV) complexes, 2389
Intercalation compounds
Aniline polymerization, Copper phosphonates, 765
Intercalation
In situ X-ray diffraction, Layered compounds, Solid state, Synchrotron radiation, 297
Interfaces
Indium tin oxide, Surface modification, Alkoxides, 505
Interstitial group
Dodecanuclear, Mo–Cu–S cage cluster, 2189
Intramolecular bonds
C–H activation, Titanium, Metallacycles, Allenes, Carbometalation, 879
Intramolecular carbonyl olefination
Thioacetal, Titanocene(II), Ring-closing metathesis, Cycloalkenes, Heterocyclic compounds, 593
Intramolecular electron transfer
Mixed-valence complexes, Ruthenium–edta complexes, Ferricyanide, Cyano-bridged complexes, 1339
Intramolecular hydrogen bonding
Ferrocenylporphyrin, π-Conjugation, Electrochemical communication, NH tautomerism, 1961
Ionic
Cryoscopy, Cyanocuprates, Reactivity, Structures, 553
Ionic strength
Yttrium, Rare earth elements, Hydrolysis, Enthalpy, Spectrophotometry, 99
Ionization constants
meso-2,3-Dimercaptosuccinic acid, Potentiometry, UV–Vis spectroscopy, Formation constants, Kinetic measurements, 2435
IR
Diazafluorenone aroylhydrazone, Transition metal aroylhydrazone complexes, Crystal structures, Enolization, ^{1}H NMR spectroscopy, 1295
Iridium
Acetylacetonates, Halogenation, 1097
Iridium
π-Allyl complexes, Allylic substitutions, Regioselectivity, Stereoselectivity, Phosphites, 557
Iridium
Ruthenium, Gold, Electron-rich, Cluster, Phosphido-bridged, Crystal structures, 2593
Iron carbonyl halides
NMR, XAFS spectroscopy, Halogen exchange reactions, Matrix isolation, 1493
Iron carbonyl
Solvothermal synthesis, Polytelluride, Iron telluride, Iron cluster, Carbonyl clusters, 1995
Iron cluster
Solvothermal synthesis, Polytelluride, Iron telluride, Iron carbonyl, Carbonyl clusters, 1995
Iron complexes
Hush theory, Mixed valence, TCNE complexes, TCNQ complexes, 137
Iron complexes
Molecular magnets, Cyano-bridged heteropolynuclear complexes, Nickel complexes, Ferromagnetic coupling, 1967
Iron complexes
Thiosemicarbazones, Electrochemistry, EPR of iron complexes, Nickel complexes, Cobalt complexes, 2059
Iron(II) complexes
Crystal structures, Cobalt(II) complexes, Octadentate ligands, 431
Iron(III)
Chromium(III), DTPA, Complexes, Thermal properties, Thermodynamics, 2421
Iron(III)
Ciprofloxacin, Solution equilibria, Surfactants, 1085
Iron(II)
Nickel(II), Crystal structures, Electronic spectra, 1333
Iron
Phthalocyanine, Dopamine, Serotonin, Coordination, 1355
Iron
Selenium, Sulfur, Synthesis, Reaction, 713
Iron telluride
Solvothermal synthesis, Polytelluride, Iron cluster, Iron carbonyl, Carbonyl clusters, 1995
Iron
Thiolate-bridged complexes, Mixed-valence, Electron-transfer, 2679
IR spectra
Cobalt(II), Cyanamidonitrate, Electronic spectra, Imidazole ligands, Nickel(II), X-ray crystallography, 1021
IR spectra
Copper–iron complexes, Cyano-bridge, Crystal structures, 1935
IR spectra
Vanadium complexes, Quinic acid complexes, Raman spectra, Thermal behavior, Potentiometric titrations, 2613
IR spectroscopy
Vanadium, Molybdenum, Heteropolyoxometalate, UV–Vis spectroscopy, EPR spectroscopy, 1917
Isatin
Thiosemicarbazone, Crystal structures, Zinc, Lead, Hexamethyleneimine, Metal(II) complexes, 1255
Isomerism
Electron spin resonance, Copper(II) complexes, Coordination modes, Histamine, L-Histidine, 1123

Isomerism
ESR, Copper(II) complexes, Glycyl-L-histidine, Formation constants, Coordination modes, 2049
Isomerism
Palladium, Platinum, Nitrite, Diphosphines, Fluxionality, 1329
Isomerization
α-Acetylenic alcohols, Rearrangement, Heterobimetallic titanium–copper systems, 1693
Isomerization
Crystal structures, *Fac* isomers, Lanthanide chloride complexes, Octahedral complexes, 199
Isomerization
Ruthenium, Polypyridine, Terpyridine, Electrocatalytic oxidation, Alcohol oxidation, 1049

Kainoids
Boronic esters, Asymmetric synthesis, Pyrrolidine, 587
Ketoconazole
Ruthenium, Clotrimazole, Paramagnetic, Metal complexes, *Trypanosoma cruzi*, Chagas, 2319
α-Ketoglutaric acid
Zinc complexes, Cobalt complex, Thiosemicarbazones, Crystal structures, Spectroscopic properties, 1895
Kinetic control
Monophasic hybrid materials, Silsesquioxane gels, Sol–gel polymerization, 307
Kinetic measurements
meso-2,3-Dimercaptosuccinic acid, Potentiometry, UV–Vis spectroscopy, Formation constants, Ionization constants, 2435
Kinetics
Dioxygen carriers, Cobalt, Dinuclear complexes, Dinucleating ligands, Polyamines, Dioxygen binding, 2447
Kinetics
Manganese(IV), Ascorbic acid, Electroprotic reactions, 1213
Kinetics
Me_2Octaen, Polyamines, Nickel(II), Equilibria, Stopped-flow, 2507
Kinetics
Oxidation, Catalysis, 3,5-Di-*tert*-butylcatechol, Copper binuclear complexes, 2367
Kinetics
Substitution, Mechanism, *cis*-Diaquabis(2,2′-bipirydyl)chromium(III), Octacyanomolybdate(IV), Octacyanotungstate(IV), 2225

Lanthanide
Carbacylamidophosphate, NMR, X-ray data, 2203
Lanthanide chloride complexes
Crystal structures, *Fac* isomers, Isomerization, Octahedral complexes, 199
Lanthanide complexes
Crystal structures, Picrate, 4-Methylmorpholine, *N*-Oxide, TG, DSC, 2313
Lanthanide complexes
Macrocycles, Chiral complexes, NMR of paramagnetic compounds, 465
Lanthanide complex
Tridentate chelate, Europium(III) chloride, 2135
Lanthanide
Erbium complex, Hydrazone, 2629
Lanthanide picrate
PBD, Fluorescence, Crystal structures, 779
Lanthanides
Contrast agents, Crystal structures, Diethylenetriaminepentaacetate, Neodymium, 771
Lanthanides(III)
Silver(I), Diethylenetriamine, *N*,*N*-dimethylformamide, Complexes, Thermodynamics, 2427
Lanthanides
Phosphine oxides, X-ray structures, 2697
Lanthanides
Phthalocyanines, Naphthalocyanines, Porphyrins, Raman, Sandwich complexes, 1381
Lanthanides
Ytterbium(III), Calixarenes, Homoazacalixarenes, Crystal structure, 2673
Lanthanum
Planar chiral, Structure, Indenyl, Yttrium, Tetrahydroborate, 1955
Layered compounds
In situ X-ray diffraction, Intercalation, Solid state, Synchrotron radiation, 297
Layered magnets
Hybrid copper(II) compounds, Dicarboxylate-based compounds, Magnetic properties, Long-range ferromagnetism, 259
Layer-like packing
Mo–S clusters, Crystal structures, Electronic structures, 733
LD-LISC effect
Schiff bases, Cobalt complexes, Spin crossover, Photosensitive ligands, 1643
Lead(II)
Aspartate, Structures, 649
Lead(II) complexes
Zinc complexes, Maltol, 3-Hydroxy-4-pyranone, 3-Hydroxy-4-pyridinone, 1,2-Dimethyl, Crystal structures, 129
Lead scandium tantalate
Metal–organic chemical vapour deposition, Precursors, Ferroelectric oxides, 351
Lead
Thiosemicarbazone, Isatin, Crystal structures, Zinc, Hexamethyleneimine, Metal(II) complexes, 1255
Lewis acid
α-Aminoacylsilanes, β-Amino alcohols, Silylcupration, Statine analogues, 529
L-Histidine
Electron spin resonance, Copper(II) complexes, Coordination modes, Histamine, Isomerism, 1123
Ligands
Heck reactions, Palladium, Phosphane, Sulfane, Mechanism, 517
Liposomes
Calcium phosphates, Biomimetics, Biomineralization, 357
Liquid clathrates
15-Crown-5 complexes, X-ray crystallography, Oxonium ion, 85
Liquid crystals
Discotic complexes, Columnar complexes, π-acceptors, Dithiolene, 267
Lithium
Hydroborates, Titanium(IV), Bonding, Crystal structures, 1579
Lithium niobate
Heterometallic aryloxides, Monomeric compounds, Niobium, Percursors, 1037
Lithography
Photochemistry, Surface chemistry, Photochemical metal organic deposition, Gold, 343
Long-range ferromagnetism
Hybrid copper(II) compounds, Dicarboxylate-based compounds, Magnetic properties, Layered magnets, 259
Low-pressure metal organic chemical vapour deposition
Dithiophosphinates, II/VI Semiconductors, 211
Luminescence properties
Electrochemical studies, Heterodinuclear complexes, Homodinuclear complexes, Osmium(II) complexes, Ruthenium(II) complexes, Syntheses, 1233
Luminescence studies
Europium compounds, Hydrotris(pyrazolyl)borate ligands, X-ray crystal structures, 1707

Macrocycles
Lanthanide complexes, Chiral complexes, NMR of paramagnetic compounds, 465
Macrocycle
Sol–gel, Aggregation, Tetrasulfophthalocyanines, Monolith, Silica, 2383
Macrocycles
Synthesis, Complexes, Equilibria, 2501
Macrocycle
Thiolate, Electrochemistry, Crystal structures, 1887
Macrocyclic ligands
Asorption spectra, Copper(III), Nickel(III), Dioxotetraamines, 2533
Macrocyclic ligands
Catechols, Oxovanadium complexes, ESR parameters, Distorted square-pyramid, Hydrophobic cavities, 1167
Macrocyclic ligands
Naphthylmethyl fluorescent groups, Aza–oxa crowns, 1867
Macrocyclic ligands
Thiosemicarbazones, Electrochemistry, Copper complexes, Dithio-Schiff base complexes, 441
Macrocyclic polyamine ligand
Crystal structures, Synthesis, Manganese complexes, Octa- and hepta-coordination, 2095

Macrocyclic polyether 18-crown-6
Acetonitrile, Alkaline earth metal ions, Transition metal ions, 1681
Magnesia
Dolomite, Crystallite size, Degree of agglomeration, X-ray diffraction, SEM, 2345
Magnesium
Aryloxide, Structure, Adduct, 2557
Magnesium
Cycloadditions, Dienes, Indium, Trienes, 533
Magnetic and spectral properties
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)-iminodiacetic acid, *N*-(2-Acetamide)-iminodiacetic acid, *cis*-Diaqua(*N* - carbamoylmethyl - iminodiacetato)nickel(II), Molecular and crystal structure, Thermal stability, 2463
Magnetic measurements
Nickel(II), Mononuclear compounds, Crystal structures, Nitrito ligands, 225
Magnetic properties
Alternating chain, Dimer complex, Crystal structure, 1461
Magnetic properties
Azido-bridged nickel(II) compounds, Crystal structures, 1575
Magnetic properties
Binuclear Cu(II) complexes, Electrochemistry, ESR, 1769
Magnetic properties
Binuclear nickel(II) complex, Binuclear manganese(II) complex, Crystal structures, Tris(6-methyl-2-pyridylmethyl)amine, 1559
Magnetic properties
Carboxylato-bridged copper(II) complex, Crystal structure, 2529
Magnetic properties
Copper(I,II) complexes, α,β-Unsaturated carboxylates, Triphenylphosphine, Crystal structures, 891
Magnetic properties
Crystal structures, Cu dimers, Di-(2-pyridyl)ketone, Ferromagnetic dimers, Spin triplet, 1005
Magnetic properties
Crystal structures, Dinuclear complexes, Manganese, Cobalt, Nickel, 93
Magnetic properties
Crystal structures, Metavanadate complexes, Nickel complexes, Copper complexes, Hydrothermal synthesis, 2521
Magnetic properties
Dimers, Geometrical distortions, Magnetostructural correlations, 2483
Magnetic properties
Hybrid copper(II) compounds, Dicarboxylate-based compounds, Layered magnets, Long-range ferromagnetism, 259
Magnetic properties
N-salicylidenearoylhydrazine copper(II) complexes, Copper(II) imidazole ternary complexes, Copper(II) imidazolate ternary complexes, X-ray crystal structures, Molecular structures, Infrared spectra, 1181
Magnetic properties
N-salicylidenearoylhydrazines, Copper(II) complexes, X-ray crystal structures, Molecular structures, Infrared spectra, 949
Magnetic properties
1,3-propylenediaminetetraacetate, Cu(II) complexes, Mn(II) complexes, Crystal structures, Thermal properties, 1175
Magnetic, spectral and thermal properties
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-amidomethyl)-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Imidazole, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl-iminodiacetato)nickel(II) sesquihydrate, Aqua(imidazole)(*N* - carbamoylmethyl-iminodiacetato)cobalt(II) sesquihydrate, Molecular and crystal structures, 2473
Magnetic susceptibility
Pyridine *N*-oxide ligands, Cobalt(II) complexes, Zinc(II) complexes, X-ray structures, 2195
Magnetism
Copper(II) complexes, Deprotonated pyridine-2,6-dicarboxamide ligands, Singly hydroxo-bridged, Crystal structures, 1423
Magnetism
Crystal structures, Binuclear copper compounds, Oxalato-bridged compounds, 1105
Magnetism
Dinucleating alkoxide ligands, Copper(II) complexes, X-ray structures, Hetero-bridged complexes, Magneto-structural trends, 1429
Magnetism
Dithiocarboxylate, Vanadium(IV), EPR, Infrared, Coordination, 2155
Magnetochemical data
Effortil, Cu(II) complexes, Structures, Stability constants, EPR, 1843
Magnetostructural correlations
Magnetic properties, Dimers, Geometrical distortions, 2483
Magneto-structural trends
Dinucleating alkoxide ligands, Copper(II) complexes, X-ray structures, Hetero-bridged complexes, Magnetism, 1429
MALDI
Trirhenium(III) clusters, Rhenium clusters, Acetamidate, Dimolybdenum(II), Mass spectroscopy, 1245
Maltol
Zinc complexes, Lead(II) complexes, 3-Hydroxy-4-pyranone, 3-Hydroxy-4-pyridinone, 1,2-Dimethyl, Crystal structures, 129
Manganese
Chromium, Salen, Catalysis, Enantioselection, Nozaki–Hiyama–Kishi reaction, 537
Manganese complexes
Crystal structures, Synthesis, Macrocyclic polyamine ligand, Octa- and hepta-coordination, 2095
Manganese complexes
Metallamacrocycles, Hexanuclear clusters, Pentadentate ligands, Hydrophobic aliphatic tripled tails, 1985
Manganese complexes
Schiff bases, Manganoenzymes, Photolysis, Catalase, Dioxygen, 47
Manganese
Crystal structures, Magnetic properties, Dinuclear complexes, Cobalt, Nickel, 93
Manganese(II) complexes
Fumaric acid, Crystal structures, Fungitoxic activity, 1205
Manganese(II)
Potentiometry, Equilibria, Stability constants, Cobalt(II), Nickel(II) complexes, Aminopolyphosphonates, UV–VIS spectra, 2083
Manganese(IV)
Kinetics, Ascorbic acid, Electroprotic reactions, 1213
Manganoenzymes
Manganese complexes, Schiff bases, Photolysis, Catalase, Dioxygen, 47
Mass spectroscopy
Trirhenium(III) clusters, Rhenium clusters, Acetamidate, Dimolybdenum(II), MALDI, 1245
Matrix isolation
Iron carbonyl halides, NMR, XAFS spectroscopy, Halogen exchange reactions, 1493
Mechanism
Carbon dioxide, Dimethyl carbonate, Homogeneous catalysis, Supercritical conditions, 573
Mechanism
Heck reactions, Palladium, Phosphane, Sulfane, Ligands, 517
Mechanism
Kinetics, Substitution, *cis*-Diaquabis(2,2′-bipirydyl)chromium(III), Octacyanomolybdate(IV), Octacyanotungstate(IV), 2225
11-Membered metallocyclic ring
Synchrotron radiation, Metallocalix[6]arene, 2657
Me_2Octaen
Polyamines, Nickel(II), Equilibria, Kinetics, Stopped-flow, 2507
3-Mercaptopropyltrimethoxysilane
Ethylenimine, Immobilization, Silica gels, 367
Mercury
Clusters, Thiocyanante, Host–guest chemistry, 871
Mercury complexes
Cadmium complexes, Sulfamides, X-ray structure, Zinc complexes, 991
Mercury(II) complexes
Triphenylphosphine, Benzothiazole-2-thione, pyrimidine-2-thione, Crystal structures, 2231
Mercury(II) halides
Phosphine complexes, Crystal structures, 1719

Mercury(II)
Trichlorovinyl, Crystal structures, Complexes, Bidentate ligands, 2539
Mercury(II)
Zinc(II), Cadmium(II), Tris(2-benzimidazolylmethyl)amine, X-ray diffraction structures, NMR data, 1479
meso-2,3-dimercaptosuccinic acid
Multinuclear NMR, Tungsten, 193
meso-2,3-Dimercaptosuccinic acid
Potentiometry, UV–Vis spectroscopy, Formation constants, Ionization constants, Kinetic measurements, 2435
Mesophase materials
CdS nanoclusters, Ruthenium(II) polypyridyls, Functionalized nanoclusters, Molecular devices, 331
Metal clusters
Rhenium, Sulfur, Selenium, Tellurium, Crystal structures, 437
Metal complexes
Pyriding N-oxides, Hydrogenation, Structures, 835
Metal complexes
Ruthenium, Clotrimazole, Ketoconazole, Paramagnetic, *Trypanosoma cruzi*, Chagas, 2319
Metal complexes
Sulfamethizole, Crystal structures, Spectroscopic properties, 1859
Metal(II) complexes
Thiosemicarbazone, Isatin, Crystal structures, Zinc, Lead, Hexamethyleneimine, 1255
Metal(II) compounds
Diclofenac, Spectroscopic properties, Thermal properties, 2515
Metallacycles
C–H activation, Intramolecular bonds, Titanium, Allenes, Carbometalation, 879
Metallamacrocycles
Hexanuclear clusters, Manganese complexes, Pentadentate ligands, Hydrophobic aliphatic tripled tails, 1985
Metallation
Osmium, X-ray structures, 1081
Metallocalix[6]arene
11-Membered metallocyclic ring, Synchrotron radiation, 2657
Metallocycles
Palladium(II) complexes, Aminophosphate complexes, Spectroscopy, Antitumour activity, 937
Metallomesogens
Rhenium, Nematic phases, Chiral nematic phases, 249
Metal–organic chemical vapour deposition
Precursors, Lead scandium tantalate, Ferroelectric oxides, 351
Metal–oxalate complexes
Aromatic amines, Amberlite anion-exchange resin, Oxalate anions, Oxidation, Homogeneous and heterogeneous, 1317
Metathesis
Antimonides, Arsenides, Phosphides, 829
Metavanadate complexes
Crystal structures, Nickel complexes, Copper complexes, Hydrothermal synthesis, Magnetic properties, 2521
Methanolysis
Amine oxide, Rhenium, Osmium, Carbonyl, Methylcarbonate, 641
Methylaluminoxane (MAO)
Palladium(II) complexes, Mixed donor ligands, *Trans*-influence, X-ray crystallography, Norbornene, Polymerization, 1601
Methylcarbonate
Amine oxide, Methanolysis, Rhenium, Osmium, Carbonyl, 641
1-Methyl-2-ethyl-3-hydroxy-4-pyridinonate
Crystal structures, 2-Ethyl-3-hydroxy-4-pyranonate, Ethylmaltol, Tin(IV), Titanium(IV), 399
4-Methylmorpholine
Crystal structures, Lanthanide complexes, Picrate, *N*-Oxide, TG, DSC, 2313
Methyl nicotinates
Copper(I) thiocyanate complexes, Ethyl nicotinates, Ethyl isonicotinate complexes, Crystal structures, Trigonal planar anions, 615
3-methylpiperidine
Platinum complexes, Dicarboxylates, Synthesis, Crystal structures, 983
Mixed donor ligands
Palladium(II) complexes, *Trans*-influence, X-ray crystallography, Methylaluminoxane (MAO), Norbornene, Polymerization, 1601
Mixed electrolytes
3:3 Electrolytes, Activity coefficients, Electrolytic solutions, High-charge salts, High valency electrolytes, 2493
Mixed-ligand complexes
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-amidomethyl)-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Imidazole, Aqua(imidazole)(*N*-carbamoylmethyl-iminodiacetato)nickel(II) sesquihydrate, Aqua(imidazole)(*N*-carbamoylmethyl - iminodiacetato)cobalt(II) sesquihydrate, Molecular and crystal structures, Magnetic, spectral and thermal properties, 2473
Mixed-ligand complexes
Solution equilibrium, Hydroxamic acid, Copper(II), nickel(II) and zinc(II) complexes, 1727
Mixed-valence complexes
Ruthenium–edta complexes, Ferricyanide, Cyanobridged complexes, Intramolecular electron transfer, 1339
Mixed valence
Equilibrium, Copper, Disproportionation, Temperature effects, 2289
Mixed valence
Hush theory, Iron complexes, TCNE complexes, TCNQ complexes, 137
Mixed-valence
Thiolate-bridged complexes, Electron-transfer, Iron, 2679
Mn(II) complexes
1,3-propylenediaminetetraacetate, Cu(II) complexes, Crystal structures, Thermal properties, Magnetic properties, 1175
MO calculations
Ruthenium, Phenanthroline, *Cis–trans*, Barriers, Field strength, 2297
Mo–Cu–S cage cluster
Dodecanuclear, Interstitial group, 2189
Model of metal–guanine interaction
Dialkoxo-bridged binuclear Cu(II) complexes, Single crystal structures, Thermal decompostion, Theophylline, Diethanolamine(2,2′-iminodiethanol), 457
Modified electrodes
Polymeric metallophthalocyanines, Electrooxidation of hydrazine, Poly(cobalt–tetraaminophthalocyanine), Impedance spectroscopy, 2303
Molecular and crystal structure
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)-iminodiacetic acid, *N*-(2-Acetamide)-iminodiacetic acid, *cis*-Diaqua(*N* - carbamoylmethyl - iminodiacetato)nickel(II), Magnetic and spectral properties, Thermal stability, 2463
Molecular and crystal structures
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-amidomethyl)-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Imidazole, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl - iminodiacetato)nickel(II) sesquihydrate, Aqua(imidazole)(*N* - carbamoylmethyl - iminodiacetato)cobalt(II) sesquihydrate, Magnetic, spectral and thermal properties, 2473
Molecular devices
CdS nanoclusters, Ruthenium(II) polypyridyls, Functionalized nanoclusters, Mesophase materials, 331
Molecular magnets
Cyano-bridged heteropolynuclear complexes, Iron complexes, Nickel complexes, Ferromagnetic coupling, 1967
Molecular motion
Deoxycholic acid, Ferrocene derivatives, Inclusion compounds, ^{57}Fe Mössbauer spectroscopy, Powder X-ray diffraction patterns, 205
Molecular structures
N-salicylidenearoylhydrazine copper(II) complexes, Copper(II) imidazole ternary complexes, Copper(II) imidazolate ternary complexes, X-ray crystal structures, Magnetic properties, Infrared spectra, 1181
Molecular structures
N-salicylidenearoylhydrazines, Copper(II) complexes, X-ray crystal structures, Magnetic properties, Infrared spectra, 949
Molybdenum
Bridging ligands, Butadienyl, Chiral substituents, 791
Molybdenum complexes
Aerial oxidation of aldehydes, 1133
Molybdenum complexes
Cluster compounds, Tellurium-rich compounds, De-tellurium reaction, Crystal structures, 925

Molybdenum complexes
Tungsten complexes, Pyrazine complexes, Peroxo ligands, Crystal structures, 1503
Molybdenum
Hydrazido, Diazenido, Dialkyldithiocarbamato, Hydrazines, 2327
Molybdenum(II)
Tungsten(II), Crystal structures, *o*-Phenylenediacetonitrile, Bimetallic complexesw, Trimetallic complexes, Nitrile-bridged complexes, Seven-coordinate complexes, Halocarbonyls, 147
Molybdenum
Nitrides, Alkoxides, Synthesis, X-ray structures, NMR fluxionality, Pseudorotation, 1363
Molybdenum
Nitrosyl complex, Chromium, Carboxylate, DFT, 2565
Molybdenum
Oxocluster complexes, Hantzsch synthesis, Crystal structures, Hexanuclear molybdenum(V) complexes, 1471
Molybdenum–oxo complexes
Photochemistry, Photooxidation, Phosphines, Phosphine oxides, Crystal structures, 1437
Molybdenum
Polyoxometalate, Oxyhalide, X-ray structure, High acidity, 43
Molybdenum
Selenoether, Telluroether, Sulfur macrocycles, Chromium, Tungsten, 1373
Molybdenum
Tantalum, Trimetallic alkoxides, Crystal structures, 1791
Molybdenum
Vanadium, Heteropolyoxometalate, IR spectroscopy, UV–Vis spectroscopy, EPR spectroscopy, 1917
Molybenum(VI) cations
Equilibrium constants, Thermodynamic quantities, 907
Monolith
Sol–gel, Aggregation, Tetrasulfophthalocyanines, Macrocycle, Silica, 2383
Monomeric compounds
Heterometallic aryloxides, Lithium niobate, Niobium, Percursors, 1037
Mononuclear chelation
Oxovanadium(V) alkoxides, Crystal structures, Hydrogen bonded helical structures, 931
Mononuclear complexes
Electrochemical synthesis, Phenoxo bridges, Polyhydroxyl ligands, Polynuclear complexes, Schiff base ligands, 185
Mononuclear compounds
Nickel(II), Crystal structures, Nitrito ligands, Magnetic measurements, 225
Mononuclear
Tungsten pentacarbonyl complexes, 1,4-Bipyridine, 1,2-Bis(4-pyridyl)ethane, 1621
Monophasic hybrid materials
Silsesquioxane gels, Kinetic control, Sol–gel polymerization, 307
$Mo_2O_4^{2+}$ unit
Oxomolybdenum(V) compounds, Clusters, Pyridine, Alkyl-substituted pyridines, 1219
Mo–S clusters
Crystal structures, Electronic structures, Layer-like packing, 733
Mössbauer spectroscopy
Ferrocenophane, Inorganic polymers, Silanol, Ring-opening polymerization, 275
Mo(V, VI) compounds
Solvothermal synthesis, Crystal structures, Oxomolybdenum(V) coordination compounds, Alkyl-substituted pyridines, 1407
Multimetallic
Cobalt carbonyl complexes, Tungsten(II), Alkyne complexes, Chain triphos-bridged, 1585
Multinuclear NMR
meso-2,3-dimercaptosuccinic acid, Tungsten, 193

N-(2-Acetamide)-iminodiacetic acid
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)-iminodiacetic acid, *cis*-Diaqua(*N*-carbamoylmethyl-iminodiacetato)nickel(II), Molecular and crystal structure, Magnetic and spectral properties, Thermal stability, 2463
N-(2-acetamido)-iminodiacetic acid
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-amidomethyl)-iminodiacetic acid, Imidazole, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl-iminodiacetato)nickel(II) sesquihydrate, Aqua(imidazole)(*N* - carbamoylmethyl-iminodiacetato)cobalt(II) sesquihydrate, Molecular and crystal structures, Magnetic, spectral and thermal properties, 2473
N-(2-Amidomethyl)-iminodiacetic acid
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Acetamide)-iminodiacetic acid, *cis*-Diaqua(*N* - carbamoylmethyl-iminodiacetato)nickel(II), Molecular and crystal structure, Magnetic and spectral properties, Thermal stability, 2463
N-(2-amidomethyl)-iminodiacetic acid
N-carbamoylmethyl-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Imidazole, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl - iminodiacetato)nickel(II) sesquihydrate, Aqua(imidazole)(*N* - carbamoylmethyl - iminodiacetato)cobalt(II) sesquihydrate, Molecular and crystal structures, Magnetic, spectral and thermal properties, 2473
Nanoparticles
Heteronuclear catalysts, Immobilization, Sol–gel matrices, 509
Naphthalocyanines
Phthalocyanines, Porphyrins, Raman, Sandwich complexes, Lanthanides, 1381
Naphthylazoimidazoles
Platinum(II), PtN_4 coordination, Electrochemistry, X-ray structures, 1263
Naphthylmethyl fluorescent groups
Macrocyclic ligands, Aza–oxa crowns, 1867
N-(Carbamoylmethyl)iminodiacetic acid
N-(2-Amidomethyl)-iminodiacetic acid, *N*-(2-Acetamide)-iminodiacetic acid, *cis*-Diaqua(*N*-carbamoylmethyl-iminodiacetato)nickel(II), Molecular and crystal structure, Magnetic and spectral properties, Thermal stability, 2463
N-carbamoylmethyl-iminodiacetic acid
N-(2-amidomethyl)-iminodiacetic acid, *N*-(2-acetamido)-iminodiacetic acid, Imidazole, Mixed-ligand complexes, Aqua(imidazole)(*N* - carbamoylmethyl-iminodiacetato)nickel(II) sesquihydrate, Aqua(imidazole)(*N* - carbamoylmethyl-iminodiacetato)cobalt(II) sesquihydrate, Molecular and crystal structures, Magnetic, spectral and thermal properties, 2473
Nematic phases
Metallomesogens, Rhenium, Chiral nematic phases, 249
Neodymium
Contrast agents, Crystal structures, Diethylenetriaminepentaacetate, Lanthanides, 771
Neodymium
Synthesis, Crystal structure, Aryloxide, Anion–cation pair compound, 2243
Network structures
α,α′-Bis(pyrazolyl)-*m*-xylene, Copper(II) complexes, X-ray structure, Absorption spectroscopy, Electron spin resonance, 719
NH tautomerism
Ferrocenylporphyrin, π-Conjugation, Electrochemical communication, Intramolecular hydrogen bonding, 1961
N′-2-Hydroxypropyl derivatives
N′-2-Pyridylmethyl derivatives, Stability constant, 2027
Nickel bisdithiolenes
Crystal structures, Cyclic voltammetry, Strong near-IR absorption, 425
Nickel complexes
Binucleating ligand, Copper complexes, Crystal structures, Redox chemistry, 2011
Nickel complexes
Crystal structures, Copper complexes, Schiff bases, Uracil, 689
Nickel complexes
Crystal structures, Metavanadate complexes, Copper complexes, Hydrothermal synthesis, Magnetic properties, 2521
Nickel complexes
Molecular magnets, Cyano-bridged heteropolynuclear complexes, Iron complexes, Ferromagnetic coupling, 1967
Nickel complexes
Thiosemicarbazones, Electrochemistry, Iron complexes, EPR of iron complexes, Cobalt complexes, 2059

Nickel complex
Tetra-aza ligands, CP-MAS NMR, Template reaction, 2149
Nickel
Copper, Cobalt, Palladium, dmit, 4,5-bis(2-pyridylmethylsulfanyl)-1,3-dithiole-2-thione, 4,5-bis(2-pyridylethylsulfanyl)-1,3-dithiole-2-thione, 665
Nickel
Crystal structures, Magnetic properties, Dinuclear complexes, Manganese, Cobalt, 93
Nickel
Dithiolene, Dinuclear complexes, Acid–base, Solvatochromism, Carbon disulfide, 1283
Nickel(II)
Binucleating hexa-aza macrocycle, Copper(II), Cobalt(II), Zinc(II), Crystal structures, Phosphotriester, Hydrolysis, 1485
Nickel(II)
Cobalt(II), Cyanamidonitrate, Electronic spectra, Imidazole ligands, IR spectra, X-ray crystallography, 1021
Nickel(II) complexes
Potentiometry, Equilibria, Stability constants, Manganese(II), Cobalt(II), Aminopolyphosphonates, UV–VIS spectra, 2083
Nickel(II) complex
Syntheses, Crystal structures, Cobalt(II) complex, 4-(*p*-Methylphenyl)-3,5-bis-(pyridin-2-yl)-1,2,4-triazole, ESIMS, 2019
Nickel(III)
Asorption spectra, Copper(III), Dioxotetraamines, Macrocyclic ligands, 2533
Nickel(II)/(III) complexes
Crystal structures, Electrochemistry, EPR, Schiff base complexes, 655
Nickel(II)
Iron(II), Crystal structures, Electronic spectra, 1333
Nickel(II)
Me_2Octaen, Polyamines, Equilibria, Kinetics, Stopped-flow, 2507
Nickel(II)
Mononuclear compounds, Crystal structures, Nitrito ligands, Magnetic measurements, 225
Nickel(II)nitrite
Cis–trans isomerism, Crystal structures, 1,2-Diamino-2-methylpropane, 1015
Nickel(II) piperidinedithiocarbamate complexes
Synthesis, X-ray structure, 1713
Nickel(II)selenocyanate
Bis(3-aminopropyl)amine, (2-Aminoethyl)(3-aminopropyl)amine, Bis(2-aminoethyl)methylamine, Thermochromism, 1903
Nickel(II)thiocyanate
1-(2-Aminoethyl)pyrrolidine, Crystal structures, *cis*/*trans* Isomers, 1803
Nickel
Phthalocyanine complexes, Phthalonitrile derivatives, Crown-ether, Copper, Cobalt, Alkaline metal extraction, 115
Nicotinate
Bis(η-cyclopentadienyl)titanium(IV), Crystal structures, Diphenylphosphinoacetate, Heterometallics, Thiophenoxyacetate, 757
Ni(II) complexes
Tripodal ligand, Crystal structures, Spectroscopic studies, 2661
Niobium
Heterometallic aryloxides, Lithium niobate, Monomeric compounds, Percursors, 1037
Nitration
Cymene, Pyrazolyl, Ruthenium, Structure, Synthesis, 475
Nitric oxide
Cobalt, Electrocatalysis, Oxidation, Phthalocyanine, Reduction, 229
Nitrides
Molybdenum, Alkoxides, Synthesis, X-ray structures, NMR fluxionality, Pseudorotation, 1363
Nitrido complexes
Rhenium, Imido complexes, EPR spectroscopy, X-ray structures, 1741
Nitrile-bridged complexes
Molybdenum(II), Tungsten(II), Crystal structures, *o*-Phenylenediacetonitrile, Bimetallic complexesw, Trimetallic complexes, Seven-coordinate complexes, Halocarbonyls, 147
Nitrite
Palladium, Platinum, Diphosphines, Isomerism, Fluxionality, 1329
Nitrito ligands
Nickel(II), Mononuclear compounds, Crystal structures, Magnetic measurements, 225
Nitrobenzene catalytic reduction
Rhodium complexes, 2-picoline, Water gas shift reaction, 487
Nitrogen-donor ligands
Zinc, Bis(pyrazolyl)silanes, Crystal structures, 1815
Nitrosobenzene cycloaddition
Regioselectivity, Organoiron compounds, Decomplexation, Heterocycloaddition trap, Alkaloid synthesis, 569
Nitrosonaphthol
Crystal structures, Ruthenium nitrosonaphthol complexes, 7
Nitrosyl complex
Chromium, Molybdenum, Carboxylate, DFT, 2565
NMR data
Zinc(II), Cadmium(II), Mercury(II), Tris(2-benzimidazolylmethyl)amine, X-ray diffraction structures, 1479
NMR fluxionality
Molybdenum, Nitrides, Alkoxides, Synthesis, X-ray structures, Pseudorotation, 1363
NMR
Heteroscorpionate tris(3-*R*-pyrazolyl)-borate cobalt(II) complexes, Structures, 2119
NMR
Iron carbonyl halides, XAFS spectroscopy, Halogen exchange reactions, Matrix isolation, 1493
NMR
Lanthanide, Carbacylamidophosphate, X-ray data, 2203
NMR of paramagnetic compounds
Macrocycles, Lanthanide complexes, Chiral complexes, 465
NMR
Platinum(II), Sulfoxide, *N*,*N*-Dialkyl-*N*′-(3-*R*-benzoyl)thiourea, Acylthiourea, Chemotherapeutic agents, 1347
NMR
Sol-gel, Hybrid materials, Siloxane, Silicon-29, Oxygen-17, 315
NMR spectroscopy
Copper(II), Cobalt(III), Pyridylmethyl-tetraazadecane, 1447
N,*N*-Dialkyl-*N*′-(3-*R*-benzoyl)thiourea
Platinum(II), Sulfoxide, Acylthiourea, NMR, Chemotherapeutic agents, 1347
N,*N*-dimethylformamide
Lanthanides(III), Silver(I), Diethylenetriamine, Complexes, Thermodynamics, 2427
N,*N*′-Ethylenebis(amino acid)
Oxovanadium(IV) complexes, TG-DTA, 1311
^{15}N NMR
Zn(II) complexes, 1,2,4-Triazolo-[1,5α]-pyrimidine, HETCOR, CPMAS, 965
Nobium
Titanium, Tantalum, Aryloxide, Bisphenol, Hydrogenation, 35
Nonlinear optical properties
Tetrathiometalate, Synthesis, Copper compounds, Crystal structures, Dppm, 1545
Non-planar conjugated ligands
Crystal structures, Europium(III) complexes, Fluorescence spectra, 785
Norbornene
Palladium(II) complexes, Mixed donor ligands, *Trans*-influence, X-ray crystallography, Methylaluminoxane (MAO), Polymerization, 1601
N-Oxide
Crystal structures, Lanthanide complexes, Picrate, 4-Methylmorpholine, TG, DSC, 2313
Nozaki–Hiyama–Kishi reaction
Chromium, Salen, Manganese, Catalysis, Enantioselection, 537
N′-2-Pyridylmethyl derivatives
N′-2-Hydroxypropyl derivatives, Stability constant, 2027
N-salicylidenearoylhydrazine copper(II) complexes
Copper(II) imidazole ternary complexes, Copper(II) imidazolate ternary complexes, X-ray crystal structures, Molecular structures, Magnetic properties, Infrared spectra, 1181
N-salicylidenearoylhydrazines
Copper(II) complexes, X-ray crystal structures, Molecular structures, Magnetic properties, Infrared spectra, 949

N-Salicylidene derivatives
Schiff base complexes, X-ray structures, Zn(II) complexes, 673
N-Tosyl ligands
Bridged structures, Crystal structures, Heteronuclear multiple bond coherence, Zinc porphyrin complexes, 413
Nuclear magnetic resonance
Crystal structures, Cu^{2+} porphyrin complexes, Protonated porphyrins, SAT complexes, Electron spin resonance, 633
Nuclear reprocessing
Calixcrowns, Caesium ion, Sodium ion, Perrhenate ion, Pertechnetate ion, 1749
Nucleophilic
Additions, Alkylation, Insertions, Schiff bases, Titanium, 177
Nucleotides
Carcinogenic, Chromium, 417

Octa- and hepta-coordination
Crystal structures, Synthesis, Macrocyclic polyamine ligand, Manganese complexes, 2095
Octacyanomolybdate(IV)
Kinetics, Substitution, Mechanism, *cis*-Diaquabis(2,2′-bipirydyl)chromium(III), Octacyanotungstate(IV), 2225
Octacyanotungstate(IV)
Kinetics, Substitution, Mechanism, *cis*-Diaquabis(2,2′-bipirydyl)chromium(III), Octacyanomolybdate(IV), 2225
Octadentate ligands
Crystal structures, Cobalt(II) complexes, Iron(II) complexes, 431
Octahedral complexes
Crystal structures, *Fac* isomers, Isomerization, Lanthanide chloride complexes, 199
Olefin polymerizations
Zirconocene, Crystal structures, Catalysis, 1941
Olefins
Alkynes, Functionalized metalloalkynes, Polymetallated olefins, Titanium, 563
Olefins
Porphyrins, Hemoprotein models, Chiral catalysts, Epoxidation, 581
One-dimensional polymers
Dirhodium(II) compounds, Trifluoroacetate, Arene coordination, π-Complexes, Crystal structures, 1829
O,O-Alkylene dithiophosphate acids and ligands
Organotellurium(IV), 407
o-Phenylenediacetonitrile
Molybdenum(II), Tungsten(II), Crystal structures, Bimetallic complexesw, Trimetallic complexes, Nitrile-bridged complexes, Seven-coordinate complexes, Halocarbonyls, 147
Organocopper reagents
Hydroformylation, Catalysis, Asymmetric synthesis, Domino reactions, 513
Organogermane halides
Alkoxyalkynes, Aminoalkynes, Addition reactions, Organophosphorus halides, Organosilane halides, Pd-catalyzed cross-coupling reactions, 597
Organoiron compounds
Nitrosobenzene cycloaddition, Regioselectivity, Decomplexation, Heterocycloaddition trap, Alkaloid synthesis, 569
Organolanthanide complexes
Ether-side chain cyclopentadienyl, Cyclooctatetraenyl, Crystal structures, 453
Organophosphorus halides
Alkoxyalkynes, Aminoalkynes, Addition reactions, Organosilane halides, Organogermane halides, Pd-catalyzed cross-coupling reactions, 597
Organophosphoryl polyoxotungstate
Polyoxometalate, Synthesis, ^{183}W NMR, 125
Organosilane halides
Alkoxyalkynes, Aminoalkynes, Addition reactions, Organophosphorus halides, Organogermane halides, Pd-catalyzed cross-coupling reactions, 597
Organotellurium(IV)
O,O-Alkylene dithiophosphate acids and ligands, 407
Organotin(IV) complexes
Heterocyclic bis(thiosemicarbazone), Heptacoordinate complexes, Binuclear zinc complexes, 841
Organotin(IV)
Phosphorothiates, Bioactive groups, Cholesteryl, 1539
Organotin(IV)
Poly(pyrazol-1-yl)alkanes, X-ray structure, 381
Organotin(IV)
Poly(triazol-1-yl)alkanes, X-ray structure, 1949
Osmium
Amine oxide, Methanolysis, Rhenium, Carbonyl, Methylcarbonate, 641
Osmium
Ditelluroether, X-ray structures, 235
Osmium
Dithiolate complexes, Ruthenium, X-ray structures, 1073
Osmium(II) complexes
Electrochemical studies, Heterodinuclear complexes, Homodinuclear complexes, Luminescence properties, Ruthenium(II) complexes, Syntheses, 1233
Osmium
Silica, Titanium(IV), Ruthenium, 2277
Osmium
Triphenylphosphine, 2-(Phenylazo)-pyridine, Synthesis, Structures, Reactivities, 1227
Osmium
X-ray structures, Metallation, 1081
Oxalate anions
Aromatic amines, Amberlite anion-exchange resin, Metal–oxalate complexes, Oxidation, Homogeneous and heterogeneous, 1317
Oxalato-bridged compounds
Crystal structures, Binuclear copper compounds, Magnetism, 1105
Oxidation
Aromatic amines, Amberlite anion-exchange resin, Oxalate anions, Metal–oxalate complexes, Homogeneous and heterogeneous, 1317
Oxidation
Catalysis, 3,5-Di-*tert*-butylcatechol, Kinetics, Copper binuclear complexes, 2367
Oxidation
Cobalt, Electrocatalysis, Nitric oxide, Phthalocyanine, Reduction, 229
Oximes
Transition metal complexes, Electronic spectral data, Benzil-α-monoxime, 1687
μ-oxo-Bridged cations
Crown ether complexation, Crystal structures, Bridging oxygen atoms, 1799
Oxocluster complexes
Molybdenum, Hantzsch synthesis, Crystal structures, Hexanuclear molybdenum(V) complexes, 1471
Oxo ligands
Thiolates, Titanium, Trimers, 1139
Oxomolybdenum(V) compounds
Clusters, $Mo_2O_4^{2+}$ unit, Pyridine, Alkyl-substituted pyridines, 1219
Oxomolybdenum(V) coordination compounds
Solvothermal synthesis, Crystal structures, Mo(V, VI) compounds, Alkyl-substituted pyridines, 1407
Oxonium derivatives
closo-Dodecaborate, Functional derivatives, Amino acids, Boron neutron capture therapy, 627
Oxonium ion
15-Crown-5 complexes, Liquid clathrates, X-ray crystallography, 85
Oxovanadium complexes
Catechols, Macrocyclic ligands, ESR parameters, Distorted square-pyramid, Hydrophobic cavities, 1167
Oxovanadium(IV) complexes
N,N′-Ethylenebis(amino acid), TG-DTA, 1311
Oxovanadium(IV) complexes
Pyridinecarboxylic acids, pH-metry, Spectral studies, Speciation, 55
Oxovanadium(V) alkoxides
Mononuclear chelation, Crystal structures, Hydrogen bonded helical structures, 931
Oxovanadium(V) dimers
Alkoxo compounds of oxovanadium(V), Crystal structure of compounds of oxovanadium(V), Hydrazonato compounds of oxovanadium(V), Reactivity of bis(β-dionato)oxovanadium(IV) chelates, Hydrazonato tridentate Schiff base ligands, 2003
Oxygen-atom transfer
Dioxomolybdenum dipicolinate, Azoxybenzene deoxygenation, 2141
Oxygen-17
Sol-gel, NMR, Hybrid materials, Siloxane, Silicon-29, 315
Oxygen
Solubility, Solubilization enthalpy, Solubilization entropy, Cavity, 2457

Oxyhalide
Polyoxometalate, Molybdenum, X-ray structure, High acidity, 43

P-alkylation
Gold(I) complexes, Cationic ylide ligand, Bis(methyldiphenylphosphonio)methylide salts, 1837
Palladium
Amido, Diimine, Dimer, Hydroxo, Platinum, 155
Palladium catalysts
Asymmetric alkylation, Asymmetric rearrangements, Chiral ligands, Chiral sulfoxides, 525
Palladium catalyzed reactions
Halide ions, Coupling reactions, Protonolysis, 577
Palladium complexes
Crystal structures, Platinum complexes, Diphosphine complexes, Tetraphosphine complexes, Bimetallic complexes, 913
Palladium
Copper, Cobalt, Nickel, dmit, 4,5-bis(2-pyridylmethylsulfanyl) - 1,3 - dithiole - 2-thione, 4,5-bis(2-pyridylethylsulfanyl)-1,3-dithiole-2-thione, 665
Palladium
1,5-diene, Cross coupling, Terpenoids, Carboalumination, 591
Palladium
Diethyldithiocarbamate, Diphosphines, Tetrachlorometallate anions, X-ray crystal structures, 1511
Palladium
Heck reactions, Phosphane, Sulfane, Ligands, Mechanism, 517
Palladium
Hydroxo complexes, Pyrazolylalkane complexes, Crystal structures, 1395
Palladium(II) complexes
Bisphosphines, Heterocyclic thiones, Platinum(II) complexes, Pyridyl, 899
Palladium(II) complexes
Catalysts, Peptides, Hydrolysis, 959
Palladium(II) complexes
Metallocycles, Aminophosphate complexes, Spectroscopy, Antitumour activity, 937
Palladium(II) complexes
Mixed donor ligands, *Trans*-influence, X-ray crystallography, Methylaluminoxane (MAO), Norbornene, Polymerization, 1601
Palladium(II) complexes
Platinum(II) complexes, Chloride metathesis, X-ray crystallography, Heterodifunctional ligands, 695
Palladium
Platinum, Nitrite, Diphosphines, Isomerism, Fluxionality, 1329
Palladium
Platinum, Phosphine thiocarbonates, 499
Palladium
Platinum, Selenium, Tellurium, 751
Palladium
Platinum, Thiolate complexes, Allyl complexes, 1627
Paramagnetic
Copper(II) complexes, Dinuclear and polynuclear, Crystal structures, Equatorial–apical bridge, 1593
Paramagnetic NMR
Polynuclear manganese-carboxylate clusters, Imidazole-carboxylate chelating ligands, 2111
Paramagnetic
Ruthenium, Clotrimazole, Ketoconazole, Metal complexes, *Trypanosoma cruzi*, Chagas, 2319
PBD
Lanthanide picrate, Fluorescence, Crystal structures, 779
Pd-catalyzed cross-coupling reactions
Alkoxyalkynes, Aminoalkynes, Addition reactions, Organophosphorus halides, Organosilane halides, Organogermane halides, 597
Pentachloro-cyclotriphosphazene
Pentafluoro-cyclotriphosphazene, X-ray structures, Electrospray mass spectrometry, 2101
Pentacoordination
Phosphoranes, X-ray structure, Hydrogen bonding, 63
Pentadentate ligands
Metallamacrocycles, Hexanuclear clusters, Manganese complexes, Hydrophobic aliphatic tripled tails, 1985
Pentafluoro-cyclotriphosphazene
Pentachloro-cyclotriphosphazene, X-ray structures, Electrospray mass spectrometry, 2101
Peptides
Disulfide, Transition metal ions, 1849
Peptides
Palladium(II) complexes, Catalysts, Hydrolysis, 959
Percursors
Heterometallic aryloxides, Lithium niobate, Monomeric compounds, Niobium, 1037
Peroxo ligands
Molybdenum complexes, Tungsten complexes, Pyrazine complexes, Crystal structures, 1503
Perrhenate ion
Calixcrowns, Caesium ion, Sodium ion, Pertechnetate ion, Nuclear reprocessing, 1749
Pertechnetate ion
Calixcrowns, Caesium ion, Sodium ion, Perrhenate ion, Nuclear reprocessing, 1749
1,10-Phenanthroline
2,2′-Bipyridine, 1,8-Bis(dimethylamino)-naphthalene, Boron-11 NMR, Chelated fluoroboron cations, Fast atom bombardment mass spectrometry, Fluorine-19 NMR, 2,2′,6′,2″-Terpyridine, 165
1,10-Phenanthroline
Crystal structures, Complexation chemistry, 495
Phenanthroline
Ruthenium, *Cis–trans*, MO calculations, Barriers, Field strength, 2297
Phenolic ligands
Ruthenium, Synthesis, Structure, Redox properties, 1663
Phenolic ligands
Ruthenium, Synthesis, Structure, Redox properties, 1673
Phenoxo bridges
Electrochemical synthesis, Mononuclear complexes, Polyhydroxyl ligands, Polynuclear complexes, Schiff base ligands, 185
2-(Phenylazo)pyridine
Osmium, Triphenylphosphine, Synthesis, Structures, Reactivities, 1227
5-Phenylazosalicylaldehyde
Schiff bases, Copper complexes, X-ray structure, Cyclic voltammetry, 607
pH-metry
Oxovanadium(IV) complexes, Pyridinecarboxylic acids, Spectral studies, Speciation, 55
Phosphane
Heck reactions, Palladium, Sulfane, Ligands, Mechanism, 517
Phosphates
Ruthenium, X-ray crystal structures, 801
Phosphate
Uranium, Uranyl, Crown, Crystal structures, 1551
Phosphato complexes
Beryllium, Solution equilibria, ^{31}P NMR spectroscopy, ^{9}Be NMR spectroscopy, Speciation, 1043
Phosphato complexes
Tin(II), Solution equilibria, Speciation, 2403
Phosphides
Antimonides, Arsenides, Metathesis, 829
Phosphido-bridged
Ruthenium, Iridium, Gold, Electron-rich, Cluster, Crystal structures, 2593
Phosphine
Alkene, Polymerization, Hydroboration, Copper(I) complexes, 1271
Phosphine complexes
Mercury(II) halides, Crystal structures, 1719
Phosphine oxides
Lanthanides, X-ray structures, 2697
Phosphine oxides
Molybdenum–oxo complexes, Photochemistry, Photooxidation, Phosphines, Crystal structures, 1437
Phosphines
Molybdenum–oxo complexes, Photochemistry, Photooxidation, Phosphine oxides, Crystal structures, 1437
Phosphines
Rhenium, Re complexes, Re(I), *trans*-Dioxo Re(V) complexes, dppm, 2249
Phosphine sulfides
Crystal structures, Phosphonium salt, 2585
Phosphine thiocarbonates
Platinum, Palladium, 499

Phosphino amino acid salts
Water-soluble phosphines, Disodium or dipotassium 1,3-di(carboxylatomethyl)-5-aryl-1,3,5-diazaphosphorinanes, 1455
Phosphinophenols
Rhenium, 1111
Phosphite diolato(1 –) ligand
Spirophosphorane ring-opening, Crystal structures, 2667
Phosphites
π-Allyl complexes, Allylic substitutions, Iridium, Regioselectivity, Stereoselectivity, 557
Phosphonium salt
Crystal structures, Phosphine sulfides, 2585
Phosphoranes
Pentacoordination, X-ray structure, Hydrogen bonding, 63
Phosphorothiates
Organotin(IV), Bioactive groups, Cholesteryl, 1539
Phosphotriester
Binucleating hexa-aza macrocycle, Copper(II), Nickel(II), Cobalt(II), Zinc(II), Crystal structures, Hydrolysis, 1485
Photochemical metal organic deposition
Photochemistry, Surface chemistry, Lithography, Gold, 343
Photochemistry
Molybdenum–oxo complexes, Photooxidation, Phosphines, Phosphine oxides, Crystal structures, 1437
Photochemistry
Surface chemistry, Photochemical metal organic deposition, Lithography, Gold, 343
Photoisomerization
Ruthenium, 1193
Photolysis
Manganese complexes, Schiff bases, Manganoenzymes, Catalase, Dioxygen, 47
Photooxidation
Molybdenum–oxo complexes, Photochemistry, Phosphines, Phosphine oxides, Crystal structures, 1437
Photosensitive ligands
Schiff bases, Cobalt complexes, Spin crossover, LD-LISC effect, 1643
Photosystem II
Dichloromanganese(IV) complexes, Bidentate Schiff base ligands, Tetradentate Schiff base ligands, Crystal structures, 2039
Phthalocyanine
Cobalt, Electrocatalysis, Nitric oxide, Oxidation, Reduction, 229
Phthalocyanine complexes
Phthalonitrile derivatives, Crown-ether, Copper, Nickel, Cobalt, Alkaline metal extraction, 115
Phthalocyanine
Iron, Dopamine, Serotonin, Coordination, 1355
Phthalocyanines
Naphthalocyanines, Porphyrins, Raman, Sandwich complexes, Lanthanides, 1381
Phthalonitrile derivatives
Phthalocyanine complexes, Crown-ether, Copper, Nickel, Cobalt, Alkaline metal extraction, 115
2-picoline
Nitrobenzene catalytic reduction, Rhodium complexes, Water gas shift reaction, 487
Picrate
Crystal structures, Lanthanide complexes, 4-Methylmorpholine, *N*-Oxide, TG, DSC, 2313
Piperidine
Platinum(II) complexes, Synthesis, Crystal structures, 975
Planar chiral
Structure, Indenyl, Yttrium, Lanthanum, Tetrahydroborate, 1955
Platinum
Amido, Diimine, Dimer, Hydroxo, Palladium, 155
Platinum catalysts
Dendrimers, Carbosilanes, Hydrosilation, 1031
Platinum complexes
Crystal structures, Palladium complexes, Diphosphine complexes, Tetraphosphine complexes, Bimetallic complexes, 913
Platinum complexes
3-methylpiperidine, Dicarboxylates, Synthesis, Crystal structures, 983
Platinum
Complexes, Sulfimides, Hydrogen bonding, 2077
Platinum complexes
Thiophosphoryl guanidines, Crystal structures, 809
Platinum
Gold, Cross-coupling, Diyne, X-ray, 2261
Platinum(II) complexes
Bisphosphines, Heterocyclic thiones, Palladium(II) complexes, Pyridyl, 899
Platinum(II) complexes
Insertion reactions, Platinum–tin bimetallics, 2,3,5,6-Tetrakis(α-pyridyl)-pyrazine, 739
Platinum(II) complexes
Palladium(II) complexes, Chloride metathesis, X-ray crystallography, Heterodifunctional ligands, 695
Platinum(II) complexes
Piperidine, Synthesis, Crystal structures, 975
Platinum(II)
Naphthylazoimidazoles, PtN_4 coordination, Electrochemistry, X-ray structures, 1263
Platinum(II)
Platinum(IV), Bromide, Porphyrins, Electrochemistry, Voltammetry, 1057
Platinum(II)
Sulfoxide, *N*,*N*-Dialkyl-*N*′-(3-*R*-benzoyl)-thiourea, Acylthiourea, NMR, Chemotherapeutic agents, 1347
Platinum(IV)
Platinum(II), Bromide, Porphyrins, Electrochemistry, Voltammetry, 1057
Platinum
Palladium, Nitrite, Diphosphines, Isomerism, Fluxionality, 1329
Platinum
Palladium, Phosphine thiocarbonates, 499
Platinum
Palladium, Selenium, Tellurium, 751
Platinum
Palladium, Thiolate complexes, Allyl complexes, 1627
Platinum–tin bimetallics
Insertion reactions, Platinum(II) complexes, 2,3,5,6-Tetrakis(α-pyridyl)-pyrazine, 739
4-(*p*-Methylphenyl)-3,5-bis(pyridin-2-yl)-1,2,4-triazole
Syntheses, Crystal structures, Cobalt(II) complex, Nickel(II) complex, ESIMS, 2019
^{31}P NMR spectroscopy
Beryllium, Phosphato complexes, Solution equilibria, ^{9}Be NMR spectroscopy, Speciation, 1043
Polyaddition
Alkenylsilanes, Hydrosilylation, $RhI(PPh_3)_3$, Stereodivergent, 567
Polyamine ligand
Strontium, Thd ligand, Precursor, 2547
Polyamines
Dioxygen carriers, Cobalt, Dinuclear complexes, Dinucleating ligands, Kinetics, Dioxygen binding, 2447
Polyamines
Dioxygen carriers, Dioxygen binding, Cobalt, Polynuclear complexes, Thermodynamics of complexation, 2441
Polyamines
Me_2Octaen, Nickel(II), Equilibria, Kinetics, Stopped-flow, 2507
Poly(cobalt–tetraaminophthalocyanine)
Polymeric metallophthalocyanines, Modified electrodes, Electrooxidation of hydrazine, Impedance spectroscopy, 2303
Polyhydroxyl ligands
Electrochemical synthesis, Mononuclear complexes, Phenoxo bridges, Polynuclear complexes, Schiff base ligands, 185
Polymeric metallophthalocyanines
Modified electrodes, Electrooxidation of hydrazine, Poly(cobalt–tetraaminophthalocyanine), Impedance spectroscopy, 2303
Polymerization
Palladium(II) complexes, Mixed donor ligands, *Trans*-influence, X-ray crystallography, Methylaluminoxane (MAO), Norbornene, 1601
Polymerization
Phosphine, Alkene, Hydroboration, Copper(I) complexes, 1271
Polymetallated olefins
Alkynes, Functionalized metalloalkynes, Olefins, Titanium, 563
Polynuclear complexes
Dioxygen carriers, Dioxygen binding, Cobalt, Polyamines, Thermodynamics of complexation, 2441

Polynuclear complexes
Electrochemical synthesis, Mononuclear complexes, Phenoxo bridges, Polyhydroxyl ligands, Schiff base ligands, 185
Polynuclear manganese-carboxylate clusters
Imidazole-carboxylate chelating ligands, Paramagnetic NMR, 2111
Polyoxometalate
Organophosphoryl polyoxotungstate, Synthesis, ^{183}W NMR, 125
Polyoxometalate
Oxyhalide, Molybdenum, X-ray structure, High acidity, 43
Poly(pyrazol-1-yl)alkanes
Organotin(IV), X-ray structure, 381
Polypyridine ligands
Bpy ligands, Ruthenium(II) complexes, 1975
Polypyridine
Ruthenium, Terpyridine, Electrocatalytic oxidation, Alcohol oxidation, Isomerization, 1049
Polysilazanes
Hydroboration, Precursors, Vinylsilanes, Chloroboranes, 323
Polytelluride
Solvothermal synthesis, Iron telluride, Iron cluster, Iron carbonyl, Carbonyl clusters, 1995
Poly(triazol-1-yl)alkanes
Organotin(IV), X-ray structure, 1949
Porphyrins
Hemoprotein models, Chiral catalysts, Epoxidation, Olefins, 581
Porphyrins
Phthalocyanines, Naphthalocyanines, Raman, Sandwich complexes, Lanthanides, 1381
Porphyrins
Platinum(II), Platinum(IV), Bromide, Electrochemistry, Voltammetry, 1057
Potentiometric titrations
Vanadium complexes, Quinic acid complexes, IR spectra, Raman spectra, Thermal behavior, 2613
Potentiometry
Equilibria, Stability constants, Manganese(II), Cobalt(II), Nickel(II) complexes, Aminopolyphosphonates, UV–VIS spectra, 2083
Potentiometry
meso-2,3-Dimercaptosuccinic acid, UV–Vis spectroscopy, Formation constants, Ionization constants, Kinetic measurements, 2435
Powder X-ray diffraction patterns
Deoxycholic acid, Ferrocene derivatives, Inclusion compounds, Molecular motion, ^{57}Fe Mössbauer spectroscopy, 205
Praseodymium(III)
D-Gluconic acid, D-Galactonic acid, D-Gulonic acid, Complexation, 1567
Precursors
Hydroboration, Polysilazanes, Vinylsilanes, Chloroboranes, 323
Precursors
Metal–organic chemical vapour deposition, Lead scandium tantalate, Ferroelectric oxides, 351
Precursor
Strontium, Polyamine ligand, Thd ligand, 2547
Propiolic acid
Tungsten(II), Carboxylate and sulfonate substituted pyridines, Water soluble complexes, 2171
1,3-propylenediaminetetraacetate
Cu(II) complexes, Mn(II) complexes, Crystal structures, Thermal properties, Magnetic properties, 1175
Protonated porphyrins
Crystal structures, Cu^{2+} porphyrin complexes, SAT complexes, Electron spin resonance, Nuclear magnetic resonance, 633
Protonolysis
Palladium catalyzed reactions, Halide ions, Coupling reactions, 577
Pryrazolyl groups
Dinuclear, Antiferromagnetic interactions, 2215
Pseudohalogens
Selenocyanogen, Thiocyanogen, 681
Pseudorotation
Molybdenum, Nitrides, Alkoxides, Synthesis, X-ray structures, NMR fluxionality, 1363
PtN_4 coordination
Naphthylazoimidazoles, Platinum(II), Electrochemistry, X-ray structures, 1263
Pyrazine carboxamide complexes
Copper(I) complexes, Crystal structures, Electronic spectra, Emission spectra, Vibrational spectra, 601
Pyrazine complexes
Molybdenum complexes, Tungsten complexes, Peroxo ligands, Crystal structures, 1503
Pyrazolylalkane complexes
Palladium, Hydroxo complexes, Crystal structures, 1395
Pyrazolyl
Cymene, Nitration, Ruthenium, Structure, Synthesis, 475
Pyridinecarboxylate complexes
Chelating ligands, Crystal structures, Copper(II) complexes, Antimicrobial activity, 2689
Pyridinecarboxylic acids
Oxovanadium(IV) complexes, pH-metry, Spectral studies, Speciation, 55
2-Pyridineformamide
Thiosemicarbazone, Crystal structures, Cadmium halides, 1873
Pyridine *N*-oxide ligands
Cobalt(II) complexes, Zinc(II) complexes, X-ray structures, Magnetic susceptibility, 2195
Pyridine
Oxomolybdenum(V) compounds, Clusters, $Mo_2O_4^{2+}$ unit, Alkyl-substituted pyridines, 1219
Pyridines
Allylation, Aqueous reactions, Esters, Indium, Indium compounds, 549
Pyriding N-oxides
Metal complexes, Hydrogenation, Structures, 835
Pyridoxine
Crystal structures, Diethyltin, 813
2-(2-Pyridyl)benzimidazole
Chromium(III) complexes, Tris(2-benzimidazolylmethyl)amine, 2-Guanidinobenzimidazole, 2,6-Bis(2-benzimidazolyl)pyridine, Crystal structures, 1821
Pyridyl
Bisphosphines, Heterocyclic thiones, Palladium(II) complexes, Platinum(II) complexes, 899
Pyridylmethyl-tetraazadecane
Copper(II), Cobalt(III), NMR spectroscopy, 1447
pyrimidine-2-thione
Mercury(II) complexes, Triphenylphosphine, Benzothiazole-2-thione, Crystal structures, 2231
Pyrrole
Enamine, Alkenylation, 545
Pyrrolidine
Kainoids, Boronic esters, Asymmetric synthesis, 587

Quinazolines
Allylic alkylation, Axially chiral phosphinamine, Hydroboration, 541
Quinic acid complexes
Vanadium complexes, IR spectra, Raman spectra, Thermal behavior, Potentiometric titrations, 2613

Raman
Phthalocyanines, Naphthalocyanines, Porphyrins, Sandwich complexes, Lanthanides, 1381
Raman spectra
Vanadium complexes, Quinic acid complexes, IR spectra, Thermal behavior, Potentiometric titrations, 2613
Raman spectroscopy
Infrared spectroscopy, Electronic absorption spectroscopy, Crystal structures, Hypophospite complexes, Cooperative vibronic transitions, Two-centre transitions, 863
Rare earth complex
Crystal structure, Antitumour activity, Hydrazone, 2599
Rare earth elements
Yttrium, Hydrolysis, Enthalpy, Ionic strength, Spectrophotometry, 99
Reaction
Iron, Selenium, Sulfur, Synthesis, 713
Reactivities
Osmium, Triphenylphosphine, 2-(Phenylazo)pyridine, Synthesis, Structures, 1227
Reactivity
Catecholborane, 1063
Reactivity
Cryoscopy, Cyanocuprates, Ionic, Structures, 553

Reactivity of bis(β-dionato)oxovanadium(IV) chelates
Alkoxo compounds of oxovanadium(V), Crystal structure of compounds of oxovanadium(V), Hydrazonato compounds of oxovanadium(V), Oxovanadium(V) dimers, Hydrazonato tridentate Schiff base ligands, 2003
Rearrangement
α-Acetylenic alcohols, Isomerization, Heterobimetallic titanium–copper systems, 1693
Re complexes
Rhenium, Re(I), *trans*-Dioxo Re(V) complexes, Phosphines, dppm, 2249
Redox chemistry
Binucleating ligand, Nickel complexes, Copper complexes, Crystal structures, 2011
Redox properties
Ruthenium, Phenolic ligands, Synthesis, Structure, 1663
Redox properties
Ruthenium, Phenolic ligands, Synthesis, Structure, 1673
Redox properties
Substituted cobalt phthalocyanines, Hammett parameters, Frontier orbitals, Disulfide reduction, 2255
Redox
Synthesis, Semiquinone, Ruthenium, Spectroelectrochemical studies, 2605
Reduction
Alane, Aluminum hydride, Alanate, Alumoxane, 1649
Reduction
Cobalt, Electrocatalysis, Nitric oxide, Oxidation, Phthalocyanine, 229
Refluxing
Crystallographic, Selenium, Tungsten analogue, 2127
Regioselectivity
π-Allyl complexes, Allylic substitutions, Iridium, Stereoselectivity, Phosphites, 557
Regioselectivity
Nitrosobenzene cycloaddition, Organoiron compounds, Decomplexation, Heterocycloaddition trap, Alkaloid synthesis, 569
Re(I)
Rhenium, Re complexes, *trans*-Dioxo Re(V) complexes, Phosphines, dppm, 2249
Release of free nucleobases from oligomers
Copper(II)–peroxide adduct, DNA cleavage, Electrospray mass spectrometry, 2639
Rhenium
Amine oxide, Methanolysis, Osmium, Carbonyl, Methylcarbonate, 641
Rhenium clusters
Trirhenium(III) clusters, Acetamidate, Dimolybdenum(II), MALDI, Mass spectroscopy, 1245
Rhenium(III) complexes
Thiopyrimidine, Rhenium(V) complexes, Cyclic voltammetry, UV–Vis–NIR, IR, ^{1}H NMR spectra, 2163
Rhenium
Metal clusters, Sulfur, Selenium, Tellurium, Crystal structures, 437
Rhenium
Metallomesogens, Nematic phases, Chiral nematic phases, 249
Rhenium
Nitrido complexes, Imido complexes, EPR spectroscopy, X-ray structures, 1741
Rhenium
Phosphinophenols, 1111
Rhenium
Re complexes, Re(I), *trans*-Dioxo Re(V) complexes, Phosphines, dppm, 2249
Rhenium(V) complexes
Thiopyrimidine, Rhenium(III) complexes, Cyclic voltammetry, UV–Vis–NIR, IR, ^{1}H NMR spectra, 2163
$RhI(PPh_3)_3$
Alkenylsilanes, Hydrosilylation, Polyaddition, Stereodivergent, 567
Rhodium complexes
Nitrobenzene catalytic reduction, 2-picoline, Water gas shift reaction, 487
Rhodium(II) carboxylates
Rhodium(II) complexes, Rhodium sulfosalicylate, Thermogravimetric analysis, Spectroscopic analysis, Anticancer drugs, 1305
Rhodium(II) complexes
Rhodium(II) carboxylates, Rhodium sulfosalicylate, Thermogravimetric analysis, Spectroscopic analysis, Anticancer drugs, 1305
Rhodium(II)
Dithiocarbamates, 123
Rhodium sulfosalicylate
Rhodium(II) complexes, Rhodium(II) carboxylates, Thermogravimetric analysis, Spectroscopic analysis, Anticancer drugs, 1305
Rietveld method
Sulfated zirconia, Tetragonal zirconia stabilization, Zirconium sulfide, Zirconium oxide sulfide, Thermogravimetry of sol–gel ZrO_2, 2283
Rigid and flexible ligands
Self-assembly, Supramolecules, X-ray structure, 1117
Ring-closing metathesis
Thioacetal, Titanocene(II), Intramolecular carbonyl olefination, Cycloalkenes, Heterocyclic compounds, 593
Ring-opening polymerization
Ferrocenophane, Inorganic polymers, Silanol, Mössbauer spectroscopy, 275
Ru–bipyridine
Azoimine, Tris-chelates, X-ray structures, Electrochemistry, Emission spectra, 1925
Ruthenium
Clotrimazole, Ketoconazole, Paramagnetic, Metal complexes, *Trypanosoma cruzi*, Chagas, 2319
Ruthenium
Crystal structures, Dimethyl sulfoxide, Carboxylates, Complexes, Catalysis, 1589
Ruthenium
Cymene, Nitration, Pyrazolyl, Structure, Synthesis, 475
Ruthenium
Dithiolate complexes, Osmium, X-ray structures, 1073
Ruthenium–edta complexes
Mixed-valence complexes, Ferricyanide, Cyanobridged complexes, Intramolecular electron transfer, 1339
Ruthenium(II) complexes
Bpy ligands, Polypyridine ligands, 1975
Ruthenium(II) complexes
Electrochemical studies, Heterodinuclear complexes, Homodinuclear complexes, Luminescence properties, Osmium(II) complexes, Syntheses, 1233
Ruthenium(II) polypyridyls
CdS nanoclusters, Functionalized nanoclusters, Mesophase materials, Molecular devices, 331
Ruthenium
Iridium, Gold, Electron-rich, Cluster, Phosphido-bridged, Crystal structures, 2593
Ruthenium nitrosonaphthol complexes
Crystal structures, Nitrosonaphthol, 7
Ruthenium
Phenanthroline, *Cis–trans*, MO calculations, Barriers, Field strength, 2297
Ruthenium
Phenolic ligands, Synthesis, Structure, Redox properties, 1663
Ruthenium
Phenolic ligands, Synthesis, Structure, Redox properties, 1673
Ruthenium
Phosphates, X-ray crystal structures, 801
Ruthenium
Photoisomerization, 1193
Ruthenium
Polypyridine, Terpyridine, Electrocatalytic oxidation, Alcohol oxidation, Isomerization, 1049
Ruthenium
Silica, Titanium(IV), Osmium, 2277
Ruthenium
Synthesis, Semiquinone, Spectroelectrochemical studies, Redox, 2605

Salen
Chromium, Manganese, Catalysis, Enantioselection, Nozaki–Hiyama–Kishi reaction, 537
Sandwich complexes
Phthalocyanines, Naphthalocyanines, Porphyrins, Raman, Lanthanides, 1381
SAT complexes
Crystal structures, Cu^{2+} porphyrin complexes, Protonated porphyrins, Electron spin resonance, Nuclear magnetic resonance, 633
Scandium
Alkoxides, Crystal structures, Volatility, 705
Schiff base complexes
Crystal structures, Electrochemistry, EPR, Nickel(II)/(III) complexes, 655

Schiff base complexes
N-Salicylidene derivatives, X-ray structures, Zn(II) complexes, 673
Schiff base
Imidazole, Silver complexes, Crystal structures, 2237
Schiff-base ligands
Cadmium(II) complexes, Symmetrical complexes, Asymmetrical complexes, Heptadentate ligands, 1633
Schiff base ligands
Electrochemical synthesis, Mononuclear complexes, Phenoxo bridges, Polyhydroxyl ligands, Polynuclear complexes, 185
Schiff bases
Additions, Alkylation, Insertions, Nucleophilic, Titanium, 177
Schiff bases
Cobalt complexes, Spin crossover, Photosensitive ligands, LD-LISC effect, 1643
Schiff bases
Copper complexes, X-ray structure, 5-Phenylazosalicylaldehyde, Cyclic voltammetry, 607
Schiff bases
Crystal structures, Nickel complexes, Copper complexes, Uracil, 689
Schiff bases
Manganese complexes, Manganoenzymes, Photolysis, Catalase, Dioxygen, 47
Selenium
Crystallographic, Tungsten analogue, Refluxing, 2127
Selenium
Iron, Sulfur, Synthesis, Reaction, 713
Selenium
Palladium, Platinum, Tellurium, 751
Selenium
Rhenium, Metal clusters, Sulfur, Tellurium, Crystal structures, 437
Selenocyanogen
Pseudohalogens, Thiocyanogen, 681
Selenoether
Telluroether, Sulfur macrocycles, Chromium, Molybdenum, Tungsten, 1373
Self-assembly
Rigid and flexible ligands, Supramolecules, X-ray structure, 1117
Semiquinone
Synthesis, Ruthenium, Spectroelectrochemical studies, Redox, 2605
SEM
Magnesia, Dolomite, Crystallite size, Degree of agglomeration, X-ray diffraction, 2345
Serotonin
Iron, Phthalocyanine, Dopamine, Coordination, 1355
Seven-coordinate complexes
Molybdenum(II), Tungsten(II), Crystal structures, *o*-Phenylenediacetonitrile, Bimetallic complexesw, Trimetallic complexes, Nitrile-bridged complexes, Halocarbonyls, 147
Silanol
Ferrocenophane, Inorganic polymers, Mössbauer spectroscopy, Ring-opening polymerization, 275
Silica gels
Ethylenimine, Immobilization, 3-Mercaptopropyltrimethoxysilane, 367
Silica
Sol–gel, Aggregation, Tetrasulfophthalocyanines, Monolith, Macrocycle, 2383
Silica
Titanium(IV), Ruthenium, Osmium, 2277
Silicon-29
Sol-gel, NMR, Hybrid materials, Siloxane, Oxygen-17, 315
Siloxane
Sol-gel, NMR, Hybrid materials, Silicon-29, Oxygen-17, 315
Silsesquioxane gels
Monophasic hybrid materials, Kinetic control, Sol–gel polymerization, 307
Silver complexes
Copper complexes, Gold complexes, 743
Silver complexes
Imidazole, Schiff base, Crystal structures, 2237
Silver(I)
Lanthanides(III), Diethylenetriamine, *N*,*N*-dimethylformamide, Complexes, Thermodynamics, 2427
Silylcupration
α-Aminoacylsilanes, β-Amino alcohols, Lewis acid, Statine analogues, 529
Single crystal structures
Dialkoxo-bridged binuclear Cu(II) complexes, Model of metal–guanine interaction, Thermal decompostion, Theophylline, Diethanolamine(2,2′-iminodiethanol), 457
Singly hydroxo-bridged
Copper(II) complexes, Deprotonated pyridine-2,6-dicarboxamide ligands, Crystal structures, Magnetism, 1423
Sodium ion
Calixcrowns, Caesium ion, Perrhenate ion, Pertechnetate ion, Nuclear reprocessing, 1749
Sol–gel
Aggregation, Tetrasulfophthalocyanines, Monolith, Macrocycle, Silica, 2383
Sol–gel
Alkoxide, Tin, Tin dioxide, β-Diketonate, 2069
Sol–gel matrices
Heteronuclear catalysts, Immobilization, Nanoparticles, 509
Sol-gel
NMR, Hybrid materials, Siloxane, Silicon-29, Oxygen-17, 315
Sol–gel polymerization
Monophasic hybrid materials, Silsesquioxane gels, Kinetic control, 307
Solid state
In situ X-ray diffraction, Intercalation, Layered compounds, Synchrotron radiation, 297
Solubility
Oxygen, Solubilization enthalpy, Solubilization entropy, Cavity, 2457
Solubilization enthalpy
Solubility, Oxygen, Solubilization entropy, Cavity, 2457
Solubilization entropy
Solubility, Oxygen, Solubilization enthalpy, Cavity, 2457
Solution equilibria
Beryllium, Phosphato complexes, ^{31}P NMR spectroscopy, ^{9}Be NMR spectroscopy, Speciation, 1043
Solution equilibria
Ciprofloxacin, Iron(III), Surfactants, 1085
Solution equilibria
Tin(II), Phosphato complexes, Speciation, 2403
Solution equilibrium
Mixed-ligand complexes, Hydroxamic acid, Copper(II), nickel(II) and zinc(II) complexes, 1727
Solvatochromism
Dithiolene, Nickel, Dinuclear complexes, Acid–base, Carbon disulfide, 1283
Solvent-derived ancillary ligands
Dicopper complexes, Acid–base congeners, 1909
Solvothermal synthesis
Crystal structures, Oxomolybdenum(V) coordination compounds, Mo(V, VI) compounds, Alkyl-substituted pyridines, 1407
Solvothermal synthesis
Polytelluride, Iron telluride, Iron cluster, Iron carbonyl, Carbonyl clusters, 1995
Speciation
Beryllium, Phosphato complexes, Solution equilibria, ^{31}P NMR spectroscopy, ^{9}Be NMR spectroscopy, 1043
Speciation
Oxovanadium(IV) complexes, Pyridinecarboxylic acids, pH-metry, Spectral studies, 55
Speciation
Tin(II), Phosphato complexes, Solution equilibria, 2403
Spectral data
Transition metal complexes, Terephthalate ions, Aromatic diamines, Crystal structures, 1415
Spectral studies
Oxovanadium(IV) complexes, Pyridinecarboxylic acids, pH-metry, Speciation, 55
Spectroelectrochemical studies
Synthesis, Semiquinone, Ruthenium, Redox, 2605
Spectrophotometry
Yttrium, Rare earth elements, Hydrolysis, Enthalpy, Ionic strength, 99
Spectroscopic analysis
Rhodium(II) complexes, Rhodium(II) carboxylates, Rhodium sulfosalicylate, Thermogravimetric analysis, Anticancer drugs, 1305
Spectroscopic properties
Diclofenac, Metal(II) compounds, Thermal properties, 2515

Spectroscopic properties
Sulfamethizole, Metal complexes, Crystal structures, 1859
Spectroscopic properties
Zinc complexes, Cobalt complex, α-Ketoglutaric acid, Thiosemicarbazones, Crystal structures, 1895
Spectroscopic studies
Ni(II) complexes, Tripodal ligand, Crystal structures, 2661
Spectroscopic study
Cobalt(III) complex, Thiocarbamylpyrazole, X-ray crystal structure, 2651
Spectroscopy
Palladium(II) complexes, Metallocycles, Aminophosphate complexes, Antitumour activity, 937
Spin crossover
Schiff bases, Cobalt complexes, Photosensitive ligands, LD-LISC effect, 1643
Spin triplet
Crystal structures, Cu dimers, Di-(2-pyridyl)ketone, Ferromagnetic dimers, Magnetic properties, 1005
Spirophosphorane ring-opening
Phosphite diolato(1 −) ligand, Crystal structures, 2667
Stability constant
N'-2-Pyridylmethyl derivatives, *N'*-2-Hydroxypropyl derivatives, 2027
Stability constants
Copper(II) complexes, Deltakephalins, 241
Stability constants
Effortil, Cu(II) complexes, Structures, EPR, Magnetochemical data, 1843
Stability constants
Imidazole derivatives, Transition metal complexes, Crystal structure, Absorption spectra, 2183
Stability constants
Potentiometry, Equilibria, Manganese(II), Cobalt(II), Nickel(II) complexes, Aminopolyphosphonates, UV–VIS spectra, 2083
Stability constants
Tetraazamacrocyclic ligand, Transition metal, Synthesis, Structural characterization, DNA cleavage activities, 1527
Statine analogues
α-Aminoacylsilanes, β-Amino alcohols, Lewis acid, Silylcupration, 529
Stereochemistry
Copper(II)–edta-type complexes, Crystal structures, 1
Stereodivergent
Alkenylsilanes, Hydrosilylation, $RhI(PPh_3)_3$, Polyaddition, 567
Stereoselectivity
π-Allyl complexes, Allylic substitutions, Iridium, Regioselectivity, Phosphites, 557
Stopped-flow
Me_2Octaen, Polyamines, Nickel(II), Equilibria, Kinetics, 2507
Streptonigrin
2,2'-Bipyridyl, 6,6'-Dicarboxy-2,2'-bipyridyl, Antitumour, Zinc, 1067
Strong near-IR absorption
Crystal structures, Cyclic voltammetry, Nickel bisdithiolenes, 425
Strontium
Polyamine ligand, Thd ligand, Precursor, 2547
Structural characterization
Tetraazamacrocyclic ligand, Transition metal, Synthesis, Stability constants, DNA cleavage activities, 1527
Structural characterization
Transition metals, Synthesis, Antitumor activity, 217
Structure
Cu(II) complex, Triaminoguanidinium-(2 +) ion, 1737
Structure
Cymene, Nitration, Pyrazolyl, Ruthenium, Synthesis, 475
Structure
Magnesium, Aryloxide, Adduct, 2557
Structure
Planar chiral, Indenyl, Yttrium, Lanthanum, Tetrahydroborate, 1955
Structure
Ruthenium, Phenolic ligands, Synthesis, Redox properties, 1663
Structure
Ruthenium, Phenolic ligands, Synthesis, Redox properties, 1673
Structures
Cryoscopy, Cyanocuprates, Ionic, Reactivity, 553
Structures
Effortil, Cu(II) complexes, Stability constants, EPR, Magnetochemical data, 1843
Structures
Heteroscorpionate tris(3-*R*-pyrazolyl)borate cobalt(II) complexes, NMR, 2119
Structures
Lead(II), Aspartate, 649
Structures
Osmium, Triphenylphosphine, 2-(Phenylazo)pyridine, Synthesis, Reactivities, 1227
Structures
Pyriding N-oxides, Metal complexes, Hydrogenation, 835
Substituted cobalt phthalocyanines
Redox properties, Hammett parameters, Frontier orbitals, Disulfide reduction, 2255
Substitution
Kinetics, Mechanism, *cis*-Diaquabis(2,2'-bipirydyl)chromium(III), Octacyanomolybdate(IV), Octacyanotungstate(IV), 2225
Sulfamethizole
Metal complexes, Crystal structures, Spectroscopic properties, 1859
Sulfamides
Cadmium complexes, Mercury complexes, X-ray structure, Zinc complexes, 991
Sulfane
Heck reactions, Palladium, Phosphane, Ligands, Mechanism, 517
Sulfated zirconia
Tetragonal zirconia stabilization, Rietveld method, Zirconium sulfide, Zirconium oxide sulfide, Thermogravimetry of sol–gel ZrO_2, 2283
Sulfimides
Complexes, Platinum, Hydrogen bonding, 2077
Sulfoxide
Platinum(II), *N,N*-Dialkyl-*N'*-(3-*R*-benzoyl)thiourea, Acylthiourea, NMR, Chemotherapeutic agents, 1347
Sulfur
Iron, Selenium, Synthesis, Reaction, 713
Sulfur macrocycles
Selenoether, Telluroether, Chromium, Molybdenum, Tungsten, 1373
Sulfur
Rhenium, Metal clusters, Selenium, Tellurium, Crystal structures, 437
Supercritical conditions
Carbon dioxide, Dimethyl carbonate, Homogeneous catalysis, Mechanism, 573
Supramolecular chemistry
Helical structures, Transition metals, X-ray crystal structures, 23
Supramolecules
Rigid and flexible ligands, Self-assembly, X-ray structure, 1117
Surface chemistry
Photochemistry, Photochemical metal organic deposition, Lithography, Gold, 343
Surface modification
Indium tin oxide, Alkoxides, Interfaces, 505
Surfactants
Ciprofloxacin, Iron(III), Solution equilibria, 1085
Symmetrical complexes
Cadmium(II) complexes, Schiff-base ligands, Asymmetrical complexes, Heptadentate ligands, 1633
Synchrotron radiation
In situ X-ray diffraction, Intercalation, Layered compounds, Solid state, 297
Synchrotron radiation
11-Membered metallocyclic ring, Metallocalix[6]arene, 2657
Syntheses
Crystal structures, Cobalt(II) complex, Nickel(II) complex, 4-(*p*-Methylphenyl)-3,5-bis(pyridin-2-yl)-1,2,4-triazole, ES-IMS, 2019
Syntheses
Electrochemical studies, Heterodinuclear complexes, Homodinuclear complexes, Luminescence properties, Osmium(II) complexes, Ruthenium(II) complexes, 1233
Synthesis
Crystal structure, Aryloxide, Neodymium, Anion–cation pair compound, 2243
Synthesis
Crystal structures, Macrocyclic polyamine ligand, Manganese complexes, Octa- and hepta-coordination, 2095

Synthesis
Cymene, Nitration, Pyrazolyl, Ruthenium, Structure, 475
Synthesis
EXAFS investigation, Azomethynic copper metallochelates, 2361
Synthesis
Iron, Selenium, Sulfur, Reaction, 713
Synthesis
Macrocycles, Complexes, Equilibria, 2501
Synthesis
Molybdenum, Nitrides, Alkoxides, X-ray structures, NMR fluxionality, Pseudorotation, 1363
Synthesis
Nickel(II) piperidinedithiocarbamate complexes, X-ray structure, 1713
Synthesis
Organophosphoryl polyoxotungstate, Polyoxometalate, ^{183}W NMR, 125
Synthesis
Osmium, Triphenylphosphine, 2-(Phenylazo)pyridine, Structures, Reactivities, 1227
Synthesis
Platinum complexes, 3-methylpiperidine, Dicarboxylates, Crystal structures, 983
Synthesis
Platinum(II) complexes, Piperidine, Crystal structures, 975
Synthesis
Ruthenium, Phenolic ligands, Structure, Redox properties, 1663
Synthesis
Ruthenium, Phenolic ligands, Structure, Redox properties, 1673
Synthesis
Semiquinone, Ruthenium, Spectroelectrochemical studies, Redox, 2605
Synthesis
Tetraazamacrocyclic ligand, Transition metal, Structural characterization, Stability constants, DNA cleavage activities, 1527
Synthesis
Tetrathiometalate, Nonlinear optical properties, Copper compounds, Crystal structures, Dppm, 1545
Synthesis
Transition metals, Structural characterization, Antitumor activity, 217

tachpyr
Cd(II), Hg(II), Torsion angles, Twist angles, Zn(II), 1155
Tantalum
Molybdenum, Trimetallic alkoxides, Crystal structures, 1791
Tantalum
Titanium, Nobium, Aryloxide, Bisphenol, Hydrogenation, 35
TCNE complexes
Hush theory, Iron complexes, Mixed valence, TCNQ complexes, 137
TCNQ complexes
Hush theory, Iron complexes, Mixed valence, TCNE complexes, 137
Tellurium
Palladium, Platinum, Selenium, 751
Tellurium
Rhenium, Metal clusters, Sulfur, Selenium, Crystal structures, 437
Tellurium-rich compounds
Cluster compounds, Molybdenum complexes, De-tellurium reaction, Crystal structures, 925
Telluroether
Selenoether, Sulfur macrocycles, Chromium, Molybdenum, Tungsten, 1373
Temperature effects
Equilibrium, Copper, Mixed valence, Disproportionation, 2289
Template reaction
Tetra-aza ligands, CP-MAS NMR, Nickel complex, 2149
Terephthalate ions
Transition metal complexes, Aromatic diamines, Crystal structures, Spectral data, 1415
Ternary complexes
Divalent metals, Zinc, Copper, Benzolamide, Diethylenetriamine, 725
Ternary copper(II) complexes
CT photochemistry, Diselenocarbamate and dithiophosphate ligands, 2177
Terpenoids
1,5-diene, Cross coupling, Carboalumination, Palladium, 591
2,2′,6′,2″-Terpyridine
2,2′-Bipyridine, 1,8-Bis(dimethylamino)-naphthalene, Boron-11 NMR, Chelated fluoroboron cations, Fast atom bombardment mass spectrometry, Fluorine-19 NMR, 1,10-Phenanthroline, 165
Terpyridine
Ruthenium, Polypyridine, Electrocatalytic oxidation, Alcohol oxidation, Isomerization, 1049
Terpyridine
Vanadium, Vanadyl, Density functional theory, 69
Tetra-aza ligands
CP-MAS NMR, Nickel complex, Template reaction, 2149
Tetraazamacrocyclic ligand
Transition metal, Synthesis, Structural characterization, Stability constants, DNA cleavage activities, 1527
Tetrachlorometallate anions
Palladium, Diethyldithiocarbamate, Diphosphines, X-ray crystal structures, 1511
Tetradentate Schiff base ligands
Dichloromanganese(IV) complexes, Bidentate Schiff base ligands, Crystal structures, Photosystem II, 2039
Tetragonal zirconia stabilization
Sulfated zirconia, Rietveld method, Zirconium sulfide, Zirconium oxide sulfide, Thermogravimetry of sol–gel ZrO_2, 2283
Tetrahedral coordination
Disulfides, Thioureides, Dithiocarbamates, 1279
Tetrahydroborate
Planar chiral, Structure, Indenyl, Yttrium, Lanthanum, 1955
2,3,5,6-Tetrakis(α-pyridyl)pyrazine
Insertion reactions, Platinum(II) complexes, Platinum–tin bimetallics, 739
Tetraphenylimidophosphinate ligand
Uranium, Thorium, Coordination compounds, X-ray crystal structures, 1699
Tetraphosphine complexes
Crystal structures, Palladium complexes, Platinum complexes, Diphosphine complexes, Bimetallic complexes, 913
Tetrasulfophthalocyanines
Sol–gel, Aggregation, Monolith, Macrocycle, Silica, 2383
Tetrathiometalate
Nonlinear optical properties, Synthesis, Copper compounds, Crystal structures, Dppm, 1545
TG
Crystal structures, Lanthanide complexes, Picrate, 4-Methylmorpholine, *N*-Oxide, DSC, 2313
TG-DTA
Oxovanadium(IV) complexes, *N*,*N*′-Ethylenebis(amino acid), 1311
Thd ligand
Strontium, Polyamine ligand, Precursor, 2547
Theophylline
Dialkoxo-bridged binuclear Cu(II) complexes, Model of metal–guanine interaction, Single crystal structures, Thermal decompostion, Diethanolamine(2,2′-iminodiethanol), 457
Thermal analysis
Colloids, Bimetallic films, FT-IR, Conductivity, 2337
Thermal behavior
Vanadium complexes, Quinic acid complexes, IR spectra, Raman spectra, Potentiometric titrations, 2613
Thermal decompostion
Dialkoxo-bridged binuclear Cu(II) complexes, Model of metal–guanine interaction, Single crystal structures, Theophylline, Diethanolamine(2,2′-iminodiethanol), 457
Thermal properties
Diclofenac, Metal(II) compounds, Spectroscopic properties, 2515
Thermal properties
Iron(III), Chromium(III), DTPA, Complexes, Thermodynamics, 2421
Thermal properties
1,3-propylenediaminetetraacetate, Cu(II) complexes, Mn(II) complexes, Crystal structures, Magnetic properties, 1175
Thermal stability
N-(Carbamoylmethyl)iminodiacetic acid, *N*-(2-Amidomethyl)-iminodiacetic acid, *N*-(2-Acetamide)-iminodiacetic acid, *cis*-Diaqua(*N*-carbamoylmethyl-iminodiacetato)nickel(II), Molecular and crystal structure, Magnetic and spectral properties, 2463

Thermochromism
Nickel(II)selenocyanate, Bis(3-aminopropyl)amine, (2-Aminoethyl)(3-aminopropyl)amine, Bis(2-aminoethyl)methylamine, 1903
Thermodynamic quantities
Equilibrium constants, Molybenum(VI) cations, 907
Thermodynamics
Iron(III), Chromium(III), DTPA, Complexes, Thermal properties, 2421
Thermodynamics
Lanthanides(III), Silver(I), Diethylenetriamine, *N*,*N*-dimethylformamide, Complexes, 2427
Thermodynamics of complexation
Dioxygen carriers, Dioxygen binding, Cobalt, Polynuclear complexes, Polyamines, 2441
Thermogravimetric analysis
Rhodium(II) complexes, Rhodium(II) carboxylates, Rhodium sulfosalicylate, Spectroscopic analysis, Anticancer drugs, 1305
Thermogravimetry of sol–gel ZrO_2
Sulfated zirconia, Tetragonal zirconia stabilization, Rietveld method, Zirconium sulfide, Zirconium oxide sulfide, 2283
Thiiranes
Dihydrodithiins, Tungsten carbonyls, 521
Thioacetal
Titanocene(II), Ring-closing metathesis, Intramolecular carbonyl olefination, Cycloalkenes, Heterocyclic compounds, 593
Thiocarbamylpyrazole
Cobalt(III) complex, Spectroscopic study, X-ray crystal structure, 2651
Thiocyanante
Mercury, Clusters, Host–guest chemistry, 871
Thiocyanate
Cobalt, 2-Hydroxyacetophenone, Azide, Crystal structure, 2707
Thiocyanogen
Pseudohalogens, Selenocyanogen, 681
Thioether
Bismuth, Coordination polymers, Crystal structures, Electrospray, 849
Thiolate-bridged complexes
Mixed-valence, Electron-transfer, Iron, 2679
Thiolate complexes
Palladium, Platinum, Allyl complexes, 1627
Thiolate
Electrochemistry, Macrocycle, Crystal structures, 1887
Thiolates
Oxo ligands, Titanium, Trimers, 1139
Thiophenes
Cyclic oligomers, Ferrocenes, 291
Thiophenoxyacetate
Bis(η-cyclopentadienyl)titanium(IV), Crystal structures, Diphenylphosphinoacetate, Heterometallics, Nicotinate, 757
Thiophosphoryl guanidines
Platinum complexes, Crystal structures, 809
Thiopyrimidine
Rhenium(V) complexes, Rhenium(III) complexes, Cyclic voltammetry, UV–Vis–NIR, IR, ^{1}H NMR spectra, 2163
Thiosemicarbazone
Isatin, Crystal structures, Zinc, Lead, Hexamethyleneimine, Metal(II) complexes, 1255
Thiosemicarbazone
2-Pyridineformamide, Crystal structures, Cadmium halides, 1873
Thiosemicarbazones
Electrochemistry, Iron complexes, EPR of iron complexes, Nickel complexes, Cobalt complexes, 2059
Thiosemicarbazones
Macrocyclic ligands, Electrochemistry, Copper complexes, Dithio-Schiff base complexes, 441
Thiosemicarbazones
Zinc complexes, Cobalt complex, α-Ketoglutaric acid, Crystal structures, Spectroscopic properties, 1895
Thioureides
Disulfides, Dithiocarbamates, Tetrahedral coordination, 1279
Thiuram sulfides
Copper and iron species, Dithiocarbamate derivatives, 2269
Thorium(IV)
Uranium(IV), Dicarboxylate complexes, CPMAS ^{13}C NMR spectroscopy, X-ray crystallography, 1757
Thorium
Uranium, Coordination compounds, Tetraphenylimidophosphinate ligand, X-ray crystal structures, 1699
Tin
Alkoxide, Tin dioxide, Sol–gel, β-Diketonate, 2069
Tin dioxide
Alkoxide, Tin, Sol–gel, β-Diketonate, 2069
Tin(II)
Phosphato complexes, Solution equilibria, Speciation, 2403
Tin(IV)
Crystal structures, 2-Ethyl-3-hydroxy-4-pyranonate, Ethylmaltol, 1-Methyl-2-ethyl-3-hydroxy-4-pyridinonate, Titanium(IV), 399
Titanium
Additions, Alkylation, Insertions, Nucleophilic, Schiff bases, 177
Titanium
Alkynes, Functionalized metalloalkynes, Olefins, Polymetallated olefins, 563
Titanium
C–H activation, Intramolecular bonds, Metallacycles, Allenes, Carbometalation, 879
Titanium(IV)
Crystal structures, 2-Ethyl-3-hydroxy-4-pyranonate, Ethylmaltol, 1-Methyl-2-ethyl-3-hydroxy-4-pyridinonate, Tin(IV), 399
Titanium(IV)
Hydroborates, Lithium, Bonding, Crystal structures, 1579
Titanium(IV)
Silica, Ruthenium, Osmium, 2277
Titanium
Oxo ligands, Thiolates, Trimers, 1139
Titanium
Tantalum, Nobium, Aryloxide, Bisphenol, Hydrogenation, 35
Titanocene(II)
Thioacetal, Ring-closing metathesis, Intramolecular carbonyl olefination, Cycloalkenes, Heterocyclic compounds, 593
Torsion angles
Cd(II), Hg(II), tachpyr, Twist angles, Zn(II), 1155
Tosylamide complexes
Electrochemical synthesis, Cobalt(II) complexes, Crystal structures, 1607
trans-Dioxo Re(V) complexes
Rhenium, Re complexes, Re(I), Phosphines, dppm, 2249
Trans-influence
Palladium(II) complexes, Mixed donor ligands, X-ray crystallography, Methylaluminoxane (MAO), Norbornene, Polymerization, 1601
Transition metal aroylhydrazone complexes
Diazafluorenone aroylhydrazone, Crystal structures, Enolization, ^{1}H NMR spectroscopy, IR, 1295
Transition metal complexes
Electronic spectral data, Oximes, Benzil-α-monoxime, 1687
Transition metal complexes
Imidazole derivatives, Crystal structure, Absorption spectra, Stability constants, 2183
Transition metal complexes
Terephthalate ions, Aromatic diamines, Crystal structures, Spectral data, 1415
Transition metal ions
Disulfide, Peptides, 1849
Transition metal ions
Macrocyclic polyether 18-crown-6, Acetonitrile, Alkaline earth metal ions, 1681
Transition metals
Helical structures, Supramolecular chemistry, X-ray crystal structures, 23
Transition metals
Synthesis, Structural characterization, Antitumor activity, 217
Transition metal
Tetraazamacrocyclic ligand, Synthesis, Structural characterization, Stability constants, DNA cleavage activities, 1527
Triaminoguanidinium(2+) ion
Cu(II) complex, Structure, 1737
1,2,4-Triazolo-[1,5α]-pyrimidine
Zn(II) complexes, ^{15}N NMR, HETCOR, CPMAS, 965
Trichloroacetate
Copper(II), 1,4-Diazacycloheptane, Crystal structures, 1881
Trichlorovinyl
Mercury(II), Crystal structures, Complexes, Bidentate ligands, 2539

Tridentate chelate
Lanthanide complex, Europium(III) chloride, 2135
Trienes
Cycloadditions, Dienes, Indium, Magnesium, 533
Trifluoroacetate
Dirhodium(II) compounds, One-dimensional polymers, Arene coordination, π-Complexes, Crystal structures, 1829
Trigonal planar anions
Copper(I) thiocyanate complexes, Methyl nicotinates, Ethyl nicotinates, Ethyl isonicotinate complexes, Crystal structures, 615
Trimers
Oxo ligands, Thiolates, Titanium, 1139
Trimetallic alkoxides
Molybdenum, Tantalum, Crystal structures, 1791
Trimetallic complexes
Molybdenum(II), Tungsten(II), Crystal structures, *o*-Phenylenediacetonitrile, Bimetallic complexes, Nitrile-bridged complexes, Seven-coordinate complexes, Halocarbonyls, 147
Triphenylphosphine
Copper(I,II) complexes, α,β-Unsaturated carboxylates, Magnetic properties, Crystal structures, 891
Triphenylphosphine
Mercury(II) complexes, Benzothiazole-2-thione, pyrimidine-2-thione, Crystal structures, 2231
Triphenylphosphine
Osmium, 2-(Phenylazo)pyridine, Synthesis, Structures, Reactivities, 1227
Tripodal ligand
Ni(II) complexes, Crystal structures, Spectroscopic studies, 2661
Trirhenium(III) clusters
Rhenium clusters, Acetamidate, Dimolybdenum(II), MALDI, Mass spectroscopy, 1245
Tris(2-benzimidazolylmethyl)amine
Chromium(III) complexes, 2-Guanidinobenzimidazole, 2,6-Bis(2-benzimidazolyl)pyridine, 2-(2-Pyridyl)benzimidazole, Crystal structures, 1821
Tris(2-benzimidazolylmethyl)amine
Zinc(II), Cadmium(II), Mercury(II), X-ray diffraction structures, NMR data, 1479
Tris-chelates
Azoimine, Ru–bipyridine, X-ray structures, Electrochemistry, Emission spectra, 1925
Tris(6-methyl-2-pyridylmethyl)amine
Binuclear nickel(II) complex, Binuclear manganese(II) complex, Crystal structures, Magnetic properties, 1559
Tris-pyrazolylborate
Zinc, Crystal structures, Electrochemistry, 109
Trypanosoma cruzi
Ruthenium, Clotrimazole, Ketoconazole, Paramagnetic, Metal complexes, Chagas, 2319
Tungsten analogue
Crystallographic, Selenium, Refluxing, 2127
Tungsten carbonyls
Thiiranes, Dihydrodithiins, 521
Tungsten complexes
Molybdenum complexes, Pyrazine complexes, Peroxo ligands, Crystal structures, 1503
Tungsten(II)
Carboxylate and sulfonate substituted pyridines, Propiolic acid, Water soluble complexes, 2171
Tungsten(II)
Molybdenum(II), Crystal structures, *o*-Phenylenediacetonitrile, Bimetallic complexesw, Trimetallic complexes, Nitrile-bridged complexes, Seven-coordinate complexes, Halocarbonyls, 147
Tungsten(II)
Multimetallic, Cobalt carbonyl complexes, Alkyne complexes, Chain triphos-bridged, 1585
Tungsten
meso-2,3-dimercaptosuccinic acid, Multinuclear NMR, 193
Tungsten pentacarbonyl complexes
Mononuclear, 1,4-Bipyridine, 1,2-Bis(4-pyridyl)ethane, 1621
Tungsten
Selenoether, Telluroether, Sulfur macrocycles, Chromium, Molybdenum, 1373
Tungsten(VI)
Binaphtholato complexes, X-ray structures, 2579
Twist angles
Cd(II), Hg(II), tachpyr, Torsion angles, Zn(II), 1155
Two-centre transitions
Infrared spectroscopy, Raman spectroscopy, Electronic absorption spectroscopy, Crystal structures, Hypophospite complexes, Cooperative vibronic transitions, 863
Two-coordinate gold complex.
Bulky phosphine, X-ray structure, Cone angle, 2211

α,β-Unsaturated carboxylates
Copper(I,II) complexes, Triphenylphosphine, Magnetic properties, Crystal structures, 891
Uracil
Crystal structures, Nickel complexes, Copper complexes, Schiff bases, 689
Uranium(IV)
Thorium(IV), Dicarboxylate complexes, CPMAS ^{13}C NMR spectroscopy, X-ray crystallography, 1757
Uranium
Thorium, Coordination compounds, Tetraphenylimidophosphinate ligand, X-ray crystal structures, 1699
Uranium
Uranyl, Phosphate, Crown, Crystal structures, 1551
Uranyl bis(2-hydroxybenzaldehyde)
Fourier transform infrared and Raman spectra, Force constants, 2353
Uranyl
Uranium, Phosphate, Crown, Crystal structures, 1551
Uridine
Copper(II), Diamines, Uridine 5′-monophosphate, 1145
Uridine 5′-monophosphate
Copper(II), Diamines, Uridine, 1145
UV–Vis–NIR, IR, ^1H NMR spectra
Thiopyrimidine, Rhenium(V) complexes, Rhenium(III) complexes, Cyclic voltammetry, 2163
UV–VIS spectra
Potentiometry, Equilibria, Stability constants, Manganese(II), Cobalt(II), Nickel(II) complexes, Aminopolyphosphonates, 2083
UV–Vis spectroscopy
meso-2,3-Dimercaptosuccinic acid, Potentiometry, Formation constants, Ionization constants, Kinetic measurements, 2435
UV–Vis spectroscopy
Vanadium, Molybdenum, Heteropolyoxometalate, IR spectroscopy, EPR spectroscopy, 1917

Vanadium complexes
Quinic acid complexes, IR spectra, Raman spectra, Thermal behavior, Potentiometric titrations, 2613
Vanadium(IV)
Dithiocarboxylate, Magnetism, EPR, Infrared, Coordination, 2155
Vanadium
Molybdenum, Heteropolyoxometalate, IR spectroscopy, UV–Vis spectroscopy, EPR spectroscopy, 1917
Vanadium
Vanadyl, Terpyridine, Density functional theory, 69
Vanadyl
Vanadium, Terpyridine, Density functional theory, 69
Vibrational spectra
Copper(I) complexes, Crystal structures, Electronic spectra, Emission spectra, Pyrazine carboxamide complexes, 601
Vinylsilanes
Hydroboration, Polysilazanes, Precursors, Chloroboranes, 323
VO(IV) complexes
Biospeciation, Al(III) complexes, Insulinmimetics, 2389
Volatility
Scandium, Alkoxides, Crystal structures, 705
Voltammetry
Platinum(II), Platinum(IV), Bromide, Porphyrins, Electrochemistry, 1057

Water gas shift reaction
Nitrobenzene catalytic reduction, Rhodium complexes, 2-picoline, 487

Water soluble complexes
Tungsten(II), Carboxylate and sulfonate substituted pyridines, Propiolic acid, 2171
Water-soluble phosphines
Phosphino amino acid salts, Disodium or dipotassium 1,3-di(carboxylatomethyl)-5-aryl-1,3,5-diazaphosphorinanes, 1455
^{183}W NMR
Organophosphoryl polyoxotungstate, Polyoxometalate, Synthesis, 125

XAFS spectroscopy
Iron carbonyl halides, NMR, Halogen exchange reactions, Matrix isolation, 1493
X-ray crystallography
Cobalt(II), Cyanamidonitrate, Electronic spectra, Imidazole ligands, IR spectra, Nickel(II), 1021
X-ray crystallography
15-Crown-5 complexes, Liquid clathrates, Oxonium ion, 85
X-ray crystallography
Palladium(II) complexes, Mixed donor ligands, *Trans*-influence, Methylaluminoxane (MAO), Norbornene, Polymerization, 1601
X-ray crystallography
Palladium(II) complexes, Platinum(II) complexes, Chloride metathesis, Heterodifunctional ligands, 695
X-ray crystallography
Thorium(IV), Uranium(IV), Dicarboxylate complexes, CPMAS ^{13}C NMR spectroscopy, 1757
X-ray crystal structure
Cobalt(III) complex, Thiocarbamylpyrazole, Spectroscopic study, 2651
X-ray crystal structures
Europium compounds, Hydrotris(pyrazolyl)borate ligands, Luminescence studies, 1707
X-ray crystal structures
Helical structures, Supramolecular chemistry, Transition metals, 23
X-ray crystal structures
N-salicylidenearoylhydrazine copper(II) complexes, Copper(II) imidazole ternary complexes, Copper(II) imidazolate ternary complexes, Molecular structures, Magnetic properties, Infrared spectra, 1181
X-ray crystal structures
N-salicylidenearoylhydrazines, Copper(II) complexes, Molecular structures, Magnetic properties, Infrared spectra, 949
X-ray crystal structures
Palladium, Diethyldithiocarbamate, Diphosphines, Tetrachlorometallate anions, 1511
X-ray crystal structures
Ruthenium, Phosphates, 801
X-ray crystal structures
Uranium, Thorium, Coordination compounds, Tetraphenylimidophosphinate ligand, 1699
X-ray data
Lanthanide, Carbacylamidophosphate, NMR, 2203
X-ray diffraction
Magnesia, Dolomite, Crystallite size, Degree of agglomeration, SEM, 2345
X-ray diffraction structures
Zinc(II), Cadmium(II), Mercury(II), Tris-(2-benzimidazolylmethyl)amine, NMR data, 1479
X-ray
Platinum, Gold, Cross-coupling, Diyne, 2261
X-ray structure analyses
Chiral-at-metal complexes, Configurational stability, Epimerisation, Equilibria, 1519
X-ray structure
α,α′-Bis(pyrazolyl)-*m*-xylene, Copper(II) complexes, Network structures, Absorption spectroscopy, Electron spin resonance, 719
X-ray structure
Bulky phosphine, Cone angle, Two-coordinate gold complex, 2211
X-ray structure
Cadmium complexes, Mercury complexes, Sulfamides, Zinc complexes, 991
X-ray structure
Calcium, H-bonding, Inorganic Polymers, Alkaline Earth, 1783
X-ray structure
Nickel(II) piperidinedithiocarbamate complexes, Synthesis, 1713
X-ray structure
Organotin(IV), Poly(pyrazol-1-yl)alkanes, 381
X-ray structure
Organotin(IV), Poly(triazol-1-yl)alkanes, 1949
X-ray structure
Phosphoranes, Pentacoordination, Hydrogen bonding, 63
X-ray structure
Polyoxometalate, Oxyhalide, Molybdenum, High acidity, 43
X-ray structure
Rigid and flexible ligands, Self-assembly, Supramolecules, 1117
X-ray structures
Azoimine, Ru–bipyridine, Tris-chelates, Electrochemistry, Emission spectra, 1925
X-ray structures
Binaphtholato complexes, Tungsten(VI), 2579
X-ray structure
Schiff bases, Copper complexes, 5-Phenylazosalicylaldehyde, Cyclic voltammetry, 607
X-ray structures
Dinucleating alkoxide ligands, Copper(II) complexes, Hetero-bridged complexes, Magnetism, Magneto-structural trends, 1429
X-ray structures
Dithiolate complexes, Ruthenium, Osmium, 1073
X-ray structures
Lanthanides, Phosphine oxides, 2697
X-ray structures
Molybdenum, Nitrides, Alkoxides, Synthesis, NMR fluxionality, Pseudorotation, 1363
X-ray structures
Naphthylazoimidazoles, Platinum(II), PtN_4 coordination, Electrochemistry, 1263
X-ray structures
Osmium, Ditelluroether, 235
X-ray structures
Osmium, Metallation, 1081
X-ray structures
Pentafluoro-cyclotriphosphazene, Pentachloro-cyclotriphosphazene, Electrospray mass spectrometry, 2101
X-ray structures
Pyridine *N*-oxide ligands, Cobalt(II) complexes, Zinc(II) complexes, Magnetic susceptibility, 2195
X-ray structures
Rhenium, Nitrido complexes, Imido complexes, EPR spectroscopy, 1741
X-ray structures
Schiff base complexes, *N*-Salicylidene derivatives, Zn(II) complexes, 673

Ytterbium(III)
Lanthanides, Calixarenes, Homoazacalixarenes, Crystal structure, 2673
Yttrium
Planar chiral, Structure, Indenyl, Lanthanum, Tetrahydroborate, 1955
Yttrium
Rare earth elements, Hydrolysis, Enthalpy, Ionic strength, Spectrophotometry, 99

Zincates
1,3-dithiole-2-thione-4,5-dithiolates, dmit complexes, Zinc dmit compounds, 821
Zinc
Bis(pyrazolyl)silanes, Crystal structures, Nitrogen-donor ligands, 1815
Zinc complexes
Cadmium complexes, Mercury complexes, Sulfamides, X-ray structure, 991
Zinc complexes
Cobalt complex, α-Ketoglutaric acid, Thiosemicarbazones, Crystal structures, Spectroscopic properties, 1895
Zinc complexes
Lead(II) complexes, Maltol, 3-Hydroxy-4-pyranone, 3-Hydroxy-4-pyridinone, 1,2-Dimethyl, Crystal structures, 129
Zinc
Divalent metals, Copper, Benzolamide, Diethylenetriamine, Ternary complexes, 725
Zinc dmit compounds
1,3-dithiole-2-thione-4,5-dithiolates, dmit complexes, Zincates, 821
Zinc(II)
Binucleating hexa-aza macrocycle, Copper(II), Nickel(II), Cobalt(II), Crystal structures, Phosphotriester, Hydrolysis, 1485

Zinc(II)
Cadmium(II), Mercury(II), Tris(2-benzimidazolylmethyl)amine, X-ray diffraction structures, NMR data, 1479
Zinc(II) complexes
Pyridine *N*-oxide ligands, Cobalt(II) complexes, X-ray structures, Magnetic susceptibility, 2195
Zinc porphyrin complexes
Bridged structures, Crystal structures, Heteronuclear multiple bond coherence, *N*-Tosyl ligands, 413
Zinc
Streptonigrin, 2,2′-Bipyridyl, 6,6′-Dicarboxy-2,2′-bipyridyl, Antitumour, 1067
Zinc
Thiosemicarbazone, Isatin, Crystal structures, Lead, Hexamethyleneimine, Metal(II) complexes, 1255
Zinc
Tris-pyrazolylborate, Crystal structures, Electrochemistry, 109
Zirconium oxide sulfide
Sulfated zirconia, Tetragonal zirconia stabilization, Rietveld method, Zirconium sulfide, Thermogravimetry of sol–gel ZrO_2, 2283
Zirconium sulfide
Sulfated zirconia, Tetragonal zirconia stabilization, Rietveld method, Zirconium oxide sulfide, Thermogravimetry of sol–gel ZrO_2, 2283
Zirconocene
Crystal structures, Catalysis, Olefin polymerizations, 1941
Zn(II)
Cd(II), Hg(II), tachpyr, Torsion angles, Twist angles, 1155
Zn(II) complexes
Schiff base complexes, *N*-Salicylidene derivatives, X-ray structures, 673
Zn(II) complexes
1,2,4-Triazolo-[1,5α]-pyrimidine, ^{15}N NMR, HETCOR, CPMAS, 965